1. Regular Expressions

- (a) Write a regular expression that matches base 10 numbers (e.g., there should be no leading zeroes).
- (b) Write a regular expression that matches all base-3 numbers that are divisible by 3.
- (c) Write a regular expression that matches all binary strings that contain the substring "111", but not the substring "000".

2. CFGs

- (a) All binary strings that end in 00.
- (b) All binary strings that contain at least three 1's.
- (c) All binary strings with an equal number of 1's and 0's.

3. Structural Induction

(a) Consider the following recursive definition of strings.

Basis Step: "" is a string

Recursive Step: If X is a string and c is a character then append(c, X) is a string. Recall the following recursive definition of the function len:

$$\begin{aligned} & \mathsf{len}("") &= 0 \\ & \mathsf{len}(\mathsf{append}(c,X)) &= 1 + \mathsf{len}(X) \end{aligned}$$

Now, consider the following recursive definition:

double("") = ""
double(append(c, X)) = append(c, append(c, double(X))).

Prove that for any string X, len(double(X)) = 2len(X).

(b) Consider the following definition of a (binary) Tree:

Basis Step: • is a Tree.

Recursive Step: If L is a **Tree** and R is a **Tree** then $Tree(\bullet, L, R)$ is a **Tree**.

The function leaves returns the number of leaves of a Tree. It is defined as follows:

$$\begin{aligned} & \mathsf{leaves}(\bullet) &= 1 \\ & \mathsf{leaves}(\mathsf{Tree}(\bullet, L, R)) &= \mathsf{leaves}(L) + \mathsf{leaves}(R) \end{aligned}$$

Also, recall the definition of size on trees:

 $\begin{aligned} \mathsf{size}(\bullet) &= 1\\ \mathsf{size}(\mathsf{Tree}(\bullet, L, R)) &= 1 + \mathsf{size}(L) + \mathsf{size}(R) \end{aligned}$

Prove that $leaves(T) \ge size(T)/2 + 1/2$ for all Trees T.

- (c) Prove the previous claim using strong induction. Define P(n) as "all trees T of size n satisfy $leaves(T) \ge size(T)/2 + 1/2$ ". You may use the following facts:
 - For any tree T we have $size(T) \ge 1$.
 - For any tree T, size(T) = 1 if and only if $T = \bullet$.

If we wanted to prove these claims, we could do so by structural induction.

Note, in the inductive step you should start by letting T be an arbitrary tree of size k + 1.

4. Walk the Dawgs

Suppose a dog walker takes care of $n \ge 12$ dogs. The dog walker is not a strong person, and will walk dogs in groups of 3 or 7 at a time (every dog gets walked exactly once). Prove the dog walker can always split the n dogs into groups of 3 or 7.

5. Reversing a Binary Tree

Consider the following definition of a (binary) Tree.

Basis Step Nil is a Tree.

Recursive Step If L is a **Tree**, R is a **Tree**, and x is an integer, then Tree(x, L, R) is a **Tree**.

The sum function returns the sum of all elements in a Tree.

$$\begin{split} & \mathsf{sum}(\mathtt{Nil}) &= 0 \\ & \mathsf{sum}(\mathtt{Tree}(x,L,R)) &= x + \mathtt{sum}(L) + \mathtt{sum}(R) \end{split}$$

The following recursively defined function produces the mirror image of a Tree.

 $\begin{aligned} & \texttt{reverse}(\texttt{Nil}) & = \texttt{Nil} \\ & \texttt{reverse}(\texttt{Tree}(x,L,R)) & = \texttt{Tree}(x,\texttt{reverse}(R),\texttt{reverse}(L)) \end{aligned}$

Show that, for all **Tree**s T that

$$sum(T) = sum(reverse(T))$$