Binary Trees

Basis: A single node is a rooted binary tree.

Recursive Step: If T_1 and T_2 are rooted binary trees with roots r_1 and r_2, then a tree rooted at a new node, with children r_1, r_2 is a binary tree.



size(●)=1

size() =

size(T_1) + size(T_2) + 1

height(●) = 0

height() =

1+$\mathbf{max}$(height(T_1),height(T_2))

Structural Induction on Binary Trees

Let $P(T)$ be "size(T) $\leq 2^{height(T)+1} - 1$". We show $P(T)$ for all binary trees T by structural induction.

Base Case: Let $T =$●. size(T)=1 and height(T) = 0, so size(T)=1$\leq 2 - 1 = 2^{0+1} - 1 = 2^{height(T)+1} - 1$.

Inductive Hypothesis: Suppose $\mathrm{P}(L)$ and $\mathrm{P}(R)$ for arbitrary binary trees L, R.

Inductive Step: Let $T =$  .

Structural Induction on Binary Trees (cont.)

Let $P(T)$ be "size(T) $\leq 2^{height(T)+1} - 1$". We show $P(T)$ for all binary trees T by structural induction.

Inductive Step: Let $T =$  .

height(T)=$1 + \max\{height(L), height(R)\}$

size(T)= 1 +size(L)+size(R)

So $P(T)$ holds, and we have $P(T)$ for all binary trees T by the principle of induction.

More Examples

$(0^*1^*)^*$

0^*1^*

$(0 \cup 1)^*(00 \cup 11)^*(0 \cup 1)^*$

$(00 \cup 11)^*$