

CSE 311 : Winter 2022 Final Exam

Instructions

- You have one-hour and fifty-minutes to complete this exam.
- You are permitted one piece of 8.5x11 inch paper with handwritten notes.
- You may not use a calculator or any other electronic devices during the exam.
- We will be scanning your exams before grading them. Please write legibly, and avoid writing up to the edge of the paper.
- If you run out of room, indicate (e.g. with an arrow) that you're going to use the back of the sheet, and continue writing there.
- You may also use the last page for extra space, but tell us where to find your answer if it's not right below the problem.

Advice

- Remember to properly format English proofs (e.g. introduce all your variables).
- All proofs for this exam must be English proofs.
- We give partial credit for the beginning and end of a proof. Even if you don't know how the middle goes, you can write the start of the proof and put the "target" and conclusion at the bottom.
- Remember to take deep breaths.

| Question | Max points |
|-----------------------|-------------------|
| Training Wheels | 12 |
| Set Proofs | 10 |
| Models of Computation | 12 |
| Induction I | 20 |
| Now, False or True | 9 |
| Induction II | 21 |
| Wait, That's Illegal | 15 |
| Grading Morale | 1 |
| Total | 100 |

1. Training Wheels [12 points]

Let your domain of discourse be all fruits and all people.

Use the predicates `IsApple`, `IsOrange`, `IsBanana`, `Doctor`, `Fruit`, `Person` to do domain restriction.

You can also use the predicate `Likes(x, y)`, which is true if and only if x likes y .

You may also use quantifiers, standard logical notation (e.g., \leftrightarrow , \wedge , etc.), and $=$, but you may not introduce other predicates.

In addition to introducing variables, you can also use the constants `Robbie`, `Allie`.

(a) Robbie likes all apples.

(b) There is a fruit that every doctor likes, and this fruit is not an orange.

(c) Among all fruits, Allie likes only bananas.

Take the contrapositive of this implication (leave your answer in English, you do not need to show work). Your answer must be simplified (e.g. negations should apply to individual predicates/propositions; you should not need phrases like “it is not the case that...”)

(d) “If you like apples or you like oranges, then you must also like grapes and pineapples.”

2. A Set Proof [10 points]

Let $S = \{x \in \mathbb{Z} : x \equiv 1 \pmod{5}\}$ and let $T = \{x \in \mathbb{Z} : x \equiv 1 \pmod{15}\}$.

(a) Prove that $T \subseteq S$. [7 points]

(b) Prove that $S \not\subseteq T$. [3 points]

3. Models of Computation [12 points]

Let $\Sigma = \{1, 2, 3, 4\}$ and let L be the language containing all strings w where w is **nondecreasing**.

We define a string w as **nondecreasing** if for all k , the character at index k is greater than or equal to all the numbers to the left, meaning the number at index k is greater than or equal to each of the numbers at indices 0 to $k - 1$.

Some example **nondecreasing** strings are:

- ϵ (this string vacuously meets the definition of nondecreasing)
- 13 ($3 \geq 1$)
- 11223334

An example on an invalid string (one not in the language) is 132, as $3 > 2$.

(a) Write a regular expression that matches L . (No explanation required).

(b) Write a CFG that generates L .

Be sure to tell us which symbol is the start symbol; also include a sentence or two of explanation of how your CFG works.

4. Induction I [20 points]

Consider this function f , that takes in a natural number and outputs a natural number:

$$f(n) = \begin{cases} 2 \cdot f(n-1) + 2 \cdot f(n-2) + 3^{n-2} & \text{if } n \geq 2 \\ 3 & \text{if } n = 1 \\ 1 & \text{if } n = 0 \end{cases}$$

Use induction to show $f(n) = 3^n$ for all natural numbers n .

Remember to explicitly define a predicate $P()$ as part of your proof.

5. Now, False or True [9 points]

For the following questions, determine whether the statement is true or false, and write “T” or “F” on the line provided. Then provide 1-3 sentences of explanation. Your explanations do not need to be full or formal proofs, intuitive justifications are fine.

(a) _____ It is always incorrect to perform a strong induction proof with a single base case.

(b) _____ “ p is sufficient for q ” and “ q is necessary for p ”, are both best translated as $p \rightarrow q$.

(c) _____ Suppose you wish to prove the implication $p \rightarrow q$. One way to prove the claim is to show the converse $q \rightarrow p$ is false. Since converses are different from each other, you can conclude $p \rightarrow q$ must be true.

6. Induction II [21 points]

You'll see “**up-trees**” in your data structures class. Every **up-tree**, T , has a number of nodes (which we call $\text{Nodes}(T)$) and a “rank” (think of it as a measure of size), which we denote by $\text{Rank}(T)$.

Up-trees are defined with the following recursive definition:

Basis Step: A single node is an **up-tree**.

$\text{Nodes}(T) = 1$ and $\text{Rank}(T) = 0$ when T is a single node.

Recursive Steps: There are three ways to make new **up-trees**. You should both read the rules on this page and look at the examples on the next page.

- **Combine 1** Given two **up-trees** S and T where $\text{Rank}(S) = \text{Rank}(T)$, you can make a new combined up-tree, N , by making the root of T be the root of N , and making the root of S a child of the root of T .

In this case: $\text{Nodes}(N) = \text{Nodes}(S) + \text{Nodes}(T)$ and $\text{Rank}(N) = 1 + \text{Rank}(T)$.

- **Combine 2** Given two **up-trees**, S, T , where $\text{Rank}(S) < \text{Rank}(T)$, you can make a new combined **up-tree**, N , by making the root of T be the root of N , and making the root of S a child of the root of T .

In this case: $\text{Nodes}(N) = \text{Nodes}(S) + \text{Nodes}(T)$ and $\text{Rank}(N) = \text{Rank}(T)$.


- **Compress** Given one **up-tree**, S , you can “compress” it into a new **up-tree**, N , by keeping the root the same and making all other nodes direct children of the root.

In this case: $\text{Nodes}(N) = \text{Nodes}(S)$ and $\text{Rank}(N) = \text{Rank}(S)$.

Prove using structural induction that $\text{Nodes}(T) \geq 2^{\text{Rank}(T)}$ holds for all **up-trees** T .


If you run out of room, continue on the next page.

For more intuition on the rules, we have included some examples below. **There are no new questions on this page.** But you may use the space below if you run out of room on the previous page.




Here, T and S are two **up-trees** as defined by our basis step. Thus, we have the following:

$$\begin{aligned} \text{Node}(T) &= \text{Node}(S) = 1 \\ \text{Rank}(T) &= \text{Rank}(S) = 0 \end{aligned}$$




$N1$ is created by combining T and S with **Combine 1**. We take the root of T and make it the root of $N1$, then append the root of S as a child of T . Thus, we have the following:

$$\begin{aligned} \text{Node}(N1) &= \text{Node}(S) + \text{Node}(T) = 2 \\ \text{Rank}(N1) &= 1 + \text{Rank}(T) = 1 \end{aligned}$$




$N2$ is created by combining $N1$ and S with **Combine 2**. $\text{Rank}(S) < \text{Rank}(N1)$, so we take the root of $N1$ and make it the root of $N2$, then append the root of S as a child of $N1$. Thus, we have the following:

$$\begin{aligned} \text{Node}(N2) &= \text{Node}(S) + \text{Node}(N1) = 3 \\ \text{Rank}(N2) &= \text{Rank}(N1) = 1 \end{aligned}$$



$N3$ is created by combining $N1$ and $N2$ with **Combine 1**. We take the root of $N2$ and make it the root of $N3$, then append the root of $N1$ as a child of $N2$. Thus, we have the following:

$$\begin{aligned} \text{Node}(N3) &= \text{Node}(N1) + \text{Node}(N2) = 5 \\ \text{Rank}(N3) &= 1 + \text{Rank}(N2) = 2 \end{aligned}$$



$N4$ is created by **compressing** $N3$. We take the root of $N3$ and make all other nodes in $N3$ direct children of the root. Thus, we have the following:

$$\begin{aligned} \text{Node}(N4) &= \text{Node}(N3) = 5 \\ \text{Rank}(N4) &= \text{Rank}(N3) = 2 \end{aligned}$$

7. Wait, that's illegal [15 points]

Choose to do exactly one of these two problems.

(a) Let $L = \{0^k 1^j 0^k \mid j, k \in \mathbb{N}, j \neq k\}$. Prove that L is not regular.

(b) Let S be the set of all real numbers in $[0, 1)$ such that the even-indexed digits after the decimal point in its decimal expansion are all 0. Prove that S is uncountably infinite.

For example $\frac{1}{100} = 0.010000\dots$ has a 0 at indices 0, 2, 3, 4, 5, ... and a 1 at index 1. Since it has 0's at indices 0, 2, 4, ..., it is in S .

$\pi - 3 = 0.14159\dots \notin S$, since the number at index 0 is 1.

8. Grading Morale [1 point]

Put something on this page. Depending on your mood, this might be a poem, description of favorite NFT¹, or a piece of art. Or you can tell us what you believe Oob's story may be.

As long as you make some mark on this page, you will get the point.

¹Please, don't actually buy NFTs. All the NFT problems this quarter were jokes. Seriously, don't get NFTs.

Extra sheet for scratch work or if you run out of room on other sheets.