


Binary Trees

Basis: A single node is a rooted binary tree.



Recursive Step: If T_1 and T_2 are rooted binary trees with roots r_1 and r_2 , then a tree rooted at a new node, with children r_1, r_2 is a binary tree.



$$\text{size}(\bullet) = 1$$

$$\text{size}(\text{tree}) =$$



$$\text{size}(T_1) + \text{size}(T_2) + 1$$

$$\text{height}(\bullet) = 0$$

$$\text{height}(\text{tree}) =$$



$$1 + \max(\text{height}(T_1), \text{height}(T_2))$$

5

Structural Induction Template

1. Define $P()$ State that you will show $P(x)$ holds for all $x \in S$ and that your proof is by structural induction.
2. Base Case: Show $P(b)$
[Do that for every b in the basis step of defining S]
3. Inductive Hypothesis: Suppose $P(x)$
[Do that for every x listed as already in S in the recursive rules].
4. Inductive Step: Show $P()$ holds for the "new elements."
[You will need a separate step for every element created by the recursive rules].
5. Therefore $P(x)$ holds for all $x \in S$ by the principle of induction.

12

Functions on Strings

Since strings are defined recursively, most functions on strings are as well.

Length:

$$\text{len}(\varepsilon) = 0;$$

$$\text{len}(wa) = \text{len}(w) + 1 \text{ for } w \in \Sigma^*, a \in \Sigma$$

Reversal:

$$\varepsilon^R = \varepsilon;$$

$$(wa)^R = aw^R \text{ for } w \in \Sigma^*, a \in \Sigma$$

Concatenation

$$x \cdot \varepsilon = x \text{ for all } x \in \Sigma^*;$$

$$x \cdot (wa) = (x \cdot w)a \text{ for } w \in \Sigma^*, a \in \Sigma$$

Number of c 's in a string

$$\#_c(\varepsilon) = 0$$

$$\#_c(wc) = \#_c(w) + 1 \text{ for } w \in \Sigma^*;$$

$$\#_c(wa) = \#_c(w) \text{ for } w \in \Sigma^*, a \in \Sigma \setminus \{c\}.$$

15

Claim for all $x, y \in \Sigma^*$ $\text{len}(x \cdot y) = \text{len}(x) + \text{len}(y)$.

Let $P(y)$ be " $\text{len}(x \cdot y) = \text{len}(x) + \text{len}(y)$ for all $x \in \Sigma^*$."

We prove $P(y)$ for all $x \in \Sigma^*$ by structural induction.

Base Case:

Inductive Hypothesis

Inductive Step:

We conclude that $P(y)$ holds for all string y by the principle of induction. Unwrapping the definition of P , we get $\forall x \forall y \in \Sigma^* \text{len}(xy) = \text{len}(x) + \text{len}(y)$, as required.

17