CSE 312 SECTION 3 THE NAIVE BAYES CLASSIFIER

LUXI WANG, PEMI NGUYEN, MITCHELL ESTBERG AND SHREYA JAYARAMAN Alex Tsun


ANNOUNCEMENTS PSET3 DUE WEDNESDAY, OCTOBER 21ST 11 PM PDT


Agenda


- WHAT IS MACHINE LEARNING?
- FEATURIZING EMAILS
- NAIVE BAYES

MACHINE LEARNING IN THE REAL WORLD









From **Wikipedia**: "Machine learning is the study of computer algorithms that improve automatically through experience."

YOU ARE A MACHINE!

Number	Shape	"Label"
3		12
5		15
-2		-8
7		21
-4		???

Given examples with correct "labels", make predictions!

YOU ARE A MACHINE!


Number	Shape	"Label"
3		12
5		15
-2		-8
7		21
-4		-16


Given examples with correct "labels", make predictions!

REGRESSION: IDEA



CLASSIFICATION: IDEA






"Green" class

"Red" class

CLASSIFICATION: IDEA



"Green" class

"Red" class

SPAM FILTER

- In real life, you may have seen a lot of spam emails like this.
- Building a good spam filter helps protect users from potential scams, unnecessary advertising, or malware links.

d day Spam ×	
Mr. Tom Hook <tomhook230@outlook.com> to 👻</tomhook230@outlook.com>	Jan 1 🔆 🔺 👻
Be careful with this message. It contains content t	hat's typically used to steal personal
information. <u>Learn more</u>	
•	
information. <u>Learn more</u>	<mark>iis message</mark> Mr.Tom Hook a banker here; there is s is a business that will profit both of iils please because the money needs to



EVALUATING PERFORMANCE

Training Set

Test Set

Email	Label	Email	Label
Buy Viagra!	Spam	You buy viagra!	Spam
You good?	Ham	You need viagra sir.	Spam
Viagra help you.	Spam	I hope you are healthy.	Ham
Good Viagra help.	Spam		
I need Viagra for my health condition.	Ham		

We "**train**" our spam filter on the training set, and **evaluate** performance using a test set (data that is unseen by the spam filter initially). This gives an unbiased estimate of performance.

SPAM FILTER TASK

Training Set

Email	Label
Buy Viagra!	Spam
You good?	Ham
Viagra help you.	Spam
Good Viagra help.	Spam
I need Viagra for my health condition.	Ham



Predict whether this email is spam or ham:

You buy Viagra!

EMAILS AS WORD COLLECTIONS

Email	Set of Words in the Email
SUBJECT: Top Secret Business Venture	{top, secret, business, venture, dear, sir, first, I, must, solicit, your, confidence, in,
Dear Sir. First, I must solicit your confidence in this transaction, this is by virtue of its nature as being utterly confidential and top secret	this, transaction, is, by, virtue, of, its, nature, as, being, utterly, confidencial, and}

For simplicity, we will

- Ignore Duplicate Words
- Ignore Punctuation
- Ignore Casing

EMAILS AS WORD COLLECTIONS

Email	Set of Words in the Email
SUBJECT: Top Secret Business Venture	{top, secret, business, venture, dear, sir, first, I, must, solicit, your, confidence, in,
Dear Sir. First, I must solicit your confidence in this transaction, this is by virtue of its nature as being utterly confidential and top secret	this, transaction, is, by, virtue, of, its, nature, as, being, utterly, confidencial, and}
Hello hello there.	{hello, there}

For simplicity, we will

- Ignore Duplicate Words
- Ignore Punctuation
- Ignore Casing

EMAILS AS WORD COLLECTIONS

Email	Set of Words in the Email
SUBJECT: Top Secret Business Venture	{top, secret, business, venture, dear, sir, first, I, must, solicit, your, confidence, in,
Dear Sir. First, I must solicit your confidence in this transaction, this is by virtue of its nature as being utterly confidential and top secret	this, transaction, is, by, virtue, of, its, nature, as, being, utterly, confidencial, and}
Hello hello there.	{hello, there}
You buy Viagra!	{you, buy, viagra}

For simplicity, we will

- Ignore Duplicate Words
- Ignore Punctuation
- Ignore Casing

OUR APPROACH

Compute and Compare:

$\mathbb{P}(\text{spam} \mid \text{"You buy Viagra!"}) \qquad \mathbb{P}(\text{ham} \mid \text{"You buy Viagra!"})$ Then predict whichever is larger! Can we get away with just computing one of them?

OUR APPROACH

Compute and Compare:

$\mathbb{P}(\text{spam} \mid \text{"You buy Viagra!"}) \qquad \mathbb{P}(\text{ham} \mid \text{"You buy Viagra!"})$ Then predict whichever is larger! Can we get away with just computing one of them?

Equivalently, note that these add to 1, so we can just compute $\mathbb{P}(\text{spam} \mid \text{"You buy Viagra!"})$

and if it is greater than 0.5, then we predict spam.

Otherwise, we predict ham.

Note: We resolve the tie in favor of ham.

Bayes Theorem: $\mathbb{P}(A \mid B) = rac{\mathbb{P}(B \mid A) \mathbb{P}(A)}{\mathbb{P}(B)}$



Apply it to our example:

 $\mathbb{P}(\text{spam} \mid \text{"You buy Viagra!"}) = \frac{\mathbb{P}(\text{"You buy Viagra!"} \mid \text{spam}) \mathbb{P}(\text{spam})}{\mathbb{P}(\text{"You buy Viagra!"})}$

NAIVE BAYES CLASSIFIER - WHAT WE CALCULATE

 $\mathbb{P}(\text{spam} \mid \text{"You buy Viagra!"}) = \frac{\mathbb{P}(\text{"You buy Viagra!"} \mid \text{spam}) \mathbb{P}(\text{spam})}{\mathbb{P}(\text{"You buy Viagra!"})}$

NATVE BAYES CLASSTETER - WHAT WE CALCULATE

 $\mathbb{P}(\text{spam} \mid \text{"You buy Viagra!"}) = \frac{\mathbb{P}(\text{"You buy Viagra!"} \mid \text{spam}) \mathbb{P}(\text{spam})}{\mathbb{P}(\text{"You buy Viagra!"})}$

[LTP]

 $= \frac{\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam)}{\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\}| ham) \mathbb{P}(ham)}$

NAIVE BAYES CLASSIFIER - WHAT WE CALCULATE

 $\mathbb{P}(\text{spam} \mid \text{"You buy Viagra!"}) = \frac{\mathbb{P}(\text{"You buy Viagra!"} \mid \text{spam}) \mathbb{P}(\text{spam})}{\mathbb{P}(\text{"You buy Viagra!"})}$

 $= \frac{\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam)}{\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\}| ham) \mathbb{P}(ham)} \quad [\texttt{LTP}]$

 $\mathbb{P}(\text{spam}) = \frac{\text{total spam emails (in training set)}}{\text{total emails (in training set)}} \qquad \mathbb{P}(\text{ham}) = \frac{\text{total ham emails (in training set)}}{\text{total emails (in training set)}}$

(our approximation for these probabilities, based on the training set)

It is somewhat unlikely that we have the email "You buy Viagra!" in our training data. (In this case we don't!)

It is somewhat unlikely that we have the email "You buy Viagra!" in our training data. (In this case we don't!)

We <u>naively</u> assume that words are conditionally independent from each other, given the label (In reality, they aren't):

It is somewhat unlikely that we have the email "You buy Viagra!" in our training data. (In this case we don't!)

We <u>naively</u> assume that words are conditionally independent from each other, given the label (In reality, they aren't):

 $\mathbb{P}(\{\text{``you''}, \text{``buy''}, \text{``viagra''}\} \mid \text{spam}) \\\approx \mathbb{P}(\text{``you''} \mid \text{spam}) \mathbb{P}(\text{``viagra''} \mid \text{spam}) \mathbb{P}(\text{``viagra''} \mid \text{spam})$

It is somewhat unlikely that we have the email "You buy Viagra!" in our training data. (In this case we don't!)

We <u>naively</u> assume that words are conditionally independent from each other, given the label (In reality, they aren't):

$$\begin{split} &\mathbb{P}(\{\text{``you''}, \text{``buy''}, \text{``viagra''}\} \mid \text{spam}) \\ &\approx \mathbb{P}(\text{``you''} \mid \text{spam}) \mathbb{P}(\text{``viagra''} \mid \text{spam}) \mathbb{P}(\text{``viagra''} \mid \text{spam}) \end{split}$$

Then we estimate for example that $\mathbb{P}(\text{"you"} \mid \text{spam}) = \frac{\text{number of spam emails containing "you" (in training set)}}{\text{number of spam emails (in training set)}}$

WHY IS THIS NAIVE?

Consider for example the following two emails:

"!!!Lunch free for You!!!!!"

Spam

"You free for lunch?"

Ham

WHY IS THIS NAIVE?

Consider for example the following two emails:

"!!!Lunch free for You!!!!!"

Spam

"You free for lunch?"

Ham

One shortfalling of our model is that it will make the same prediction for these since they have the same set of words!

$[XAMPLE \quad \mathbb{P}(\text{spam} \mid \text{`You buy Viagra''})$

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam)$

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\}| ham) \mathbb{P}(ham)$

 $\mathbb{P}(\text{"you"} | \text{spam})\mathbb{P}(\text{"buy"} | \text{spam})\mathbb{P}(\text{"viagra"} | \text{spam})\mathbb{P}(\text{spam})$

 $= \frac{1}{\mathbb{P}(\text{``you'' | spam})\mathbb{P}(\text{``buy'' | spam})\mathbb{P}(\text{``viagra'' | spam})\mathbb{P}(\text{spam}) + \mathbb{P}(\text{``you'' | ham})\mathbb{P}(\text{``buy'' | ham})\mathbb{P}(\text{``viagra'' | ham})\mathbb{P}(\text{ham})}$

Email	Label	$\mathbb{P}(\text{spam}) =$	$\mathbb{P}(ham) =$	
Buy Viagra!	Spam			
You good?	Ham			
Viagra help you.	Spam			
Good Viagra help.	Spam	$\mathbb{P}("you" \mid spam) =$		
I need Viagra for my	Ham	$\mathbb{P}("buy" \mid spam) = 0$	$\mathbb{P}(\text{"buy"} \mid \text{ham}) =$	
health condition.		$\mathbb{P}("viagra" \mid spam) =$	$\mathbb{P}(" ext{viagra"} \mid ext{ham}) =$	

$[XAMPLE \quad \mathbb{P}(\text{spam} \mid \text{`You buy Viagra''})$



 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam)$

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\}| ham) \mathbb{P}(ham)$

 $\mathbb{P}(\text{"you"} \mid \text{spam})\mathbb{P}(\text{"buy"} \mid \text{spam})\mathbb{P}(\text{"viagra"} \mid \text{spam})\mathbb{P}(\text{spam})$

 $= \frac{1}{\mathbb{P}(\text{``you'' | spam})\mathbb{P}(\text{``buy'' | spam})\mathbb{P}(\text{``viagra'' | spam})\mathbb{P}(\text{spam}) + \mathbb{P}(\text{``you'' | ham})\mathbb{P}(\text{``buy'' | ham})\mathbb{P}(\text{``viagra'' | ham})\mathbb{P}(\text{ham})}$

Email	Label
Buy Viagra!	Spam
You good?	Ham
Viagra help you.	Spam
Good Viagra help.	Spam
I need Viagra for my health condition.	Ham

$$\mathbb{P}(\text{spam}) = \frac{3}{5}$$
 $\mathbb{P}(\text{ham}) = \frac{2}{5}$

 $\mathbb{P}("you" \mid spam) = \frac{1}{3} \quad \mathbb{P}("you" \mid ham) = \frac{1}{2}$ $\mathbb{P}("buy" \mid spam) = \texttt{ed} \quad \mathbb{P}("buy" \mid ham) =$ $\mathbb{P}("viagra" \mid spam) = \quad \mathbb{P}("viagra" \mid ham) = \texttt{ed}$



$[XAMPLE \quad \mathbb{P}(\text{spam} \mid \text{`You buy Viagra''})$

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam)$

 $= \mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\}| ham) \mathbb{P}(ham)$


 $\mathbb{P}(\text{``you''} \mid \text{spam})\mathbb{P}(\text{``buy''} \mid \text{spam})\mathbb{P}(\text{``viagra''} \mid \text{spam})\mathbb{P}(\text{spam})$

 $= \frac{1}{\mathbb{P}(\text{``you'' | spam})\mathbb{P}(\text{``buy'' | spam})\mathbb{P}(\text{``viagra'' | spam})\mathbb{P}(\text{spam}) + \mathbb{P}(\text{``you'' | ham})\mathbb{P}(\text{``buy'' | ham})\mathbb{P}(\text{``viagra'' | ham})\mathbb{P}(\text{ham})}$

Email	Label
Buy Viagra!	Spam
You good?	Ham
Viagra help you.	Spam
Good Viagra help.	Spam
I need Viagra for my health condition.	Ham

$$\mathbb{P}(\text{spam}) = \frac{3}{5} \qquad \mathbb{P}(\text{ham}) = \frac{2}{5}$$

 $\mathbb{P}("you" \mid spam) = \frac{1}{3} \quad \mathbb{P}("you" \mid ham) = \frac{1}{2}$ $\mathbb{P}("buy" \mid spam) = \frac{1}{3} \quad \mathbb{P}("buy" \mid ham) = 0$ $\mathbb{P}("viagra" \mid spam) = 1 \quad \mathbb{P}("viagra" \mid ham) = \frac{1}{2}$



EXAMPLE $\mathbb{P}(\text{spam} \mid \text{`You buy Viagra''})$

 $\mathbb{P}($

 $\mathbb{P}($

₽('

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam)$

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\}| ham) \mathbb{P}(ham)$

 $\mathbb{P}(\text{``you'' | spam})\mathbb{P}(\text{``buy'' | spam})\mathbb{P}(\text{``viagra'' | spam})\mathbb{P}(\text{spam})$

 $\overline{\mathbb{P}(\text{``you'' | spam})\mathbb{P}(\text{``buy'' | spam})\mathbb{P}(\text{``viagra'' | spam})\mathbb{P}(\text{spam}) + \mathbb{P}(\text{``you'' | ham})\mathbb{P}(\text{``buy'' | ham})\mathbb{P}(\text{``viagra'' | ham})\mathbb{P}(\text{ham})}$


Email	Label
Buy Viagra!	Spam
You good?	Ham
Viagra help you.	Spam
Good Viagra help.	Spam
I need Viagra for my health condition.	Ham

$$\mathbb{P}(\operatorname{spam}) = \frac{3}{5} \qquad \mathbb{P}(\operatorname{ham}) = \frac{2}{5}$$

$$\operatorname{"you"} |\operatorname{spam}) = \frac{1}{3} \quad \mathbb{P}(\operatorname{"you"} |\operatorname{ham}) = \frac{1}{2}$$

$$\operatorname{"buy"} |\operatorname{spam}) = \frac{1}{3} \quad \mathbb{P}(\operatorname{"buy"} |\operatorname{ham}) = 0$$

$$\operatorname{"viagra"} |\operatorname{spam}) = 1 \quad \mathbb{P}(\operatorname{"viagra"} |\operatorname{ham}) = \frac{1}{2}$$



EXAMPLE	$\mathbb{P}(\text{spam} \mid \text{``You buy Viagra''})$			
		$\mathbb{P}(\{"you","buy","viagra"\} spam) \mathbb{P}(spam)$		
	$\overline{\mathbb{P}(\{"yo}$	ou","buy","viagra"} spam) $\mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\} ham) \mathbb{P}(ham)$		
$\mathbb{P}(\text{``you''} \mid \text{spam})\mathbb{P}(\text{``buy''} \mid \text{spam})\mathbb{P}(\text{``viagra''} \mid \text{spam})\mathbb{P}(\text{spam})$				
$= \frac{1}{\mathbb{P}(\text{``you'' spam})\mathbb{P}(\text{``buy'' spam})\mathbb{P}(\text{``viagra'' spam})\mathbb{P}(\text{spam}) + \mathbb{P}(\text{``you'' ham})\mathbb{P}(\text{``low'' ham})\mathbb{P}(\text{``viagra'' ham})\mathbb{P}(\text{ham})}} \mathbb{P}(\text{ham})$				
= 1				
Email	Label	$\mathbb{P}(\text{spam}) = \frac{3}{5}$ $\mathbb{P}(\text{ham}) = \frac{2}{5}$		
Buy Viagra!	Spam			
You good?	Ham			
Viagra help you.	Spam			
Good Viagra help.	Spam	$\mathbb{P}("you" \mid spam) = \frac{1}{3}$ $\mathbb{P}("you" \mid ham) = \frac{1}{2}$		
I need Viagra for my health condition.	Ham	$\mathbb{P}("buy" spam) = \frac{1}{3} \mathbb{P}("buy" ham) \stackrel{1}{=} 0$ $\mathbb{P}("viagra" spam) = 1 \mathbb{P}("viagra" ham) = \frac{1}{2}$		

Example	$\mathbb{P}\left(\mathrm{span}\right)$	m "You buy Viagra")		
••••		$\mathbb{P}(\{"you","buy","viagra"\} spam) \mathbb{P}(spam)$		
		u","buy","viagra"} spam) $\mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\} ham) \mathbb{P}(ham)$		
		$\operatorname{you}^{"} \operatorname{spam} \mathbb{P}(\operatorname{"buy}^{"} \operatorname{spam}) \mathbb{P}(\operatorname{"viagra}^{"} \operatorname{spam}) \mathbb{P}(\operatorname{spam})$		
<pre>- P("you" spam)P("buy" spam)P("viagra" spam)P(spam) + P("you" ham)P("buy" ham)P("viagra" ham)P(ham) = 1 (Marked as spam since no ham email contained "buy")</pre>				
Email	Label	$\mathbb{P}(\text{spam}) = \frac{3}{5}$ $\mathbb{P}(\text{ham}) = \frac{2}{5}$		
Buy Viagra!	Spam	$\frac{1}{5} \qquad \frac{1}{5} \qquad \frac{1}$		
You good?	Ham			
Viagra help you.	Spam	$\mathbb{P}("you" spam) = \frac{1}{3} \mathbb{P}("you" ham) = \frac{1}{2}$ $\mathbb{P}("buy" spam) = \frac{1}{3} \mathbb{P}("buy" ham) = 0$ $\mathbb{P}("viagra" spam) = 1 \mathbb{P}("viagra" ham) = \frac{1}{2}$		
Good Viagra help.	Spam			
I need Viagra for my health condition.	Ham			

WHAT HAPPENS IF WE GOT A 0?

P("You buy Viagra!" | ham) = 0 since P("buy"| ham) = 0, since no ham email in our training data contained the word **'buy'**.

But does that mean we will never encounter a ham email with word 'buy'?



LAPLACE SMOOTHING

Pretend in spam emails (training set):

- We saw one extra spam email with word w_i
- We saw one extra spam email **without** word w_i



LAPLACE SMOOTHING

Pretend in spam emails (training set):

- We saw one extra spam email with word w_i
- We saw one extra spam email **without** word w_i

$$\mathbb{P}(w_i \mid ext{spam}) = rac{| ext{total spam emails (training set) containing } w_i|+1}{| ext{total spam emails (training set)}|+2}$$

LAPLACE SMOOTHING

Pretend in spam emails (training set):

- We saw one extra spam email with word w_i
- We saw one extra spam email **without** word w_i

Same for ham emails.

$$\mathbb{P}(w_i \mid ext{spam}) = rac{| ext{total spam emails (training set) containing } w_i|+1}{| ext{total spam emails (training set)}|+2} \ \mathbb{P}(w_i \mid ext{ham}) = rac{| ext{total ham emails (training set) containing } w_i|+1}{| ext{total ham emails (training set)}|+2}$$



LAPLACE SMOOTHING

Pretend in spam emails (training set):

- We saw one extra spam email with word w_i
- We saw one extra spam email **without** word w_i

Same for ham emails.

$$\mathbb{P}(w_i \mid \text{spam}) = rac{|\text{total spam emails (training set) containing } w_i|+1}{|\text{total spam emails (training set)}|+2}$$

 $\mathbb{P}(w_i \mid \text{ham}) = rac{|\text{total ham emails (training set) containing } w_i|+1}{|\text{total ham emails (training set)}|+2}$
 $\mathbb{P}(\text{"buy"} \mid \text{ham}) = rac{0+1}{2+2} = rac{1}{4}$



$[XAMPLE \quad \mathbb{P}(\text{spam} \mid \text{`You buy Viagra''})$

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam)$

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\}| ham) \mathbb{P}(ham)$

 $\mathbb{P}(\text{``you''} | \text{spam})\mathbb{P}(\text{``buy''} | \text{spam})\mathbb{P}(\text{``viagra''} | \text{spam})\mathbb{P}(\text{spam})$

 $= \frac{1}{\mathbb{P}(\text{``you'' | spam})\mathbb{P}(\text{``buy'' | spam})\mathbb{P}(\text{``viagra'' | spam})\mathbb{P}(\text{spam}) + \mathbb{P}(\text{``you'' | ham})\mathbb{P}(\text{``buy'' | ham})\mathbb{P}(\text{``viagra'' | ham})\mathbb{P}(\text{ham})}$

Email	Label		
Buy Viagra!	Spam	$\mathbb{P}(\text{spam}) = \frac{3}{5}$	$\mathbb{P}(ham) = \frac{2}{5}$
You good?	Ham	<u> (spann)</u> 5	0
Viagra help you.	Spam	$\mathbb{P}(\text{"you"} \mid \text{spam}) =$	$\mathbb{P}(\text{"you"} \mid \text{ham}) =$
Good Viagra help.	Spam	$\mathbb{P}(\text{"buy"} \mid \text{spam}) =$	$\mathbb{P}(\text{``buy''} \mid \text{ham}) = \frac{0+1}{2+2} = \frac{1}{4}$
I need Viagra for my health condition.	Ham	$\mathbb{P}(\text{"viagra"} \mid \text{spam}) =$	$\mathbb{P}(\text{``viagra''} \mid \text{ham}) =$

$[XAMPLE \quad \mathbb{P}(\text{spam} \mid \text{`You buy Viagra''})$

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam)$

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\}| ham) \mathbb{P}(ham)$

 $\mathbb{P}(\text{"you"} | \text{spam})\mathbb{P}(\text{"buy"} | \text{spam})\mathbb{P}(\text{"viagra"} | \text{spam})\mathbb{P}(\text{spam})$

 $= \frac{1}{\mathbb{P}(\text{``you'' | spam})\mathbb{P}(\text{``buy'' | spam})\mathbb{P}(\text{``viagra'' | spam})\mathbb{P}(\text{spam}) + \mathbb{P}(\text{``you'' | ham})\mathbb{P}(\text{``buy'' | ham})\mathbb{P}(\text{``viagra'' | ham})\mathbb{P}(\text{ham})}$

Email	Label		
Buy Viagra!	Spam	$\mathbb{P}(\text{spam}) = \frac{3}{5}$	$\mathbb{P}(ham) = \frac{2}{5}$
You good?	Ham		0
Viagra help you.	Spam	$\mathbb{P}(\text{"you"} \mid \text{spam}) = \frac{1+1}{3+2} = \frac{2}{5}$	$\mathbb{P}(\text{"you"} \mid \text{ham}) = \frac{1}{2+2} = \frac{1}{2}$
Good Viagra help.	Spam	$\mathbb{P}(\text{"buy"} \mid \text{spam}) = \mathbf{ec}$	$\mathbb{P}(\text{``buy''} \mid \text{ham}) = \frac{0+1}{2+2} = \frac{1}{4}$
I need Viagra for my health condition.	Ham	$\mathbb{P}("viagra" \mid spam) =$	$\mathbb{P}(\text{``viagra''} \mid \text{ham}) = \mathbf{ed}$

$[XAMPLE \quad \mathbb{P}(\text{spam} \mid \text{`You buy Viagra''})$

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam)$

 $\mathbb{P}(\{"you","buy","viagra"\}| spam) \mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\}| ham) \mathbb{P}(ham)$

 $\mathbb{P}(\text{"you"} | \text{spam})\mathbb{P}(\text{"buy"} | \text{spam})\mathbb{P}(\text{"viagra"} | \text{spam})\mathbb{P}(\text{spam})$

 $= \frac{1}{\mathbb{P}(\text{``you'' | spam})\mathbb{P}(\text{``buy'' | spam})\mathbb{P}(\text{``viagra'' | spam})\mathbb{P}(\text{spam}) + \mathbb{P}(\text{``you'' | ham})\mathbb{P}(\text{``buy'' | ham})\mathbb{P}(\text{``viagra'' | ham})\mathbb{P}(\text{ham})}$

Email	Label		
Buy Viagra!	Spam	$\mathbb{P}(\text{spam}) = \frac{3}{5}$	$\mathbb{P}(ham) = \frac{2}{5}$
You good?	Ham	0	0
Viagra help you.	Spam	$\mathbb{P}(\text{``you''} \mid \text{spam}) = \frac{1+1}{3+2} = \frac{2}{5}$	$\mathbb{P}(\text{``you'' ham}) = \frac{1}{2+2} = \frac{1}{2}$
Good Viagra help.	Spam	$\mathbb{P}(\text{"buy"} \mid \text{spam}) = \frac{1+1}{3+2} = \frac{2}{5}$	
I need Viagra for my health condition.	Ham		$\mathbb{P}(\text{``viagra''} \mid \text{ham}) = \frac{1+2}{2+2} = \frac{1}{2}$

Example	ℙ(spam "You buy Viagra") ℙ({"you","buy","viagra"} spam) ℙ(spam)			
-	$= \frac{1}{\mathbb{P}(\{"you","buy","viagra"\} spam) \mathbb{P}(spam) + \mathbb{P}(\{"you","buy","viagra"\} ham) \mathbb{P}(ham)}$			
$= \underline{\qquad \qquad} \mathbb{P}(\text{``you'' spam})\mathbb{P}(\text{``buy'' spam})\mathbb{P}(\text{``viagra'' spam})\mathbb{P}(\text{spam})$				
$= \frac{1}{\mathbb{P}(\text{``you'' spam})\mathbb{P}(\text{``buy'' spam})\mathbb{P}(\text{``viagra'' spam})\mathbb{P}(\text{spam}) + \mathbb{P}(\text{``you'' ham})\mathbb{P}(\text{``buy'' ham})\mathbb{P}(\text{``viagra'' ham})\mathbb{P}(\text{ham})}{2 2 4 3}$				
		$ = \frac{\frac{2}{5} \cdot \frac{2}{5} \cdot \frac{4}{5} \cdot \frac{3}{5}}{\frac{2}{5} \cdot \frac{2}{5} \cdot \frac{4}{5} \cdot \frac{3}{5} + \frac{1}{2} \cdot \frac{1}{4} \cdot \frac{1}{2} \cdot \frac{2}{5}} \approx 0.7544 $		
Email	Label	$\frac{\cancel{2}}{5} \cdot \frac{\cancel{2}}{5} \cdot \frac{\cancel{2}}{5} \cdot \frac{\cancel{2}}{5} + \frac{\cancel{2}}{2} \cdot \frac{\cancel{2}}{4} \cdot \frac{\cancel{2}}{2} \cdot \frac{\cancel{2}}{5}$		
Buy Viagra!	Spam	$\mathbb{P}(\text{spam}) = \frac{3}{5}$	$\mathbb{P}(ham) = \frac{2}{2}$	
You good?	Ham	0	9	
Viagra help you.	Spam	$\mathbb{P}(\text{"you"} \mid \text{spam}) = \frac{1+1}{3+2} = \frac{2}{5}$	$\mathbb{P}(\text{"you"} \mid \text{ham}) = \frac{1}{2+2} = \frac{1}{2}$	
Good Viagra help.	Spam	$\mathbb{P}(\text{``buy'' spam}) = \frac{1+1}{3+2} = \frac{2}{5}$		
I need Viagra for my health condition.	Ham		$\mathbb{P}(\text{"viagra"} \mid \text{ham}) = \frac{1+1}{2+2} = \frac{1}{2}$	

EXAMPLE	$\mathbb{P}\left(\mathrm{sp}\right)$	$\mathbb{P}(\text{spam} \mid \text{`You buy Viagra''})$		
	$\mathbb{P}(\{"you","buy","viagra"\} spam) \mathbb{P}(spam)$			
	$= \frac{1}{\mathbb{P}(\{\text{"you","buy","viagra"}\} \text{ spam}) \mathbb{P}(\text{spam}) + \mathbb{P}(\{\text{"you","buy","viagra"}\} \text{ ham}) \mathbb{P}(\text{ham})}$			
$= \frac{\mathbb{P}(\text{``you'' spam})\mathbb{P}(\text{``buy'' spam})\mathbb{P}(\text{``viagra'' spam})\mathbb{P}(\text{spam})}{\mathbb{P}(\text{spam})}$				
$= \frac{1}{\mathbb{P}(\text{``you'' spam})\mathbb{P}(\text{``buy'' spam})\mathbb{P}(\text{``viagra'' spam})\mathbb{P}(\text{spam}) + \mathbb{P}(\text{``you'' ham})\mathbb{P}(\text{``buy'' ham})\mathbb{P}(\text{``viagra'' ham})\mathbb{P}(\text{ham})}{2 \ 2 \ 4 \ 3}$				
Email	Label	$= \frac{\frac{2}{5} \cdot \frac{2}{5} \cdot \frac{4}{5} \cdot \frac{3}{5}}{\frac{2}{5} \cdot \frac{2}{5} \cdot \frac{4}{5} \cdot \frac{3}{5} + \frac{1}{2} \cdot \frac{1}{4} \cdot \frac{1}{2} \cdot \frac{2}{5}} \approx 0$.7544	
Buy Viagra!	Spam	$\mathbb{P}(\text{spam}) = \frac{3}{5}$	$\mathbb{P}(ham) = \frac{2}{2}$	
You good?	Ham	8	0	
Viagra help you.	Spam	$\mathbb{P}(\text{"you"} \text{spam}) = \frac{1+1}{3+2} = \frac{2}{5}$	$\mathbb{P}(\text{"you"} \mid \text{ham}) = \frac{1}{2+2} = \frac{1}{2}$	
Good Viagra help.	Spam	$\mathbb{P}(\text{``buy''} \mid \text{spam}) = \frac{1+1}{3+2} = \frac{2}{5}$		
I need Viagra for my health condition.	Ham		$\mathbb{P}(\text{``viagra''} \mid \text{ham}) = \frac{1+1}{2+2} = \frac{1}{2}$	

UNDERFLOW PREVENTION

- Multiplication of many probabilities, each of which will be between 0 and 1, can result in floating-point underflow. The product will be too small and will result in arithmetic underflow.

UNDERFLOW PREVENTION

- Multiplication of many probabilities, each of which will be between 0 and 1, can result in floating-point underflow. The product will be too small and will result in arithmetic underflow.
- Reminder: Log property:

 $\log(xy) = \log(x) + \log(y)$

UNDERFLOW PREVENTION

- Multiplication of many probabilities, each of which will be between 0 and 1, can result in floating-point underflow. The product will be too small and will result in arithmetic underflow.
- Reminder: Log property:

 $\log(xy) = \log(x) + \log(y)$

- Summing logs of probabilities is better than multiplying probabilities

$$egin{aligned} \log\left(\prod_{i=1}^n p_i
ight) &= \log(p_1 p_2 \dots p_n) = \log(p_1) + \log(p_2) + \dots + \log(p_n) \ &= \sum_{i=1}^n \log(p_i) \end{aligned}$$

$$\mathbb{P}(\operatorname{spam} \mid \{w_1, w_2, \dots, w_n\}) \approx \frac{\mathbb{P}(\{w_1, w_2, ..., w_n\} \mid \operatorname{spam}) \mathbb{P}(\operatorname{spam})}{\mathbb{P}(\{w_1, w_2, ..., w_n\} \mid \operatorname{spam}) \mathbb{P}(\operatorname{spam}) + \mathbb{P}(\{w_1, w_2, ..., w_n\} \mid \operatorname{ham}) \mathbb{P}(\operatorname{ham})}$$

 $\mathbb{P}(\mathsf{ham} \mid \{w_1, w_2, \dots, w_n\}) \approx \frac{\mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \mathsf{ham}) \mathbb{P}(\mathsf{ham})}{\mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \mathsf{spam}) \mathbb{P}(\mathsf{spam}) + \mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \mathsf{ham}) \mathbb{P}(\mathsf{ham})}$

We will output spam iff:

 $\mathbb{P}(\text{spam} \mid \{w_1, w_2, \dots, w_n\}) > \mathbb{P}(\text{ham} \mid \{w_1, w_2, \dots, w_n\})$

 $\mathbb{P}(\operatorname{spam} \mid \{w_1, w_2, \dots, w_n\}) \approx \frac{\mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{spam}) \mathbb{P}(\operatorname{spam})}{\mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{spam}) \mathbb{P}(\operatorname{spam}) + \mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{ham}) \mathbb{P}(\operatorname{ham})}$ $\mathbb{P}(\operatorname{ham} \mid \{w_1, w_2, \dots, w_n\}) \approx \frac{\mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{ham}) \mathbb{P}(\operatorname{ham})}{\mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{spam}) \mathbb{P}(\operatorname{spam}) + \mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{ham}) \mathbb{P}(\operatorname{ham})}$

We will output **spam** iff:

 $\mathbb{P}(\operatorname{spam} \mid \{w_1, w_2, \dots, w_n\}) > \mathbb{P}(\operatorname{ham} \mid \{w_1, w_2, \dots, w_n\})$ $\iff \mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{spam}) \mathbb{P}(\operatorname{spam}) > \mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{ham}) \mathbb{P}(\operatorname{ham})$

Denominators are equal and cancel when comparing

 $\mathbb{P}(\operatorname{spam} \mid \{w_1, w_2, \dots, w_n\}) \approx \frac{\mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{spam}) \mathbb{P}(\operatorname{spam})}{\mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{spam}) \mathbb{P}(\operatorname{spam}) + \mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{ham}) \mathbb{P}(\operatorname{ham})}$

 $\mathbb{P}(\mathsf{ham} \mid \{w_1, w_2, \dots, w_n\}) \approx \frac{\mathbb{P}(\{w_1, w_2, ..., w_n\} \mid \mathsf{ham}) \mathbb{P}(\mathsf{ham})}{\mathbb{P}(\{w_1, w_2, ..., w_n\} \mid \mathsf{spam}) \mathbb{P}(\mathsf{spam}) + \mathbb{P}(\{w_1, w_2, ..., w_n\} \mid \mathsf{ham}) \mathbb{P}(\mathsf{ham})}$

We will output **spam** iff:

 $\mathbb{P}(\text{spam} \mid \{w_1, w_2, \dots, w_n\}) > \mathbb{P}(\text{ham} \mid \{w_1, w_2, \dots, w_n\})$

 $\iff \mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \text{spam}) \mathbb{P}(\text{spam}) > \mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \text{ham}) \mathbb{P}(\text{ham})$

 $\iff \mathbb{P}(w_1 \mid \operatorname{spam})\mathbb{P}(w_2 \mid \operatorname{spam}) \cdots \mathbb{P}(w_n \mid \operatorname{spam})\mathbb{P}(\operatorname{spam}) > \mathbb{P}(w_1 \mid \operatorname{ham})\mathbb{P}(w_2 \mid \operatorname{ham}) \cdots \mathbb{P}(w_n \mid \operatorname{ham})\mathbb{P}(\operatorname{ham})$

 $\mathbb{P}(\operatorname{spam} \mid \{w_1, w_2, \dots, w_n\}) \approx \frac{\mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{spam}) \mathbb{P}(\operatorname{spam})}{\mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{spam}) \mathbb{P}(\operatorname{spam}) + \mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \operatorname{ham}) \mathbb{P}(\operatorname{ham})}$

 $\mathbb{P}(\mathsf{ham} \mid \{w_1, w_2, \dots, w_n\}) \approx \frac{\mathbb{P}(\{w_1, w_2, ..., w_n\} \mid \mathsf{ham}) \mathbb{P}(\mathsf{ham})}{\mathbb{P}(\{w_1, w_2, ..., w_n\} \mid \mathsf{spam}) \mathbb{P}(\mathsf{spam}) + \mathbb{P}(\{w_1, w_2, ..., w_n\} \mid \mathsf{ham}) \mathbb{P}(\mathsf{ham})}$

We will output **spam** iff:

 $\mathbb{P}(\text{spam} \mid \{w_1, w_2, \dots, w_n\}) > \mathbb{P}(\text{ham} \mid \{w_1, w_2, \dots, w_n\})$

 $\iff \mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \text{spam}) \mathbb{P}(\text{spam}) > \mathbb{P}(\{w_1, w_2, \dots, w_n\} \mid \text{ham}) \mathbb{P}(\text{ham})$

 $\iff \mathbb{P}(w_1 \mid \operatorname{spam})\mathbb{P}(w_2 \mid \operatorname{spam}) \cdots \mathbb{P}(w_n \mid \operatorname{spam})\mathbb{P}(\operatorname{spam}) > \mathbb{P}(w_1 \mid \operatorname{ham})\mathbb{P}(w_2 \mid \operatorname{ham}) \cdots \mathbb{P}(w_n \mid \operatorname{ham})\mathbb{P}(\operatorname{ham})$

Taking the log of two sides:

 $\iff \log(\mathbb{P}(\operatorname{spam})) + \sum_{i=1}^{n} \log(\mathbb{P}(w_i \mid \operatorname{spam})) > \log(\mathbb{P}(\operatorname{ham})) + \sum_{i=1}^{n} \log(\mathbb{P}(w_i \mid \operatorname{ham}))$

SUMMARY: NAIVE BAYES ALGORITHM STEPS

TRAINING

1.1. Compute the proportion of emails in the **training set** that is spam or ham:

 $\mathbb{P}(\text{spam}) = rac{ ext{total spam emails (in training set)}}{ ext{total emails (in training set)}}$

total ham emails (in training set) $\mathbb{P}(ham) =$ total emails (in training set)

1.2. Iterate over the **training set**, for each unique word **x**, count:

- How many **spam emails** in the training set contain **x** •
- How many ham emails in the training set contain x •

SUMMARY: NAIVE BAYES ALGORITHM STEPS

TRAINING

1.1. Compute the proportion of emails in the **training set** that is spam or ham:

 $\mathbb{P}(\text{spam}) = \frac{\text{total spam emails (in training set)}}{\text{total emails (in training set)}}$

 $\mathbb{P}(ham) = \frac{\text{total ham emails (in training set)}}{\text{total emails (in training set)}}$

- 1.2. Iterate over the **training set**, for each unique word **x**, count:
- How many **spam emails** in the training set contain **x** •
- How many ham emails in the training set contain x •

TESTING 2.

Iterate over the **test set**, for each unlabelled email **D**:

- Create a set **S** of **n** unique words appearing in **D**: $\{w_1, w_2, \ldots, w_n\}$
- For each word w_i in set **S**, calculate:

 $\mathbb{P}(w_i \mid \text{ham}) = \frac{|\text{total ham emails (training set) containing } w_i|+1}{|\text{total ham emails (training set)}|+2}$ $\mathbb{P}(w_i \mid \text{spam}) = \frac{|\text{total spam emails (training set) containing } w_i| + 1}{|\text{total spam emails (training set)}| + 2}$

- Note: If word w_i doesn't appear in the training set, we still calculate the above probabilities, with: Ο |total spam emails (training set) containing $w_i = |$ total ham emails (training set) containing $w_i = 0$
- If $\log(\mathbb{P}(\text{spam})) + \sum_{i=1}^{n} \log(\mathbb{P}(w_i \mid \text{spam})) > \log(\mathbb{P}(\text{ham})) + \sum_{i=1}^{n} \log(\mathbb{P}(w_i \mid \text{ham}))$

Predict email **D** as **spam**

Otherwise, predict email **D** as ham



QUESTIONS? COMMENTS? CONCERNS?

LUXI WANG, PEMI NGUYEN, AND SHREYA JAYARAMAN Alex Tsun