

## Confidence Intervals



A "confidence interval" tells you the probability (how confident you should be) that your random variable fell in a certain range (interval)

Usually "close to its expected value"

$$\mathbb{P}(|X - \mu| > \varepsilon) \leq \delta$$

$$\text{equivalently } \mathbb{P}(|X - \mu| \leq \varepsilon) > 1 - \delta$$

If your RV has expectation equal to the value you're searching for (like our polling example) you get a probability of being "close enough" to the target value.

2

## A Second Example

Suppose the average number of ads you see on a website is 25. Give an upper bound on the probability of seeing a website with 75 or more ads.

### Markov's Inequality

Let  $X$  be a random variable supported (only) on non-negative numbers. For any  $t > 0$

$$\mathbb{P}(X \geq t) \leq \frac{\mathbb{E}[X]}{t}$$

22

## Our First Two Inequalities

### Markov's Inequality

Let  $X$  be a random variable supported (only) on non-negative numbers. For any  $t > 0$

$$\mathbb{P}(X \geq t) \leq \frac{\mathbb{E}[X]}{t}$$

### Chebyshev's Inequality

Let  $X$  be a random variable. For any  $t > 0$

$$\mathbb{P}(|X - \mathbb{E}[X]| \geq t) \leq \frac{\text{Var}(X)}{t^2}$$

23

## Better Example

Suppose the average number of ads you see on a website is 25. And the variance of the number of ads is 16. Give an upper bound on the probability of seeing a website with 30 or more ads.

17