

# Discrete Structures

## Sets

---

Chapter 1, Sections 1.6–1.7

*Dieter Fox*

# Sets

---

- ◇  $a \in A$ : Objects in a set are called **elements** / **members** of the set.
- ◇ **Set descriptions**: List all elements, set builder notation, Venn diagram
- ◇  $A = B$ : Two sets  $A$  and  $B$  are **equal** if and only if they the same elements.
- ◇  $A \subseteq B$ : The set  $A$  is **subset** of  $B$  if and only if every element of  $A$  is also an element of  $B$ .
- ◇  $A \subset B$ : The set  $A$  is called **proper subset** of  $B$  if  $A \subseteq B$  and  $A \neq B$ .
- ◇  $|S|$ : If there are exactly  $n$  distinct elements in  $S$  where  $n$  is a nonnegative integer, we say that  $S$  is a **finite** set and that  $n$  is the **cardinality** of  $S$ . A set is said to be **infinite** if it is not finite.

# Sets

---

- ◇  $P(S)$ : The **power set** of  $S$  is the set of all subsets of the set  $S$ .
- ◇ The **ordered  $n$ -tuple**  $(a_1, a_2, \dots, a_n)$  is the ordered collection that has  $a_1$  as its first element,  $a_2$  as its second element,  $\dots$ , and  $a_n$  as its  $n$ th element.
- ◇  $A \times B$ : The **Cartesian product** of  $A$  and  $B$  is the set of all ordered pairs  $(a, b)$  where  $a \in A$  and  $b \in B$ .
- ◇  $A_1 \times A_2 \times \dots \times A_n$ : The **Cartesian product** of the sets  $A_1, A_2, \dots, A_n$  is the set of ordered  $n$ -tuples  $(a_1, a_2, \dots, a_n)$ , where  $a_i$  belongs to  $A_i$  for  $i = 1, 2, \dots, n$ .

# Set operations

---

- ◇  $A \cup B$ : The **union** of  $A$  and  $B$  is the set that contains all elements that are in  $A$  or in  $B$ .
- ◇  $A \cap B$ : The **intersection** of  $A$  and  $B$  is the set that contains all elements that are in both  $A$  and  $B$ .
- ◇ Two sets are called **disjoint** if their intersection is the empty set ( $\emptyset$ ).
- ◇  $A - B$ : The **difference** of  $A$  and  $B$  is the set containing those elements that are in  $A$  but not in  $B$ . The difference of  $A$  and  $B$  is also called the **complement of  $B$  wrt.  $A$** .
- ◇  $\bar{A}$ : Let  $U$  be the universal set. The **complement** of  $A$  is the complement of  $A$  wrt.  $U$ .
- ◇ The **union (intersection)** of of a collection of sets is the set that contains those elements that are member of at least one (all) set(s) in the collection.

# Set identities

$A \cap U = A$ $A \cup \emptyset = A$	Identity laws
$A \cup U = U$ $A \cap \emptyset = \emptyset$	Domination laws
$A \cup A = A$ $A \cap A = A$	Idempotent laws
$\overline{\overline{A}} = A$	Double negation law
$A \cup B = B \cup A$ $A \cap B = B \cap A$	Commutative laws
$(A \cup B) \cup C = A \cup (B \cup C)$ $(A \cap B) \cap C = A \cap (B \cap C)$	Associative laws
$A \cup (B \cap C) = (A \cup B) \cap (A \cup C)$ $A \cap (B \cup C) = (A \cap B) \cup (A \cap C)$	Distributive laws
$\overline{(A \cap B)} = \overline{A} \cup \overline{B}$ $\overline{(A \cup B)} = \overline{A} \cap \overline{B}$	De Morgan's laws
$A \cup (A \cap B) = A$ $A \cap (A \cup B) = A$	Absorption laws
$A \cup \overline{A} = U$ $A \cap \overline{A} = \emptyset$	Complement laws