

University of Washington
CSE 331 Software Design & Implementation
Spring 2012

Final exam

Monday, June 4, 2012

Name: _____

CSE Net ID (username): _____

UW Net ID (username): _____

This exam is closed book, closed notes. You have **110 minutes** to complete it. It contains 27 questions and 16 pages (including this one), totaling 220 points. Before you start, please check your copy to make sure it is complete. Turn in all pages, together, when you are finished. **Write your initials on the top of ALL pages** (in case a page gets separated during test-taking or grading).

Please write neatly; we cannot give credit for what we cannot read.

Good luck!

Page	Max	Score
2	8	
3	12	
4	20	
5	12	
6	22	
7	26	
8	20	
9	16	
10	12	
11	24	
12	10	
13	10	
14	8	
15	5	
16	15	
Total	220	

1 True/False

(2 points each) Circle the correct answer. T is true, F is false.

1. **T / F** Top-down testing typically requires the tester to build method stubs.
2. **T / F** Top-down testing typically requires the tester to build test drivers.
3. **T / F** For a class that represents an ADT (which excludes some GUI classes, for example), the Javadoc should always include an Abstraction Function.
4. **T / F** A user interface that looks aesthetically beautiful may actually be bad in terms of usability.

2 Multiple choice

(3 points each) Mark the single best choice, by circling the appropriate letter.

5. A design pattern used to enhance the functionality of an object is
 - (a) Adapter
 - (b) Decorator
 - (c) Delegation
 - (d) Proxy

6. A design pattern often used to restrict access to an object is
 - (a) Adapter
 - (b) Decorator
 - (c) Delegation
 - (d) Proxy

7. You have a class that accepts and returns values in British Imperial units (feet, miles, etc.), but you need to use metric units. The design pattern that would best solve your problem is
 - (a) Adapter
 - (b) Decorator
 - (c) Delegation
 - (d) Proxy

8. Which of the following class relationships best fits the composite pattern?
 - (a) A Zoo contains a Set<Exhibit>, an Exhibit contains a Set<Animal>, and an Animal contains a number of properties about that individual animal. To get information about a particular Animal, a client would write something such as:

```
Zoo.getExhibit("Penguins").getPenguin("Tux").getAge();
```
 - (b) Dalmatian is a subclass of Dog, which is a subclass of Mammal, which is a subclass of Animal. Each subclass overrides some methods while using the inherited version of others, for some shared behavior and some distinct behavior.
 - (c) GeometricShape is an interface implemented by Square, Circle, Sphere, and Dodecahedron. Though they have the same public interface and can all be used anywhere a GeometricShape is required, they otherwise have no relationship and do not depend on each other.
 - (d) The class Food is implemented by PeanutButterAndJellySandwich, which contains objects of type Bread, PeanutButter, and Jelly. Bread contains Flour and Salt, and Jelly contains Fruit and Sugar. All of these objects are Food objects themselves.

(5 points each) Mark all of the following that can be true, by circling the appropriate letters.

9. Suppose that you change a specification by removing a precondition and adding/modifying/removing some other clause, such as a throws clause. The new specification might be:
- (a) stronger
 - (b) weaker
 - (c) incomparable
 - (d) same strength (i.e., equivalent)
10. Which of the following is a use case supported by standard version control systems?
- (a) Managing several versions or releases of a software program
 - (b) File bug reports and track their progress
 - (c) Allowing team members to work in parallel
 - (d) Identifying when and where a regression occurred
11. Which of the following are facts about a top-down implementation approach?
- (a) A top-down process is more time consuming because of the unit tests.
 - (b) Top-down lets you present a demo of the project to the management faster than using a bottom-up process.
 - (c) In a top-down design, if an error is detected it's always because a lower-level module is not meeting its specifications (because the higher-level ones are already been tested).
 - (d) A top-down process makes it possible to detect performance problems faster
 - (e) A top-down process makes it easier to fix a global conceptual problem
12. Which of the following are appropriate uses of assert statements? Assume that all of this is application code — it is not a fragment of a unit test.
- (a)

```
int oldSize = myList.size();
myList.add(element);
assert myList.size() == oldSize+1;
```
 - (b)

```
assert myList.add(element);
```
 - (c)

```
/** @requires element != null */
public void add(E element) {
    assert element != null;
```
 - (d)

```
public void add(E element) {
    ...
    assert repOK(); // like checkRep(), but returns a boolean
    return true;
```

3 Fill in the table

13. (12 points) Suppose you have a program P . Consider the following statements about a given test suite. Write \Rightarrow in the following table to indicate which statements imply which other ones? For example, if statement **b** implies statement **c**, you would write \Rightarrow in the **b** row and the **c** column.

- (a) The test suite was created using the revealing-subdomain method, and the partitions were chosen perfectly with respect to P .
- (b) The test suite has 100% statement coverage for P .
- (c) The test suite has 100% path coverage for P .
- (d) The test suite detects all errors in P .

	a	b	c	d
a				
b				
c				
d				

14. (22 points) Consider the following code.

```

class A {
    void m(A x) { System.out.println("AA"); }
    void m(B x) { System.out.println("AB"); }
    void m(C x) { System.out.println("AC"); }
}
class B extends A {
    void m(A x) { System.out.println("BA"); }
    void m(B x) { System.out.println("BB"); }
    void m(C x) { System.out.println("BC"); }
}
class C extends B {
    void m(A x) { System.out.println("CA"); }
    void m(B x) { System.out.println("CB"); }
    void m(C x) { System.out.println("CC"); }
}

A a1 = new A();
A a2 = new B();
A a3 = new C();
B b1 = new B();
B b2 = new C();
C c1 = new C();
    
```

Fill in each box with the output of the corresponding method invocation. For example, fill in the 4th row and 2nd column with the output of `b1.m(a2)`.

(Hint: this problem goes pretty fast once you see the pattern.)

	a1	a2	a3	b1	b2	c1
a1						
a2						
a3						
b1						
b2						
c1						

15. Consider the following code. Circle “OK” or “error” to indicate which assignments are type-correct and which are compile-time errors.

(Hint: when type-checking wildcards, the Java type-checker does not take account of information such as that `Object` has no supertypes and `Double` has no subtypes.)

```
List<Object> lo;  
List<? extends Object> leo;  
List<? super Object> lso;
```

```
List<Number> ln;  
List<? extends Number> len;  
List<? super Number> lsn;
```

```
List<Double> ld;  
List<? extends Double> led;  
List<? super Double> lsd;
```

```
ln = lo;          // OK / error  
ln = leo;         // OK / error  
ln = lso;         // OK / error  
ln = ln;          // OK / error  
ln = len;         // OK / error  
ln = lsn;         // OK / error  
ln = ld;          // OK / error  
ln = led;         // OK / error  
ln = lsd;         // OK / error
```

```
len = lo;         // OK / error  
len = leo;        // OK / error  
len = lso;        // OK / error  
len = ln;         // OK / error  
len = len;        // OK / error  
len = lsn;        // OK / error  
len = ld;         // OK / error  
len = led;        // OK / error  
len = lsd;        // OK / error
```

16. You find 4 versions of a function that copies the first n elements from List `src` to List `dest`.

```
void partialcopy(List<Integer> dest, List<Integer> src, int n)
```

Fortunately, all the implementations have specifications written in CSE 331 style.

Specification A

@requires: $n > 0$

@modifies: `dest`

@throws: `ArrayOutOfBoundsException` if $\text{src.size()} < n$

@effects: for $i=1..n$, $\text{dest}[i]_{\text{post}} = \text{src}[i]_{\text{pre}}$

Specification B

@requires: $n > 0$

@modifies: `src`, `dest`

@throws: `ArrayOutOfBoundsException` if $\text{src.size()} < n$

@effects: for $i=1..n$, $\text{dest}[i]_{\text{post}} = \text{src}[i]_{\text{pre}}$

Specification C

@requires: $n > 0$ and $\text{src.size()} \geq n$

@modifies: `dest`

@throws: nothing

@effects: for $i=1..n$, $\text{dest}[i]_{\text{post}} = \text{src}[i]_{\text{pre}}$

Specification D

@requires: $n > 0$

@modifies: `dest`

@throws: nothing

@effects:

for $i=1..\min(n, \text{src.size()})$, $\text{dest}[i]_{\text{post}} = \text{src}[i]_{\text{pre}}$
and for $i=\text{src.size()}+1..n$, $\text{dest}[i]_{\text{post}} = 0$

In the following diagram, draw an arrow from X to Y if and only if X is stronger than (implies) Y.

A

B

C

D

In the interest of reducing code size, which versions of the method can you discard (and replace any uses of them by uses of remaining, non-discarded versions)? Circle all the redundant versions that you can **discard**.

- (a) A
- (b) B
- (c) C
- (d) D

4 Short answer

17. Suppose that your program contains modules A and B, and information flows from A to B. Recall that it is possible for the program dependencies (as expressed in a Module Dependency Diagram, for example) to be either $A \rightarrow B$ or $B \rightarrow A$.

Write one word each to distinguish the design expressed in these MDDs: (2 points each)

$A \rightarrow B$ _____

$B \rightarrow A$ _____

Suppose that you are trying to decide which of the two designs to implement. Give two criteria that would guide your decision, and how. Give two criteria that are as different as possible from one another. (1–2 sentences each.) (6 points each)

(a) _____

(b) _____

18. (4 points) State the most important similarity between an interface and an abstract class. (1 sentence)

19. (4 points) State a circumstance in which you would prefer an interface over an abstract class. (1 sentence)

20. (4 points) State a circumstance in which you would prefer an abstract class over an interface. (1 sentence)

21. (6 points) State a disadvantage of the enumeration design pattern, as it is built into the Java language (the `enum` keyword). (Hint: consider the advantages of the alternatives presented in section.) (1 sentence)

22. (12 points) Why are paper-and-pencil sketches of architectures, module dependency diagrams, and APIs preferred over software prototypes in the early stages of design? Give at least three reasons. Give reasons that are as different from one another as possible. (Hint: analogize to user interface design.) (1 sentence each.)

(a) _____

(b) _____

(c) _____

23. (6 points) In 1–2 sentences, explain the circumstances under which a specification should refer to a field that is defined by the implementation. For brevity, give your answer for *either* a class specification or a method specification, but not both. Indicate which one your answer is about.

Circle one: **class / method** specification.

Explanation: _____

24. (10 points) List three distinct advantages of factory methods over constructors. (No more than 10 words each.)

(a) _____

(b) _____

(c) _____

5 Code examples

25. (10 points) Write the output of running the following program's main method. (Hint: `IllegalArgumentException` and `NullPointerException` are subclasses of `RuntimeException`.)

```
public class TryCatchMystery {

    public static void main (String[] args) {
        try {
            method1();
            method2();
        } catch (IllegalArgumentException e) {
            System.out.println("main IllegalArgumentException");
        } catch (RuntimeException e) {
            System.out.println("main RuntimeException");
        }
    }

    public static void method1() {
        System.out.println("entered method1");
        try {
            method2();
        } catch (IllegalArgumentException e) {
            System.out.println("method1 IllegalArgumentException");
            throw new NullPointerException();
        } catch (NullPointerException e) {
            System.out.println("method1 NullPointerException");
            throw new NullPointerException();
        }
        System.out.println("exited method1");
    }

    public static void method2() {
        System.out.println("entered method2");
        throw new IllegalArgumentException();
    }
}
```

26. (8 points) In section, we looked at an example of the visitor pattern in which a `PrintVisitor` formatted and printed the text of a `Book`.

ACME Publishing Company loves your `PrintVisitor` and has hired you to implement many custom formatting options. For example, one editor asked for fancy borders, so you wrote the following subclass:

```
public class FancyPrintVisitor extends PrintVisitor { ...
```

Another editor needed a large font size, so you wrote another subclass:

```
public class LargePrintVisitor extends PrintVisitor { ...
```

And so on, for semitic (right-to-left) printing and a host of other variants. Now, editors are asking to be able to combine arbitrarily many options at will, such as making some text both fancy and large. This is not convenient in your design.

Explain what design technique would you use to solve this problem. Give the name of the technique and describe what you would have to modify or add to your code to implement the change.

27. (20 points) ACME Publishing Company loves your `PrintVisitor` so much that they've asked to be able to use it to print magazines, too. The `BasicPrintVisitor` from section should print a magazine by writing the title of the magazine followed by the title and contents of each article to `System.out`. (Don't worry about whitespace formatting for now.)

Implement the specified methods in the existing `BasicPrintVisitor` class and the new `Magazine` and `Article` classes below, using the visitor pattern. Note: in class, `PrintVisitor` appended text to a `String` that could later be printed to the console. For simplicity, just call `System.out.println` directly instead for the code you write here.

```
public class Magazine {
    private String title;
    private List<Article> articles;

    ...

    public String getTitle() {
        return title;
    }

    public List<Article> getArticles() {
        return Collections.unmodifiableList(articles);
    }

    public void accept(PrintVisitor v) {
        _____
        _____
        _____
    }
}
```

(continued on next page)

```
public class Article {
    private String title;
    private String contents; // the text of the article

    ...

    public String getTitle() {
        return title;
    }

    public String getContents() {
        return contents;
    }

    public void accept(PrintVisitor v) {
        _____
        _____
        _____
    }
}

public class BasicPrintVisitor extends PrintVisitor {

    ...

    // This helper method is called by visit(Text t);
    private void visitMagazine(Magazine m) {
        _____
        _____
        _____
    }

    // This helper method is called by visit(Text t);
    private void visitArticle(Article a) {
        _____
        _____
        _____
    }
}
```