
CSE 331

Software Design & Implementation

Hal Perkins

Autumn 2013

Design Patterns Part 2

(Slides by Mike Ernst and David Notkin)

Outline

- ✓ Introduction to design patterns
- ✓ Creational patterns (constructing objects)
- ⇒ Structural patterns (controlling heap layout)
- Behavioral patterns (affecting object semantics)

Structural patterns: Wrappers

A **wrapper** translates between incompatible interfaces
Wrappers are a thin veneer over an encapsulated class
modify the interface
extend behavior
restrict access

The encapsulated class does most of the work

Pattern	Functionality	Interface
Adapter	same	different
Decorator	different	same
Proxy	same	same

Adapter

Change an interface without changing functionality

- rename a method

- convert units

- implement a method in terms of another

Example: angles passed in radians vs. degrees

Adapter example: scaling rectangles

We have this `Rectangle` interface

```
interface Rectangle {  
    // grow or shrink this by the given factor  
    void scale(float factor);  
    ...  
    float getWidth();  
    float area();  
}
```

Goal: client code wants to use this library to “implement” `Rectangle` without rewriting code that uses `Rectangle`:

```
class NonScaleableRectangle { // not a Rectangle  
    void setWidth(float width) { ... }  
    void setHeight(float height) { ... }  
    // no scale method  
    ...  
}
```

Adaptor: Use subclassing

```
class ScaleableRectangle1 extends NonScaleableRectangle
    implements Rectangle {
    void scale(float factor) {
        setWidth(factor * getWidth());
        setHeight(factor * getHeight());
    }
}
```

Adaptor: use delegation

Delegation: forward requests to another object

```
class ScaleableRectangle2 implements Rectangle {
    NonScaleableRectangle r;
    ScaleableRectangle2(w,h) {
        this.r = new NonScaleableRectangle(w,h);
    }

    void scale(float factor) {
        setWidth(factor * r.getWidth());
        setHeight(factor * r.getHeight());
    }

    float getWidth() { return r.getWidth(); }
    float circumference() { return r.circumference(); }
    ...
}
```

Subclassing vs. delegation

Subclassing

automatically gives access to **all methods** of superclass
built in to the language (syntax, efficiency)

Delegation

permits **removal** of methods (compile-time checking)
wrappers can be added and removed **dynamically**
objects of **arbitrary concrete classes** can be wrapped
multiple wrappers can be composed

Some wrappers have qualities of more than one of adapter, decorator, and proxy


Delegation vs. composition

Differences are subtle


For CSE 331, consider them to be equivalent

Types of adapter

Goal of adapter:
connect incompatible interfaces





Adapter with delegation



Adapter with subclassing:
no extension is permitted

Adapter with subclassing



Decorator

Add functionality without changing the interface

Add to existing methods to do something additional
(while still preserving the previous specification)

Not all subclassing is decoration

Decorator example: Bordered windows

```
interface Window {
    // rectangle bounding the window
    Rectangle bounds();
    // draw this on the specified screen
    void draw(Screen s);
    ...
}

class WindowImpl implements Window {
    ...
}
```

Bordered window implementations

Via subclassing:

```
class BorderedWindow1 extends WindowImpl {
    void draw(Screen s) {
        super.draw(s);
        bounds().draw(s);
    }
}
```

Via delegation:

```
class BorderedWindow2 implements Window {
    Window innerWindow;
    BorderedWindow2(Window innerWindow) {
        this.innerWindow = innerWindow;
    }
    void draw(Screen s) {
        innerWindow.draw(s);
        innerWindow.bounds().draw(s);
    }
}
```

Delegation permits multiple borders on a window, or a window that is both bordered and shaded (or either one of those)

A decorator can remove functionality

Remove functionality without changing the interface

Example: **UnmodifiableList**

What does it do about methods like add and put?

Problem: UnmodifiableList is a Java subtype, but not a true subtype, of List

Decoration can create a class with no Java subtyping relationship, which is desirable

Proxy

Same interface and functionality as the wrapped class

Control access to other objects

- communication: manage network details when using a remote object

- locking: serialize access by multiple clients

- security: permit access only if proper credentials

- creation: object might not yet exist (creation is expensive)

 - hide latency when creating object

 - avoid work if object is never used