
CSE 331

Software Design & Implementation

Hal Perkins

Winter 2013

Design Patterns Part 2

(Slides by Mike Ernst and David Notkin)

Outline

- ✓ Introduction to design patterns
- ✓ Creational patterns (constructing objects)
- ⇒ Structural patterns (controlling heap layout)
- Behavioral patterns (affecting object semantics)

Structural patterns: Wrappers

- A **wrapper** translates between incompatible interfaces
- Wrappers are a thin veneer over an encapsulated class
 - modify the interface
 - extend behavior
 - restrict access
- The encapsulated class does most of the work

Pattern	Functionality	Interface
Adapter	same	different
Decorator	different	same
Proxy	same	same

Adapter

- Change an interface without changing functionality
 - rename a method
 - convert units
 - implement a method in terms of another
- Example: angles passed in radians vs. degrees

Adapter example: scaling rectangles

- We have this `Rectangle` interface

```
interface Rectangle {  
    // grow or shrink this by the given factor  
    void scale(float factor);  
    ...  
    float getWidth();  
    float area();  
}
```

- Goal: we want to use instances of this class to “implement” `Rectangle`:

```
class NonScaleableRectangle { // not a Rectangle  
    void setWidth(float width) { ... }  
    void setHeight(float height) { ... }  
    // no scale method  
    ...  
}
```

Adaptor: Use subclassing

```
class ScalableRectangle1 extends NonScalableRectangle
    implements Rectangle {
    void scale(float factor) {
        setWidth(factor * getWidth());
        setHeight(factor * getHeight());
    }
}
```

Adaptor: use delegation

Delegation: forward requests to another object

```
class ScaleableRectangle2 implements Rectangle {
    NonScaleableRectangle r;
    ScaleableRectangle2(w,h) {
        this.r = new NonScaleableRectangle(w,h);
    }

    void scale(float factor) {
        setWidth(factor * r.getWidth());
        setHeight(factor * r.getHeight());
    }

    float getWidth() { return r.getWidth(); }
    float circumference() { return r.circumference(); }
    ...
}
```

Subclassing vs. delegation

- Subclassing
 - automatically gives access to all methods of superclass
 - built into the language (syntax, efficiency)
- Delegation
 - permits cleaner removal of methods (compile-time checking)
 - wrappers can be added and removed dynamically
 - objects of arbitrary concrete classes can be wrapped
 - multiple wrappers can be composed
- Some wrappers have qualities of more than one of adapter, decorator, and proxy
- Delegation vs. composition
 - Differences are subtle
 - For CSE 331, consider them to be equivalent

Decorator

- Add functionality without changing the interface
- Add to existing methods to do something additional (while still preserving the previous specification)
- Not all subclassing is decoration

Decorator example: Bordered windows

```
interface Window {
    // rectangle bounding the window
    Rectangle bounds();
    // draw this on the specified screen
    void draw(Screen s);
    ...
}

class WindowImpl implements Window {
    ...
}
```

Bordered window implementations

Via subclassing:

```
class BorderedWindow1 extends WindowImpl {
    void draw(Screen s) {
        super.draw(s);
        bounds().draw(s);
    }
}
```

Via delegation:

```
class BorderedWindow2 implements Window {
    Window innerWindow;
    BorderedWindow2(Window innerWindow) {
        this.innerWindow = innerWindow;
    }
    void draw(Screen s) {
        innerWindow.draw(s);
        innerWindow.bounds().draw(s);
    }
}
```

Delegation permits multiple borders on a window, or a window that is both bordered and shaded (or either one of those)

A decorator can remove functionality

- Remove functionality without changing the interface
- Example: `UnmodifiableList`
 - What does it do about methods like `add` and `put`?

Proxy

- Same interface and functionality as the wrapped class
- Control access to other objects
 - communication: manage network details when using a remote object
 - locking: serialize access by multiple clients
 - security: permit access only if proper credentials
 - creation: object might not yet exist (creation is expensive)
 - hide latency when creating object
 - avoid work if object is never used