

Model-View-Controller

CSE 331 – Section 8

11/15/2012

Slides by Kellen Donohue

with material from Krysta Yousoufian, Jackson Roberts, Hal Perkins

MVC

- THE classic design pattern
- Used for data-driven user applications
- Such apps juggle several tasks:
 - **Loading and storing the data** – getting it in/out of storage on request
 - **Constructing the user interface** – what the user sees
 - **Interpreting user actions** – deciding whether to modify the UI or data
- These tasks are largely independent of each other
- Model, View, and Controller each get one task

Model

talks to data source to
retrieve and store
data



Which database tables is
the requested data stored
in?

What SQL query will get
me the data
I need?

View

asks model for data
and presents it in a
user-friendly format




Would this text look better
blue or red? In the bottom
corner
or front and center?

Should these items go in a
dropdown list or radio
buttons?

Controller

listens for the user to change data or state in the UI, notifying the model or view accordingly



The user just clicked the “hide details” button. I better tell the view.

The user just changed the event details. I better let the model know to update the data.

MVC: Summary

Model

talks to data source to retrieve and store data




View

asks model for data and presents it in a user-friendly format


Controller

listens for the user to change data or state in the UI, notifying the model or view accordingly



Communication Flow

Taken from <http://msdn.microsoft.com/en-us/library/ff649643.aspx>



Aside: HW 8

- Applying your generic graph & Dijkstra's to campus map data
- Given a list of buildings, and walking paths
- Produce routes from one building to another on the walking paths
- Command-line interface now, GUI in HW9

DEMO

Aside: HW 8 Data Format

- List of buildings (abbrev, long name, loc in pixels):

BAG Bagley Hall (East Entrance) 1914.51031709.8816

BAG (NE) Bagley Hall (Northeast Entrance) 1878.37861661.4083

BGR By George 1671.54991258.4333

- List of paths (between two pixels, dist in feet):

1903.7201,1952.4322

1906.1864,1939.0633: 26.583482327919597

1897.9472,1960.0194: 20.597253035175832

1915.7143,1956.5: 26.68364745009741

2337.0143,806.8278

2346.3446,817.55768: 29.685363221542797


2321.6193,788.16714: 49.5110360968527

2316.4876,813.59229: 44.65826043418031

- Remember (0,0) is in the upper left (not lower)

Aside: HW 8 Output

- List of walking directions between two given points
 - Distance in feet
 - Directions:




MVC in HW8

- Model stores graph, performs Dijkstra's
- View shows results to users in text format
- Controller takes user commands and uses view to show results
- View and Controller changed in HW9, but Model stays the same

Benefits of MVC

- Organization of code
 - Maintainable, easy to find what you need
- Ease of development
 - Build and test components independently
 - Different people work on different parts at the same time, designers can work on the view even if they don't understand code
- Flexibility
 - Swap out views for different presentations of the same data (ex: calendar daily, weekly, or monthly view)
 - Swap out models to change data storage without affecting user

Communication Flow & User Interaction




Communication Flow & User Interaction

- If the user only interacts with controller, then how to update view, model?
 - Callbacks
- Remember callbacks are different than calls
 - Think synchronous and asynchronous
 - Not blocking & non-blocking

Callbacks


- **Synchronous callbacks:**
 - Examples: HashMap calls its client's hashCode, equals
 - Useful when the callback result is needed immediately by the library
- **Asynchronous callbacks:**
 - Examples: GUI listeners
 - *Register* to indicate interest and where to call back
 - Useful when the callback should be performed later, when some interesting event occurs



A synchronous callback.
Time increases downward.
Solid lines: calls
Dotted lines: returns

Asynchronous callbacks

- Asynchronous callbacks:
 - Examples: GUI listeners
 - *Register* to indicate interest and where to call back
 - Useful when the callback should be performed later, when some interesting event occurs



Asynchronous callbacks

- Calendar asynchronous callback demo


- Form's calendar registers to receive click events by adding the interaction method to calendar's list of methods to call when it's clicked.

```
        this.calendar1.DateChanged +=  
            new Forms.DateRangeEventHandler(  
                this.calendar1_DateChanged  
            );
```

- When calendar is clicked it alerts everyone who signed up to be notified of the click.
- The callback is executed

```
private void monthCalendar1_DateChanged(  
    object sender,  
    DateRangeEventArgs e) {  
    MessageBox.Show("Calendar clicked: " + e.Start);  
}
```

AJAX



Callbacks & MVC

- Controller utilizes callbacks to respond to user events, update the model
- View uses callbacks to update when the model changes
- Callbacks are used very commonly outside MVC as well, especially in distributed systems

MVC in industry

Image stitcher demo

<http://research.microsoft.com/en-us/um/redmond/groups/ivm/ice/>

Ruby on Rails / Django enforce programmatically

- models, views, and controllers folders

Lab Specimens

<http://code.google.com/p/lab-specimen-transport-system/>

BeatTide <http://beattide.herokuapp.com/>

<https://github.com/djmailhot/BeatTide/tree/master/app>

MVC Example – Traffic Signal

- Regulate valid traffic movements (i.e don't run cars into each other)
- Detect cars waiting to enter intersection
- Detect pedestrians waiting to cross street.
- Traffic lights to direct car traffic
- Pedestrian signals to direct peds to cross
- Manual override for particular lights (i. e. disable traffic signals for a parade)
- External timer which triggers changes in light at set interval



MVC Example – Traffic Signal

- Model:
 - stores current state of traffic flow
 - stores whether cars and pedestrians who are waiting
 - "Java" interface:
getCurrentTrafficDirection()
carWaiting(direction)
pedWaiting(direction)
timeStep() // May skip a light cycle
 - Implements Observable



MVC Example – Traffic Signal

- Views:
 - CarLight
 - Each instance knows what direction it is associated with.
 - Observes TrafficModel
 - PedLight
 - same as CarLight, but for pedestrians



MVC Example – Traffic Signal

- Controllers:
 - PedButton
 - Is aware of what TrafficModel it controls, and its direction
 - When triggered, calls pedWaiting (direction) on that TrafficModel
 - CarDetector
 - is aware of TrafficModel and direction
 - When triggered, calls carWaiting (direction)



MVC Example – Traffic Signal

- Controllers (cont'd):
 - LightSwitch:
 - aware of what light it controls
 - when triggered, enables or disables the light
 - Timer:
 - Somehow regulates time (how is not important)
 - aware of a TrafficModel
 - calls `timeStep()` at a regular interval



MVC Example – Registration

- Registration system with web interface
- Advisors create classes, set space, time, restrictions
- Professors can see who's signed up for their class
- Students can sign up for classes, see available classes, see what they've signed up for
- Administrators can place holds on student registration
- Professors can be notified when a student drops
- Students can be notified when a spot is available in a class they want



MVC Example – Wrapup

- Did you imagine a push or a pull model (or both)?
- What would change for interaction with an API, or mobile app?
- Now advisors can see what students are registered for, change their registration, what changes?

