

```

if (justMetYou) {
    crazy = true;
    cout << number << endl;
    int x = rand()%100;
    if (x>=50)
        callMe();
}

"Call Me Maybe"           private function bad() {
                                break;
}

"Breaking Bad"

```

Star Wars: Episode VI – Return of the Jedi"

Section 4: Graphs and Testing


Slides by Alex Mariakakis

with material from Krysta Yousoufian,
Mike Ernst, Kellen Donohue


Agenda

- Graphs
- Internal vs. external testing
- How to use JUnit
- How to use test script

Graphs




Graphs




Nodes

Graphs




Edges

Graphs




Children of A

Graphs




Parents of D

Graphs




Path from
A to C

Graphs



Shortest path
from A to C?

Graphs



Shortest path
from A to B?

Internal vs. External Testing

- Internal : JUnit
 - How you decide to abstract the object
 - Checked with implementation tests
- External: test script
 - Client expects to see concrete object
 - Checked with specification tests

A JUnit Test Class

- A method with `@Test` is flagged as a JUnit test
- All `@Test` methods run when JUnit runs

```
import org.junit.*;
import static org.junit.Assert.*;

public class TestSuite {
    ...

    @Test
    public void TestName1() {
        ...
    }
}

•
```

Using Assertions

- Verifies that a value matches expectations
 - `assertEquals(42, meaningOfLife());`
 - `assertTrue(list.isEmpty());`
- If the value isn't what it should be, the test fails
 - Test immediately terminates
 - Other tests in the test class are still run as normal
 - Results show details of failed tests

Using JUnit Assertions

Assertion	Case for failure
<code>assertTrue(test)</code>	the boolean test is false
<code>assertFalse(test)</code>	the boolean test is true
<code>assertEquals(expected, actual)</code>	the values are not equal
<code>assertSame(expected, actual)</code>	the values are not the same (by ==)
<code>assertNotSame(expected, actual)</code>	the values are the same (by ==)
<code>assertNull(value)</code>	the given value is not null
<code>assertNotNull(value)</code>	the given value is null

- And others: <http://www.junit.org/apidocs/org/junit/Assert.html>
- Each method can also be passed a string to display if it fails:
 - `assertEquals("message", expected, actual)`

Checking for Exceptions

- Verify that a method throws an exception when it should
- Test passes if specified exception is thrown, fails otherwise
- Only time it's OK to write a test without a form of asserts

```
@Test(expected=IndexOutOfBoundsException.class)
```

```
public void testGetEmptyList() {
    List<String> list = new ArrayList<String>();
    list.get(0);
}
```

Setup and Teardown

- Methods to run before/after each test case method is called:

```
@Before
public void name() { ... }

@After
public void name() { ... }
```

- Methods to run once before/after the entire test class runs:

```
@BeforeClass
public static void name() { ... }

@AfterClass
public static void name() { ... }
```

Setup and Teardown

```
public class Example {
    List empty;
```

```
@Before
public void initialize() {
    empty = new ArrayList();
}

@Test
public void size() {
    ...
}

@Test
public void remove() {
    ...
}
```

Don't Repeat Yourself

- Can declare fields for frequently-used values or constants
 - private static final String DEFAULT_NAME = "MickeyMouse";
 - private static final User DEFAULT_USER = new User("lazowska", "Ed", "Lazowska");
 - Can write helper methods, etc.
 - private void eq(RatNum ratNum, String rep) { assertEquals(rep, ratNum.toString()); }
 - private BinaryTree getTree(int[] items) { // construct BinaryTree and add each element in items }
- •

#1: Be descriptive

- Take advantage of message, expected, and actual values
 - No need to repeat expected/actual values or info in test name
 - Use the right assert for the occasion:
 - assertEquals(expected, actual) instead of assertTrue(expected.equals(actual))
- •

#1: Be descriptive

- When a test fails, JUnit tells you:
 - Name of test method
 - Message passed into failed assertion
 - Expected and actual values of failed assertion
- The more descriptive this information is, the easier it is to diagnose failures

Level of goodness	Example
Good	testAddDaysWithinMonth()
Not so good	testAddDays1(), testAddDays2()
Bad	test1(), test2()
Overkill	TestAddDaysOneDayAndThenFiveDaysStartingOnJanuaryTwentySeventhAndMakeSureItRollsBackToJanuaryAfterRollingToFebruary()

• •

Let's put it all together!

```
public class DateTest {  
    ...  
  
    // Test addDays when it causes a rollover between months  
    @Test  
    public void testAddDaysWrapToNextMonth() {  
        Date actual = new Date(2050, 2, 15);  
        actual.addDays(14);  
        Date expected = new Date(2050, 3, 1);  
        assertEquals("date after +14 days", expected,  
                    actual);  
    }  
}
```

• •

Let's put it all together!

```
public class DateTest {  
    ...  
  
    // Test addDays when it causes a rollover between months  
    @Test  
    public void testAddDaysWrapToNextMonth() {  
        Date actual = new Date(2050, 2, 15);  
        actual.addDays(14);  
        Date expected = new Date(2050, 3, 1);  
        assertEquals("date after +14 days", expected,  
                    actual);  
    }  
}
```

• •

Let's put it all together!

```
public class DateTest {  
    ...  
  
    // Test addDays when it causes a rollover between months  
    @Test  
    public void testAddDaysWrapToNextMonth() {  
        Date actual = new Date(2050, 2, 15);  
        actual.addDays(14);  
        Date expected = new Date(2050, 3, 1);  
        assertEquals("date after +14 days", expected,  
                    actual);  
    }  
}
```

• •

Let's put it all together!

```
public class DateTest {  
    ...  
  
    // Test addDays when it causes a rollover between months  
    @Test  
    public void testAddDaysWrapToNextMonth() {  
        Date actual = new Date(2050, 2, 15);  
        actual.addDays(14);  
        Date expected = new Date(2050, 3, 1);  
        assertEquals("date after +14 days", expected,  
                    actual);  
    }  
    ...  
}
```

Use assertion to check expected results

Let's put it all together!

```
public class DateTest {  
    ...  
  
    // Test addDays when it causes a rollover between months  
    @Test  
    public void testAddDaysWrapToNextMonth() {  
        Date actual = new Date(2050, 2, 15);  
        actual.addDays(14);  
        Date expected = new Date(2050, 3, 1);  
        assertEquals("date after +14 days", expected,  
                    actual);  
    }  
    ...  
}
```

Message gives details about the test in case of failure

#2: Keep tests small

- Ideally, test one thing at a time
 - "Thing" usually means one method under one input condition
 - Not always possible – but if you test `x()` using `y()`, try to test `y()` in isolation in another test
- Low-granularity tests help you isolate bugs
 - Tell you exactly what failed and what didn't
- Only a few (likely one) assert statements per test
 - Test halts after first failed assertion
 - Don't know whether later assertions would have failed

#3: Be thorough

- Consider each equivalence class
 - Items in a collection: none, one, many
- Consider common input categories
 - `Math.abs()`: negative, zero, positive values
- Consider boundary cases
 - Inputs on the boundary between equivalence classes
 - `Person.isMinor()`: `age < 18`, `age == 18`, `age > 18`
- Consider edge cases
 - `-1, 0, 1, empty list, arr.length, arr.length-1`
- Consider error cases
 - Empty list, null object

Other Guidelines

- Test all methods
 - Constructors are exception to the rule
- Keep tests simple
 - Minimize `if/else`, loops, switch, etc.
 - Don't want to debug your tests!
- Tests should always have at least one assert
 - Unless testing that an exception is thrown
 - Testing that an exception is not thrown is unnecessary
 - `assertTrue(true)` doesn't count!
- Tests should be isolated
 - Not dependent on side effects of other tests
 - Should be able to run in any order

JUnit Summary


- Tests need failure atomicity so we know exactly what failed
 - Each test should have a descriptive name
 - Assertions should have clear messages to know what failed
 - Write many small tests, not one big test
- Test for expected errors / exceptions
- Choose a descriptive assert method, not always `assertTrue`
- Choose representative test cases from equivalent input classes
- Avoid complex logic in test methods if possible
- Use helpers, `@Before` to reduce redundancy between tests

Java Asserts vs. JUnit Asserts

- We've just been discussing JUnit assertions so far
- Java itself has assertions
 - However, in order to use them, you need to enable a special flag in the Java Virtual Machine (JVM)

```
public class LitterBox {  
    ArrayList<Kitten> kittens;  
  
    public Kitten getKitten(int n) {  
        assert(n >= 0);  
        return kittens(n);  
    }  
}
```

Enabling Java Asserts



- Right click the .java file you are running
- Go to "Run As" → "Run Configurations"
- Click on the "Arguments" tab
- Enter "-ea" under "VM arguments"

Assertions vs. Exceptions

```
public class LitterBox {  
    ArrayList<Kitten> kittens;  
    public Kitten getKitten(int n) {  
        assert(n >= 0);  
        return kittens(n);  
    }  
}
```

```
public class LitterBox {  
    ArrayList<Kitten> kittens;  
    public Kitten getKitten(int n) {  
        try {  
            return kittens(n);  
        } catch(Exception e) {  
            // handle exception  
        }  
    }  
}
```

- Assertions should check for things that should never happen
- Exceptions should check for things that might happen
- "Exceptions address the robustness of your code, while assertions address its correctness"

Test Script Language

- Text file with one command listed per line
- First word is always the command name
- Remaining words are arguments
- Commands will correspond to methods in your code

Test Script Language

```
# Create a graph  
CreateGraph graph1  
  
# Add a pair of nodes  
AddNode graph1 n1  
AddNode graph1 n2  
  
# Add an edge  
AddEdge graph1 n1 n2 e1  
  
# Print the nodes in the graph  
and the outgoing edges from n1  
ListNodes graph1  
ListChildren graph1 n1
```



Test Script Language

```
CreateGraph A  
AddNode A n1  
AddNode A n2  
  
CreateGraph B  
ListNodes B  
AddNode A n3  
AddEdge A n3 n1 e31  
AddNode B n1  
AddNode B n2  
AddEdge B n2 n1 e21  
AddEdge A n1 n3 e13  
AddEdge A n1 n2 e12  
  
ListNodes A  
ListChildren A n1  
ListChildren B n2
```

