CSE 331 Software Design & Implementation

Kevin Zatloukal
Summer 2016
Requirements Analysis

Software Lifecycle

Idealized procedure for developing software (program or **module**):

- 1. Requirements analysis
 - define what it means to solve the problem
- 2. Design
 - make a blueprint for the solution
- 3. Implementation
 - write the code
- 4. Testing
 - find and remove bugs

(Rarely proceeds smoothly from one phase to the next.)

Requirements Analysis


- Find conditions that must be met by a solution
 - define what it means to be a "solution"
 - capture the needs of the user / client
- Come from discussion with customer and further analysis

For most software projects, requirements analysis is both

- the most important phase
- the most difficult phase

Why is requirements analysis so important?

Cost to Fix a Bug



Phase That a Defect Is Corrected

From Steve McConnell's article:

http://www.stevemcconnell.com/articles/art04.htm

Cost to Fix a Bug in Requirements

Suppose you discover that you missed a requirement...

It might be easy to fix OR
It might require throwing your code away and starting over

- e.g., if you discover the data structure needs O(1) updates
 - you'll have to throw away your Red-Black tree code
 - start over writing a hash table
- e.g., if you discover you needs findNextLargest method
 - you'll have to throw away your hash table
 - start over writing a Red-Black tree

Requirements Analysis

- Applies to both:
 - designing a whole program
 - designing an individual module
- For a program, requirements come from users
- For a module, requirements come from clients
 - clients are authors of other modules that want to call yours

Use Case Analysis

Simple and common approach to requirements analysis

see CSE 403 & 440/441 for much more...

Put together a collection of use cases, each of which

- describes the goal of the user/client in a specific scenario
- describes the interaction of the user/client with the software
 - each input and response
- from the user/client's point of view

Deduce requirements from the use cases

Example: Library Web Site

Use Case 1:

- 1. user looks up book
- 2. user finds that book is available at Odegaard

Use Case 2:

- 1. user looks up book
- 2. user finds that book is checked out from Odegaard
- 3. user places hold on book
- 4. (later) user gets message that book is on hold shelf

Requirements:

- ability to search for books, place holds, view current holds, ...
- user accounts have an associated email address or phone #

HW5 – Graph ADT

In HW5, you are not given a specification to implement

- only given an *incomplete* set of requirements
- you have to design, implement, and test your solution

You should complete the requirements analysis

- any time spent on this can pay for itself many times over
- look at HW6 (use case!) to determine necessary operations
 - see how the graph class will be used
- add more operations only if you have strong reason to do so
 - e.g., containers should let clients retrieve anything added
 - clients should not have to remember what they added themselves
 - best way to improve productivity is to write less code