

---

# CSE 331

## Software Design & Implementation

Kevin Zatloukal

Fall 2017

Identity, **equals**, and **hashCode**

(Based on slides by Mike Ernst, Dan Grossman, David Notkin, Hal Perkins, Zach Tatlock)

---

# Overview

---

- Notions of object equality are important in any language
- In Java, collection classes depend on `equals` and `hashCode`
  - EJ 47: “Know and use the libraries”
    - “every programmer should be familiar with the contents of `java.lang` and `java.util`”
  - e.g., `TreeSet` may not work properly if `equals` is wrong
  - e.g., `HashSet` may not work properly if `hashCode` is wrong

# Object equality

---

A **simple** idea??

- Two objects are equal if they have the same **value**

A **subtle** idea: intuition can be misleading

- Same object or same contents?
- Same concrete value or same abstract value?
- Same right now or same forever?
- Same for instances of this class or also for subclasses?
- When are two collections equal?
  - How related to equality of elements? Order of elements?
  - What if a collection contains itself?
- How can we implement equality efficiently?

# Expected properties of equality

---

*Reflexive*      `a.equals(a) == true`

- Confusing if an object does not equal itself

*Symmetric*      `a.equals(b) iff b.equals(a)`

- Confusing if order-of-arguments matters

*Transitive*      `a.equals(b) && b.equals(c) => a.equals(c)`

- Confusing again to violate centuries of logical reasoning

A relation that is reflexive, transitive, and symmetric is  
an *equivalence relation*

# Reference equality


---

- Reference equality means an object is equal only to itself
  - $\mathbf{a} == \mathbf{b}$  only if  $\mathbf{a}$  and  $\mathbf{b}$  refer to (point to) the same object
- Reference equality is an equivalence relation
  - Reflexive
  - Symmetric
  - Transitive
- Reference equality is the *smallest* equivalence relation on objects
  - “Hardest” to show two objects are equal (must be same object)
  - Cannot be smaller without violating reflexivity
  - Sometimes but not always what we want

# What might we want?

---

```
Date d1 = new Date(12,27,2013);  
Date d2 = new Date(12,27,2013);  
Date d3 = d2;  
// d1==d2 ?  
// d2==d3 ?  
// d1.equals(d2) ?  
// d2.equals(d3) ?
```



- Sometimes want equivalence relation bigger than ==
  - Java takes OOP approach of letting classes *override equals*

# Object.equals method

---

```
public class Object {  
    public boolean equals(Object o) {  
        return this == o;  
    }  
    ...  
}
```

- Implements reference equality
- Subclasses can override to implement a different equality
- But library includes a *contract* `equals` should satisfy
  - Reference equality satisfies it
  - So should *any* overriding implementation
  - Balances flexibility in notion-implemented and what-clients-can-assume even in presence of overriding

# equals specification

---

public boolean equals(Object *obj*) should be:

- *reflexive*: for any reference value **x**, **x.equals(x) == true**
- *symmetric*: for any reference values **x** and **y**,  
**x.equals(y) == y.equals(x)**
- *transitive*: for any reference values **x**, **y**, and **z**, if **x.equals(y)** and **y.equals(z)** are **true**, then **x.equals(z)** is **true**
- *consistent*: for any reference values **x** and **y**, multiple invocations of **x.equals(y)** consistently return **true** or consistently return **false** (provided neither is mutated)
- For any *non-null* reference value **x**, **x.equals(null)** should be **false**



# Why all this?

---

- Remember the goal is a contract:
  - weak enough to allow different useful overrides
  - strong enough so clients can assume equal-ish things
    - example: to implement a set
  - this gives a good balance in practice
- In summary:
  - equivalence relation
  - consistency, but allow for mutation to change the answer
  - asymmetric with `null` (other way raises exception)
    - final detail: argument of `null` must return **false**
    - weird but useful
    - often see, e.g., `"left".equals(direction)` – false for null

# An example

---

A class where we may want `equals` to mean equal contents

```
public class Duration {
    private final int min; // RI: min>=0
    private final int sec; // RI: 0<=sec<60
    public Duration(int min, int sec) {
        assert min>=0 && sec>=0 && sec<60;
        this.min = min;
        this.sec = sec;
    }
}
```

- Should be able to implement what we want and satisfy the `equals` contract...

# How about this?

---

```
public class Duration {  
    ...  
    public boolean equals(Duration d) {  
        return this.min==d.min && this.sec==d.sec;  
    }  
}
```

Two bugs:

1. Violates contract for `null` (not that interesting)
  - Can add `if(d==null) return false;`
    - But our fix for the other bug will make this unnecessary
2. Does not override `Object`'s `equals` method (more interesting)

# Overloading versus overriding

---

In Java:

- A class can have multiple methods with the same name and different parameters (number or type)
- A method *overrides* a superclass method only if it has the same name and exact same argument types

So `Duration's boolean equals(Duration d)` does *not* override `Object's boolean equals(Object d)`

- Sometimes useful to avoid having to make up different method names
- Sometimes confusing since the rules for what-method-gets-called are complicated

# Example: *no overriding*

---

```
public class Duration {
    public boolean equals(Duration d) {...}
    ...
}
Duration d1 = new Duration(10,5);
Duration d2 = new Duration(10,5);
Object o1 = d1;
Object o2 = d2;
d1.equals(d2); // true
o1.equals(o2); // false(!)
d1.equals(o2); // false(!)
o1.equals(d2); // false(!)
d1.equals(o1); // true [using Object's equals]
```

# Example fixed (mostly)

---

```
public class Duration {
    public boolean equals(Object d) {...}
    ...
}
Duration d1 = new Duration(10,5);
Duration d2 = new Duration(10,5);
Object o1 = d1;
Object o2 = d2;
d1.equals(d2); // true
o1.equals(o2); // true [overriding]
d1.equals(o2); // true [overriding]
o1.equals(d2); // true [overriding]
d1.equals(o1); // true [overriding]
```

# A little more generally

---

- Won't go through all the *overloading-resolution* rules here
- In short, Java:
  - Uses **(compile-time) types** to pick the *signature* (at compile-time)
    - In example: if receiver or argument has compile-time type **Object**, then only signature taking an **Object** is “known to work,” so it is picked
  - At **run-time**, uses dynamic dispatch to choose what implementation with that signature runs
    - In un-fixed example: the inherited method is the only one with the take-an-Object signature
    - In fixed example: Overriding matters whenever the run-time class of the receiver is **Duration**

# But wait!

---

This doesn't actually compile:

```
public class Duration {  
    ...  
    public boolean equals(Object o) {  
        return this.min==o.min && this.sec==o.sec;  
    }  
}
```



# Really fixed now

---

```
public class Duration {
    public boolean equals(Object o) {
        if(!(o instanceof Duration))
            return false;
        Duration d = (Duration) o;
        return this.min==d.min && this.sec==d.sec;
    }
}
```

- Cast cannot fail
- We want equals to work on *any* pair of objects
- Gets `null` case right too (`null instanceof C` always `false`)
- So: rare use of cast that is correct and idiomatic
  - This is what you should do (cf. *Effective Java*)

# Satisfies the contract

---

```
public class Duration {
    public boolean equals(Object o) {
        if(!(o instanceof Duration))
            return false;
        Duration d = (Duration) o;
        return this.min==d.min && this.sec==d.sec;
    }
}
```

- Reflexive: Yes
- Symmetric: Yes, even if `o` is not a `Duration`!
  - (Assuming `o`'s `equals` method satisfies the contract)
- Transitive: Yes, similar reasoning to symmetric

# Even better

---

- Defensive Tip: use the `@Override` annotation when overriding

```
public class Duration {  
    @Override  
    public boolean equals(Object o) {  
        ...  
    }  
}
```

- *Compiler warning* if not actually an override
  - Catches bug where argument is `Duration` or `String` or ...
  - Alerts reader to overriding
    - Concise, relevant, *checked* documentation

# Two subclasses

---

```
class CountedDuration extends Duration {
    public static numCountedDurations = 0;
    public CountedDuration(int min, int sec) {
        super(min, sec);
        ++numCountedDurations;
    }
}
class NanoDuration extends Duration {
    private final int nano;
    public NanoDuration(int min, int sec, int nano) {
        super(min, sec);
        this.nano = nano;
    }
    public boolean equals(Object o) { ... }
    ...
}
```

# CountedDuration is (probably) fine

---

- `CountedDuration` does not override `equals`
  - inherits `Duration.equals(Object)`
- Will (implicitly) treat any `CountedDuration` like a `Duration` when checking `equals`
  - `o instanceof Duration` is true if `o` is `CountedDuration`
- Any combination of `Duration` and `CountedDuration` objects can be compared
  - equal if same contents in `min` and `sec` fields
  - works because `o instanceof Duration` is true when `o` is an instance of `CountedDuration`

# NanoDuration is (probably) not fine

---

- If we don't override `equals` in `NanoDuration`, then objects with different `nano` fields will be equal
- Using what we have learned:

```
@Override
public boolean equals(Object o) {
    if (!(o instanceof NanoDuration))
        return false;
    NanoDuration nd = (NanoDuration) o;
    return super.equals(nd) && nano == nd.nano;
}
```

- But we have violated the `equals` contract
  - Hint: Compare a `Duration` and a `NanoDuration`

# The symmetry bug

---

```
public boolean equals(Object o) {
    if (!(o instanceof NanoDuration))
        return false;
    NanoDuration nd = (NanoDuration) o;
    return super.equals(nd) && nano == nd.nano;
}
```

This is *not symmetric!*

```
Duration d1 = new NanoDuration(5, 10, 15);
Duration d2 = new Duration(5, 10);
d1.equals(d2); // false
d2.equals(d1); // true
```

# Fixing symmetry

---

This version restores symmetry by using `Duration`'s `equals` if the argument is a `Duration` (and not a `NanoDuration`)

```
public boolean equals(Object o) {
    if (!(o instanceof Duration))
        return false;
    // if o is a normal Duration, compare without nano
    if (!(o instanceof NanoDuration))
        return super.equals(o);
    NanoDuration nd = (NanoDuration) o;
    return super.equals(nd) && nano == nd.nano;
}
```

Alas, this *still* violates the `equals` contract

- Transitivity...



# The transitivity bug

---

```
Duration d1 = new NanoDuration(1, 2, 3);  
Duration d2 = new Duration(1, 2);  
Duration d3 = new NanoDuration(1, 2, 4);  
d1.equals(d2); // true  
d2.equals(d3); // true  
d1.equals(d3); // false!
```

NanoDuration

min	1
sec	2
nano	3

Duration

min	1
sec	2

NanoDuration

min	1
sec	2
nano	4

# No perfect solution

---

- *Effective Java* says not to (re)override `equals` like this
  - (unless superclass is non-instantiable)
  - generally good advice
  - but there is one way to satisfy `equals` contract (see below)
- Two far-from-perfect approaches on next two slides:
  1. Don't make `NanoDuration` a subclass of `Duration`
  2. Change `Duration`'s `equals` so only `Duration` objects that are not (proper) subclasses of `Duration` are equal

# Option 1: avoid subclassing

---

Choose composition over subclassing (EJ Item 81)

- often good advice in general (we'll discuss more later on)
- many programmers overuse subclassing

```
public class NanoDuration {  
    private final Duration duration;  
    private final int nano;  
    ...  
}
```

Solves some problems:

- clients can choose which type of equality to use

Introduces others:

- can't use `NanoDurations` where `Durations` are expected (since it is not a subtype)

## Option 2: the `getClass` trick

---

Check if `o` is a `Duration` and *not* a subtype:

```
@Override
public boolean equals(Object o) { // in Duration
    if (o == null)
        return false;
    if (!o.getClass().equals(getClass()))
        return false;
    Duration d = (Duration) o;
    return d.min == min && d.sec == sec;
}
```

But this breaks `CountedDuration`!

- subclasses do not “act like” instances of superclass because behavior of `equals` changes with subclasses
- generally considered wrong to “break” subtyping like this

# Subclassing summary

---

- Subtypes should be useable wherever the type is used
  - Liskov substitution principle
- Unresolvable tension between
  - what we want for equality: *treat subclasses differently*
  - what we want for subtyping: *treat subclasses the same*
- No perfect solution for all cases
  - choose whether you want subtyping or not
    - in former case, don't override equals (make it final)
    - in latter case, can use composition instead
    - (this matches the advice in *Effective Java*)
  - (unfortunately) must make one choice for all subtypes

# hashCode

---

Another method in `Object`:

```
public int hashCode()
```

“Returns a hash code value for the object. This method is supported for the benefit of hash tables such as those provided by `java.util.HashMap`.”

Contract (again essential for correct overriding):

- **Self-consistent:** `o.hashCode()` is fixed (unless `o` is mutated)

- **Consistent with equality:**

`a.equals(b)` implies `a.hashCode() == b.hashCode()`

*Want* `!a.equals(b)` implies `a.hashCode() != b.hashCode()`

- but not actually in contract and (not true in most implementations)

# Think of it as a pre-filter

---

- If two objects are equal, they *must* have the same hash code
  - up to implementers of `equals` and `hashCode` to satisfy this
  - if you override `equals`, you *must* override `hashCode`
- If objects have same hash code, they *may or may not* be equal
  - “usually not” leads to better performance
  - `hashCode` in `Object` tries to (but may not) give every object a different hash code
- Hash codes are usually cheap[er] to compute, so check first if you “usually expect not equal” – a pre-filter

# Asides

---

- Hash codes are used for hash tables
  - common implementation of collection ADTs
  - see CSE332
  - libraries won't work if your classes break relevant contracts
- Cheaper pre-filtering is a more general idea
  - Example: Are two large video files the exact same video?
    - Quick pre-filter: Are the files the same size?



# Doing it

---

- So: we have to override `hashCode` in `Duration`
  - Must obey contract
  - Aim for non-equals objects usually having different results
- Correct but expect poor performance:

```
public int hashCode () { return 1; }
```
- A bit better:

```
public int hashCode () { return min; }
```
- Better:

```
public int hashCode () { return min ^ sec; }
```
- Best

```
public int hashCode () { return 60*min+sec; }
```

# Correctness depends on equals

---

Suppose we change the spec for Duration's equals:

```
public boolean equals(Object o) {
    if (!(o instanceof Duration))
        return false;
    Duration d = (Duration) o;
    return min == d.min && sec/10 == d.sec/10;
}
```

Must update hashCode – why?

```
public int hashCode() {
    return 6*min+sec/10;
}
```

# Equality, mutation, and time

---

If two objects are equal **now**, will they **always** be equal?

- in mathematics, “yes”
- in Java, “you choose”
- **Object** contract doesn't specify

For **immutable** objects:

- abstract value never changes
- equality should be forever (even if rep changes)

For **mutable** objects, either:

- use reference equality (never changes)
- not forever: mutation changes abstract value hence equals

**Common source of bugs:** mutating an object in a data structure

# Examples

---

`StringBuilder` is mutable and sticks with reference-equality:

```
StringBuilder s1 = new StringBuilder("hello");
StringBuilder s2 = new StringBuilder("hello");
s1.equals(s1); // true
s1.equals(s2); // false
```

By contrast:

```
Date d1 = new Date(0); // Jan 1, 1970 00:00:00 GMT
Date d2 = new Date(0);
d1.equals(d2); // true
d2.setTime(1);
d1.equals(d2); // false
```

# Behavioral and observational equivalence

---

Two objects are “**behaviorally equivalent**” if there is no sequence of operations (excluding `==`) that can distinguish them

Two objects are “**observationally equivalent**” if there is no sequence of observer operations that can distinguish them

- excludes mutators and `==`

# Equality and mutation

---

Date class implements (only) observational equality

Can **violate rep invariant** of a **Set** by **mutating after insertion**

```
Set<Date> s = new HashSet<Date>();
Date d1 = new Date(0);
Date d2 = new Date(1000);
s.add(d1);
s.add(d2);
d2.setTime(0);
for (Date d : s) { // prints two of same date
    System.out.println(d);
}
```

# Pitfalls of observational equivalence

---

Have to make do with caveats in specs:

*“Note: Great care must be exercised if mutable objects are used as set elements. The behavior of a set is not specified if the value of an object is changed in a manner that affects equals comparisons while the object is an element in the set.”*

Same problem applies to **keys in maps**

Same problem applies to mutations that **change hash codes** when using **HashSet** or **HashMap**

Especially hard bugs to detect! (Be frightened!)

Easy to cause when modules don't list everything they **mutate**

– why we need **@modifies**

## Another container wrinkle: self-containment

---

`equals` and `hashCode` on containers are recursive:

```
class ArrayList<E> {
    public int hashCode() {
        int code = 1;
        for (Object o : list)
            code = 31*code + (o==null ? 0 : o.hashCode());
        return code;
    }
}
```

This causes an infinite loop:

```
List<Object> lst = new ArrayList<Object>();
lst.add(lst);
lst.hashCode();
```



# Summary

---

- Different notions of equality:
  - reference equality stronger than
  - behavioral equality stronger than
  - observational equality
- Java's `equals` has an elaborate specification, but does not require any one of the above notions
  - also requires consistency with `hashCode`
  - concepts more general than Java
- Mutation and/or subtyping make things even murkier
  - good reason not to overuse/misuse either