

---

CSE 331

# Software Design & Implementation

Kevin Zatloukal

Fall 2020

Identity, `equals`, and `hashCode`

---

# Overview


---

- Using the libraries reduces bugs in most cases
  - take advantage of code already inspected & tested
- In Java, collection classes depend on `equals` and `hashCode`
  - EJ 47: “Know and use the libraries”
    - “every programmer should be familiar with the contents of `java.lang` and `java.util`”
  - e.g., `List` may not work properly if `equals` is wrong
  - e.g., `HashSet` may not work properly if `hashCode` is wrong
- You will need to use these for HW5 (pt 2) – HW7
- Same concepts exist in other languages

# What might we want?

---

```
Date d1 = new Date(12,27,2013);
Date d2 = new Date(12,27,2013);
Date d3 = d2;
// d1==d2 ?
// d2==d3 ?
// d1.equals(d2) ?
// d2.equals(d3) ?
```



- Sometimes want equivalence relation bigger than ==
  - Java takes OOP approach of letting classes *override equals*
  - (can also be defined by a `Comparator`)

# Expected properties of equality

---

*Reflexive*      `a.equals(a) == true`

- Confusing if an object does not equal itself

*Symmetric*      `a.equals(b) iff b.equals(a)`

- Confusing if order-of-arguments matters

*Transitive*      `a.equals(b) && b.equals(c) => a.equals(c)`

- Confusing again to violate centuries of logical reasoning

A relation that is reflexive, transitive, and symmetric is  
an *equivalence relation*

# Reference equality

---

- Reference equality means an object is equal only to itself
  - $\mathbf{a} == \mathbf{b}$  only if  $\mathbf{a}$  and  $\mathbf{b}$  refer to (point to) the same object
- Reference equality is an equivalence relation
  - Reflexive
  - Symmetric
  - Transitive
- Reference equality is the *smallest* equivalence relation on objects
  - “Hardest” to show two objects are equal (must be same object)
  - Cannot be smaller without violating reflexivity
  - Sometimes but not always what we want

# Object.equals method

---

```
public class Object {  
    public boolean equals(Object o) {  
        return this == o;  
    }  
    ...  
}
```

- Implements reference equality
- Subclasses can override to implement a different equality
- But library includes a *contract* `equals` should satisfy
  - Reference equality satisfies it
  - So should *any* overriding implementation
  - Balances flexibility in notion-implemented and what-clients-can-assume even in presence of overriding

# equals specification

---

public boolean equals(Object **obj**) should be:

- *reflexive*: for any reference value **x**, **x.equals(x) == true**
- *symmetric*: for any reference values **x** and **y**, **x.equals(y) == y.equals(x)**
- *transitive*: for any reference values **x**, **y**, and **z**, if **x.equals(y)** and **y.equals(z)** are **true**, then **x.equals(z)** is **true**
- *consistent*: for any reference values **x** and **y**, multiple invocations of **x.equals(y)** consistently return **true** or consistently return **false** (provided neither is mutated)
- For any *non-null* reference value **x**, **x.equals(null)** should return **false**

# Why all this?

---

- Remember the goal is a contract:
  - weak enough to allow different useful overrides
  - strong enough so clients can assume equal-ish things
    - example: to implement a set
  - this gives a good balance in practice
- In summary:
  - equivalence relation on non-null objects
  - consistency, but allow for mutation to change the answer
  - asymmetric with `null` (other way raises exception)
    - final detail: argument of `null` must return `false`
    - weird but useful
    - often see, e.g., `“left”.equals(direction)` – false for null



# An example

---

A class where we may want `equals` to mean equal contents

```
public class Duration {
    private final int min; // RI: min>=0
    private final int sec; // RI: 0<=sec<60
    public Duration(int min, int sec) {
        assert min>=0 && sec>=0 && sec<60;
        this.min = min;
        this.sec = sec;
    }
}
```

- Should be able to implement what we want and satisfy the `equals` contract...

# How about this?

---

```
public class Duration {  
    ...  
    public boolean equals(Duration d) {  
        return this.min==d.min && this.sec==d.sec;  
    }  
}
```

Two bugs:

1. Violates contract for `null` (not that interesting)
  - Can add `if(d==null) return false;`
    - But our fix for the other bug will make this unnecessary
2. Does not override `Object`'s `equals` method (more interesting)

# Overloading versus overriding

---

In Java:

- A class can have multiple methods with the same name and different parameters (number or type)
- A method *overrides* a superclass method only if it has the same name and exact same argument types

So `Duration's boolean equals(Duration d)` does *not* override `Object's boolean equals(Object d)`

- Sometimes useful to avoid having to make up different method names
- Sometimes confusing since the rules for what-method-gets-called are complicated

# Example: *no* overriding

---

```
public class Duration {
    public boolean equals(Duration d) {...}
    ...
}
Duration d1 = new Duration(10,5);
Duration d2 = new Duration(10,5);
Object o1 = d1;
Object o2 = d2;
d1.equals(d2); // true
o1.equals(o2); // false(!)
d1.equals(o2); // false(!)
o1.equals(d2); // false(!)
d1.equals(o1); // true [using Object's equals]
```

# Example fixed (mostly)

---

```
public class Duration {
    public boolean equals(Object d) {...}
    ...
}
Duration d1 = new Duration(10,5);
Duration d2 = new Duration(10,5);
Object o1 = d1;
Object o2 = d2;
d1.equals(d2); // true
o1.equals(o2); // true [overriding]
d1.equals(o2); // true [overriding]
o1.equals(d2); // true [overriding]
d1.equals(o1); // true [overriding]
```

# But wait!

---

This doesn't actually compile:

```
public class Duration {  
    ...  
    public boolean equals(Object o) {  
        return this.min==o.min && this.sec==o.sec;  
    }  
}
```

# Really fixed now

---

```
public class Duration {
    public boolean equals(Object o) {
        if (!(o instanceof Duration))
            return false;
        Duration d = (Duration) o;
        return this.min==d.min && this.sec==d.sec;
    }
}
```

- Cast cannot fail
- We want equals to work on *any* pair of objects
- Gets `null` case right too (`null instanceof C` always `false`)
- So: rare use of cast that is correct and idiomatic
  - This is what you should do (cf. *Effective Java*)

# Satisfies the contract

---

```
public class Duration {
    public boolean equals(Object o) {
        if (!(o instanceof Duration))
            return false;
        Duration d = (Duration) o;
        return this.min==d.min && this.sec==d.sec;
    }
}
```

- Reflexive: Yes
- Symmetric: Yes, even if `o` is not a `Duration`!
  - (Assuming `o`'s `equals` method satisfies the contract)
- Transitive: Yes, similar reasoning to symmetric



# Even better

---

- Defensive Tip: use the `@Override` annotation when overriding

```
public class Duration {  
    @Override  
    public boolean equals(Object o) {  
        ...  
    }  
}
```

- *Compiler warning* if not actually an override
  - Catches bug where argument is `Duration` or `String` or ...
  - Alerts reader to overriding
    - Concise, relevant, *checked* documentation