

---

CSE 331

# Software Design & Implementation

Kevin Zatloukal

Spring 2020

Exceptions and Assertions

---

# Outline

---

- General concepts about dealing with errors and failures
- Assertions: what, why, how
  - for things you believe will/should never happen
- Exceptions: what, how
  - how to throw, catch, and declare exceptions in Java
  - subtyping of exceptions
  - checked vs. unchecked exceptions
- Exceptions: why *in general*
  - for things you believe are bad and should rarely happen
  - and many other style issues
- Alternative with trade-offs: Returning special values
- Summary and review

# Not all “errors” should be failures

---

Some “error” cases:

1. Misuse of your code
  - e.g., precondition violation
  - **should** be a failure (i.e., made visible to the user)
2. Errors in your code vs reasoning
  - e.g., representation invariant fails to hold
  - **should** be a failure
3. Unexpected resource problems
  - e.g., missing file, server offline, ...
  - not an error in the sense of earlier lecture (... these are not bugs)
  - **should not** be a failure (i.e., do try to recover)

# What to do when failing

---

## Fail fast and fail friendly

### Goal 1: *Prevent harm*

- stop before anything worse happens
- (do still need to perform cleanup: close open resources etc.)

### Goal 2: *Give information about the problem*

- failing quickly helps localize the defect
- a good error message is important for debugging

# Errors that should be failures

---

A precondition prohibits misuse of your code

- weakens the spec by throwing out unhandled cases

This ducks the problem of errors-will-happen

- with **enough clients**, someone will use your code incorrectly

Practice *defensive programming*:

- usually makes sense to check for these errors
- even though you don't specify what the behavior will be, it still makes sense to **fail fast**

# Outline

---

- General concepts about dealing with errors and failures
- Assertions: what, why, how
  - for things you believe will/should never happen
- Exceptions: what, how
  - how to throw, catch, and declare exceptions *in Java*
  - subtyping of exceptions
  - checked vs. unchecked exceptions
- Exceptions: why *in general*
  - for things you believe are bad and should rarely happen
  - and many other style issues
- Alternative with trade-offs: Returning special values
- Summary and review

# Defensive programming

---

Assertions about your code:

- precondition, postcondition, representation invariant, etc.

Check these *statically* via reasoning and tools

Check these *dynamically* via **assertions**

```
assert index >= 0;
```

```
assert items != null : "null item list argument"
```

```
assert size % 2 == 0 : "Bad size for " +  
                        toString();
```

- throws `AssertionError` if condition is false
- includes descriptive messages

# Enabling assertions

---

In Java, assertions can be enabled or disabled at runtime (no recompile is required)

Command line:

`java -ea` runs code with assertions enabled

`java` runs code with assertions disabled (default)

Eclipse:

Select Run > Run Configurations... then add `-ea` to VM arguments under (x)=arguments tab

Turn them off only in **rare** circumstances (e.g., production code running on a client machine)



# How *not* to use assertions

---

Don't **clutter** the code with useless assertions

```
x = y + 1;  
assert x == y + 1;    // the compiler worked!
```

- Too many assertions can make the code hard to read
- Be judicious about where you include them. Good choices:
  - preconditions & postconditions
  - invariants of non-trivial loops
  - representation invariants after mutations

# How *not* to use assertions

---

Don't perform side effects:

```
assert list.remove(x) ; // won't happen if disabled
```

```
// better:
```

```
boolean found = list.remove(x) ;
```

```
assert found;
```

# assert and checkRep ()

---

CSE 331's `checkRep ()` is another dynamic check

Strategy: use `assert` in `checkRep ()` to test and fail with meaningful message if trouble found

- CSE 331 tests will check that assertions are enabled

Easy to forget to enable them in your own projects

- Google doesn't use them for this reason

# Expensive `checkRep ()` tests

---

Detailed checks can be too slow in production

- especially if asymptotically slower than code being checked

But complex tests can be very helpful during testing & debugging  
(let the computer find problems for you!)

Suggested strategy for `checkRep`:

- create a static, global “debug” or “debugLevel” variable
- run expensive tests when this is enabled
- turn it on during unit tests
  - can use JUnit’s `@Before` for this

# Square root

---

```
// requires: x >= 0
// returns: approximation to square root of x
public double sqrt(double x) {
    ...
}
```

# Square root with assertion

---

```
// requires: x >= 0
// returns: approximation to square root of x
public double sqrt(double x) {
    assert x >= 0.0;
    double result;
    ... compute result ...
    assert Math.abs(result*result - x) < .0001;
    return result;
}
```

- These two assertions serve different purposes

(Note: the Java library Math.sqrt method returns NaN for  $x < 0$ . We use different specifications in this lecture as examples.)

# Outline

---

- General concepts about dealing with errors and failures
- Assertions: what, why, how
  - for things you believe will/should never happen
- Exceptions: what, how
  - how to throw, catch, and declare exceptions *in Java*
  - subtyping of exceptions
  - checked vs. unchecked exceptions
- Exceptions: why *in general*
  - for things you believe are bad and should rarely happen
  - and many other style issues
- Alternative with trade-offs: Returning special values
- Summary and review

# Square root, specified for all inputs

---

```
// throws: NegativeArgumentException if x < 0
// returns: approximation to square root of x
public double sqrt(double x)
    throws NegativeArgumentException {
    if (x < 0)
        throw new NegativeArgumentException();
    ...
}
```

- **throws** is part of a method signature: “it might happen”
  - comma-separated list
  - like `@modifiers`, promises are in what is **not listed**
- **throw** is a statement that actually causes exception-throw
  - immediate control transfer [like `return` but different]



# Using try-catch to handle exceptions

---

```
public double sqrt(double x)
    throws NegativeArgumentException
    ...
```

Client code:

```
try {
    y = sqrt(...);
    ... other statements ...
} catch (NegativeArgumentException e) {
    e.printStackTrace(); // or other actions
}
```

- Handled by nearest *dynamically* enclosing **try/catch**
  - top-level default handler: print stack trace & crash

# Catching with inheritance


---

```
try {
    code...
} catch (FileNotFoundException fnfe) {
    code to handle a file not found exception
} catch (IOException ioe) {
    code to handle any other I/O exception
} catch (Exception e) {
    code to handle any other exception
}
```

- A `SocketException` would match the second block
- An `ArithmeticException` would match the third block
- (Subsequent catch blocks need not be supertypes like this)

# (Abridged) Exception Hierarchy

---



# Java's checked/unchecked distinction


---

Checked exceptions (*style: for special cases / abnormal cases*)

- **callee** must declare in signature (else type error)
- **client** must either catch or declare (else type error)
  - even if you can prove it will never happen at run time, the type system does not “believe you”
- guaranteed to be a matching enclosing catch *at runtime*

Unchecked exceptions (*style: for never-expected*)

- **library** has no need to declare
- **client** has no need to catch
- these are subclasses of:
  - **RuntimeException**
  - **Error** (rarely caught)



# Outline

---

- General concepts about dealing with errors and failures
- Assertions: what, why, how
  - for things you believe will/should never happen
- Exceptions: what, how
  - how to throw, catch, and declare exceptions in Java
  - subtyping of exceptions
  - checked vs. unchecked exceptions
- Exceptions: *why in general*
  - for things you believe are bad and should rarely happen
  - and many other style issues
- Alternative with trade-offs: Returning special values
- Summary and review

# Two distinct uses of exceptions

---

- Errors that should be failures
  - unexpected (ideally, should not happen at all)
  - should be rare with high quality client and library
  - can be the client's fault or the library's
  - often **unrecoverable**
- Special cases (a.k.a. exceptional cases)
  - expected, just not the common case
  - possibly unpredictable or unpreventable by client

# Handling exceptions

---

- Errors that should be failures
  - usually can't recover
  - unchecked exceptions the better choice (avoids much work)
  - if condition not checked, exception propagates up the stack
    - top-level handler prints the stack trace
- Special cases
  - take special action and continue computing
  - should always check for this condition
  - should handle locally by code that knows how to continue
  - checked exceptions the better choice

# Checked vs. unchecked

---

- No perfect answer to the question “should clients be forced to catch (or declare they throw) this exception?”
  - Java provided both options
- Advantages to checked exceptions:
  - Static checking of callee: only declared exceptions are thrown
  - Static checking of caller: exception is caught or declared
- Disadvantages:
  - impedes implementations and overrides (can't add exceptions)
    - prevents truly giving *no promises* when `@requires` is false
  - often in your way when prototyping
  - have to catch or declare even if the exception is not possible



# Propagating an exception

---

```
// returns: x such that  $ax^2 + bx + c = 0$ 
// throws: NegativeArgumentException if no real soln exists
double solveQuad(double a, double b, double c)
    throws NegativeArgumentException {
    // No need to catch exception thrown by sqrt
    return (-b + sqrt(b*b - 4*a*c)) / (2*a);
}
```

Aside: does “**negative argument**” make sense to the caller?

# Why catch exceptions locally?

---

Problems:

1. Failure to catch exceptions often violates modularity
  - call chain: `A -> IntSet.insert -> IntList.insert`
  - `IntList.insert` throws some exception
    - implementer of `IntSet.insert` knows how list is being used
    - implementer of `A` may not even know that `IntList` exists
2. Possible that a method on the stack may think that it is handling an exception raised by a different call

Alternative: catch it and throw again

- “chaining” or “translation”
- do this even if the exception is better handled up a level
- makes it clear to reader of code that it was not an omission

# Exception translation

---

```
// returns: x such that  $ax^2 + bx + c = 0$ 
// throws: NotRealException if no real solution exists
double solveQuad(double a, double b, double c)
    throws NotRealException {
    try {
        return (-b + sqrt(b*b - 4*a*c)) / (2*a);
    } catch (NegativeArgumentException e) {
        throw new NotRealException(); // "chaining"
    }
}

class NotRealException extends Exception {
    NotRealException() { super(); }
    NotRealException(String message) { super(message); }
    NotRealException(Throwable cause) { super(cause); }
    NotRealException(String msg, Throwable c) { super(msg, c); }
}
```

# Don't ignore exceptions

---

*Effective Java* Tip: Don't ignore exceptions

Empty catch block is poor style

sometimes okay inside of  
an exception handler

```
try {  
    readFile(filename);  
} catch (IOException e) {} // silent failure
```

At a minimum, print out the exception so you know it happened

- and exit if that's appropriate for the application

```
} catch (IOException e) {  
    e.printStackTrace();  
    System.exit(1);  
}
```

# Outline

---

- General concepts about dealing with errors and failures
- Assertions: what, why, how
  - for things you believe will/should never happen
- Exceptions: what, how *in Java*
  - how to throw, catch, and declare exceptions
  - subtyping of exceptions
  - checked vs. unchecked exceptions
- Exceptions: why *in general*
  - for things you believe are bad and should rarely happen
  - and many other style issues
- Alternative with trade-offs: Returning special values
- Summary and review

# Informing the client of a problem

---

Special value:

- `null` for `Map.get`
- `-1` for `indexOf`
- `NaN` for `sqrt` of negative number

Advantages:

- can be less verbose than try/catch machinery

Disadvantages:

- error-prone: callers forget to check, forget spec, etc.
- need “extra” result: doesn’t work if every result could be real
  - example: if a map could store `null` keys
- has to be propagated manually one call at a time

General Java style advice: exceptions for exceptional conditions

# Outline

---

- General concepts about dealing with errors and failures
- Assertions: what, why, how
  - For things you believe will/should never happen
- Exceptions: what, how *in Java*
  - How to throw, catch, and declare exceptions
  - Subtyping of exceptions
  - Checked vs. unchecked exceptions
- Exceptions: why *in general*
  - For things you believe are bad and should rarely happen
  - And many other style issues
- Alternative with trade-offs: Returning special values
- Summary and review

# Exceptions: review

---

Use an **assertion** for internal consistency checks that should not fail

- when checking at runtime is possible

Use only a **precondition** when

- used in a context in which calls can be checked via reasoning
- but checking at runtime would be prohibitive
  - e.g., requiring that a list be sorted

Use an **exception** when

- used in a dynamic / unpredictable context (client can't predict)
- for exceptional cases only

Use a **special value** when

- it is a common case (not really exceptional)
- clients are likely (?) to remember to check for it



# Exceptions: review, continued

---

Use *checked* exceptions most of the time

- static checking is helpful! (**tools**, inspection, & testing)

Avoid checked exceptions if there is probably no way to recover

Handle exceptions sooner rather than later

Good reference: Effective Java chapter

- a whole chapter: exception-handling design matters!