

---

# CSE 331

## Software Design & Implementation

James Wilcox

Autumn 2021

Identity, `equals`, and `hashCode`

---

# Overview

---

- Using the libraries reduces bugs in most cases
  - take advantage of code already inspected & tested
- In Java, collection classes depend on `equals` and `hashCode`
  - EJ 47: “Know and use the libraries”
    - “every programmer should be familiar with the contents of `java.lang` and `java.util`”
  - e.g., `List` may not work properly if `equals` is wrong
  - e.g., `HashSet` may not work properly if `hashCode` is wrong

# Object.equals method

---

```
public class Object {  
    public boolean equals(Object o) {  
        return this == o;  
    }  
    ...  
}
```

- Implements reference equality
- Subclasses can override to implement a different equality
- But library includes a *contract* `equals` should satisfy
  - Reference equality satisfies it
  - So should *any* overriding implementation
  - Balances flexibility in notion-implemented and what-clients-can-assume even in presence of overriding

# equals specification

---

public boolean equals(Object *obj*) should be:

- *reflexive*: for any reference value **x**, **x.equals(x) == true**
- *symmetric*: for any reference values **x** and **y**,  
**x.equals(y) == y.equals(x)**
- *transitive*: for any reference values **x**, **y**, and **z**, if **x.equals(y)** and **y.equals(z)** are **true**, then **x.equals(z)** is **true**
- *consistent*: for any reference values **x** and **y**, multiple invocations of **x.equals(y)** consistently return **true** or consistently return **false** (provided neither is mutated)
- For any *non-null* reference value **x**, **x.equals(null)** should return **false**

# Overriding equals

---

```
public class Duration {
    @Override
    public boolean equals(Object o) {
        if (!(o instanceof Duration))
            return false;
        Duration d = (Duration) o;
        return this.min==d.min && this.sec==d.sec;
    }
}
```

- Correct and idiomatic Java
- Cast cannot fail
- Gets `null` case right too (`null instanceof C` always `false`)

# Overloading vs Overriding

---

- Methods in Java are identified by the *signature*
  - name + argument types
- Classes can have only one method with a given signature
  - subclass method **overrides** superclass method with its own
- Classes can have many methods with the same name
  - e.g., `List.add(Object)` and `List.add(int, Object)`
  - this is called **overloading**

# Java Method Calls

---

- Signature of the method to call is chosen at **compile time**
  - suppose class has `equals(Object)` and `equals(Duration)`
  - `x.equals(d1)` becomes a call to `equals(Duration)`, best match
  - `x.equals(o1)` becomes a call to `equals(Object)`, only match
- Finding the method with that signature to call happens at **run time**
  - Java looks in the actual class of `x` (at run time)
  - if it has a method with that signature, that method is called
  - otherwise, it continues looking in the superclass (recursively)

**DEMO**



# Equality, mutation, and time

---

If two objects are equal **now**, will they **always** be equal?

- in mathematics, “yes”
- in Java, “you choose”
- **Object** contract doesn't specify

For **immutable** objects:

- abstract value never changes
- equality should be forever (even if rep changes)

For **mutable** objects, either:

- use reference equality (never changes)
- not forever: mutation changes abstract value hence equals

**Common source of bugs...**

# Examples

---

`StringBuilder` is mutable and sticks with reference-equality:

```
StringBuilder s1 = new StringBuilder("hello");
StringBuilder s2 = new StringBuilder("hello");
s1.equals(s1); // true
s1.equals(s2); // false
```

By contrast:

```
Date d1 = new Date(0); // Jan 1, 1970 00:00:00 UTC
Date d2 = new Date(0);

d1.equals(d2); // true
d2.setTime(1);
d1.equals(d2); // false
```

# Behavioral and observational equivalence

---

Two objects are “**behaviorally equivalent**” if there is no sequence of operations (excluding `==`) that can distinguish them

Two objects are “**observationally equivalent**” if there is no sequence of observer operations that can distinguish them

- excludes mutators and `==`

# Equality and mutation

---

`Date` class implements (only) observational equality

Can **violate rep invariant** of a `Set` by **mutating after insertion**

```
Set<Date> s = new HashSet<Date>();
Date d1 = new Date(0);
Date d2 = new Date(1000);
s.add(d1);
s.add(d2);
d2.setTime(0);
for (Date d : s) { // prints two of same date
    System.out.println(d);
}
```

# Pitfalls of observational equivalence

---

Have to make do with caveats in specs:

*“Note: Great care must be exercised if mutable objects are used as set elements. The behavior of a set is not specified if the value of an object is changed in a manner that affects equals comparisons while the object is an element in the set.”*

Same problem applies to **keys in maps**

Same problem applies to mutations that **change hash codes** when using **HashSet** or **HashMap**

Especially hard bugs to detect! (Be frightened!)

Easy to cause when modules don't list everything they **mutate**

– why we need **@modifies**

# Summary

---

- Different notions of equality:
  - reference equality stronger than
  - behavioral equality stronger than
  - observational equality
- Java's `equals` has an elaborate specification, but does not require any one of the above notions
  - concepts more general than Java
- Mutation and/or subtyping make things even murkier
  - good reason not to overuse/misuse either

# hashCode

---

Another method in `Object`:

```
public int hashCode()
```

“Returns a hash code value for the object. This method is supported for the benefit of hash tables such as those provided by `java.util.HashMap`.”

Contract (again essential for correct overriding):

- **Self-consistent:** `o.hashCode()` is fixed (unless `o` is mutated)
- **Consistent with equality:**  
`a.equals(b)` implies `a.hashCode() == b.hashCode()`

# Think of it as a pre-filter

---

- If two objects are equal, they *must* have the same hash code
  - up to implementers of `equals` and `hashCode` to satisfy this
  - **if** you override `equals`, you **must** override `hashCode`
- If objects have same hash code, they *may or may not* be equal
  - “usually not” leads to better performance
  - `hashCode` in `Object` tries to (but may not) give every object a different hash code
- Hash codes are usually cheap[er] to compute, so check first if you “usually expect not equal” – a pre-filter



# hashCode

---

Another method in `Object`:

```
public int hashCode()
```

“Returns a hash code value for the object. This method is supported for the benefit of hash tables such as those provided by `java.util.HashMap`.”

Contract (again essential for correct overriding):

- **Self-consistent:** `o.hashCode()` is fixed (unless `o` is mutated)
- **Consistent with equality:**  
`a.equals(b)` implies `a.hashCode() == b.hashCode()`

*Want* `!a.equals(b)` implies `a.hashCode() != b.hashCode()`

- but not actually in contract and (not true in most implementations)

# Asides

---

- Hash codes are used for hash tables
  - common implementation of collection ADTs
  - see CSE332
  - libraries won't work if your classes break relevant contracts
- Cheaper pre-filtering is a more general idea
  - Example: Are two large video files the exact same video?
    - Quick pre-filter: Are the files the same size?

# Recall: Duration example

---

```
public class Duration {
    private final int min; // RI: min>=0
    private final int sec; // RI: 0<=sec<60

    @Override
    public boolean equals(Object o) {
        if (!(o instanceof Duration))
            return false;
        Duration d = (Duration) o;
        return this.min==d.min && this.sec==d.sec;
    }
}
```

# Doing it

---

- So: we have to override `hashCode` in `Duration`
  - Must obey contract
  - Aim for non-equals objects usually having different results
- Correct but expect poor performance:

```
public int hashCode () { return 1; }
```
- A bit better:

```
public int hashCode () { return min; }
```
- Better:

```
public int hashCode () { return min ^ sec; }
```
- Best

```
public int hashCode () { return 60*min+sec; }
```

# Correctness depends on equals

---

Suppose we change the spec for `Duration`'s `equals`:

```
public boolean equals(Object o) {
    if (!(o instanceof Duration))
        return false;
    Duration d = (Duration) o;
    return min == d.min && sec/10 == d.sec/10;
}
```

Must update `hashCode` – why?

```
public int hashCode() {
    return 6*min+sec/10;
}
```