

CSE 332: Locks and Deadlocks

Richard Anderson, Steve Seitz
Winter 2014

Recall Bank Account Problem

```
class BankAccount {
    private int balance = 0;
    synchronized int getBalance()
    { return balance; }
    synchronized void setBalance(int x)
    { balance = x; }
    synchronized void withdraw(int amount) {
        int b = getBalance();
        if(amount > b)
            throw ...
        setBalance(b - amount);
    }
    // deposit would also use synchronized
}
```

Call to setBalance in withdraw

- tries to lock **this**

Re-Entrant Lock


- A **re-entrant lock** (a.k.a. **recursive lock**)
 - If a thread holds a lock, subsequent attempts to acquire the **same lock** in the **same thread** won't block
 - **withdraw** can acquire the lock and **setBalance** can also acquire it
 - implemented by maintaining a count of how many times each lock is acquired in each thread, and decrementing the count on each release.
- Java **synchronize** locks are re-entrant

Locking Guidelines

- Correctness
- Consistency: make it well-defined
- Granularity: coarse to fine
- Critical Sections: make them small, atomic
- Leverage libraries

Consistent Locking


- Clear mapping of locks to resources
 - followed by all methods
 - clearly documented
 - same lock can guard multiple resources



- what's a resource? Conceptual:
 - object
 - field
 - data structure (e.g., linked list, hash table)


Lock Granularity

- **Coarse grained:** fewer locks, more objects per lock
 - e.g., one lock for entire data structure (e.g., linked list)



- advantage:
- disadvantage:

- **Fine grained:** more locks, fewer objects per lock
 - e.g., one lock for each item in the linked list



Lock Granularity

Example: hashtable with separate chaining

- coarse grained: one lock for whole table
- fine grained: one lock for each bucket

Which supports more concurrency for **insert** and **lookup**?

Which makes implementing **resize** easier?

Suppose hashtable maintains a **numElements** field. Which locking approach is better?

Critical Sections

- Critical sections:
 - how much code executes while you hold the lock?
 - want critical sections to be short
 - make them “atomic”: think about smallest sequence of operations that have to occur at once (without data races, interleavings)

Critical Sections

- Suppose we want to change a value in a hash table
 - assume one lock for the entire table
 - computing the new value takes a long time (“expensive”)

```
synchronized(lock) {  
    v1 = table.lookup(k);  
    v2 = expensive(v1);  
    table.remove(k);  
    table.insert(k, v2);  
}
```

Critical Sections

- Suppose we want to change a value in the hash table
 - assume one lock for the entire table
 - computing the new value takes a long time (“expensive”)
 - will this work?

```
synchronized(lock) {  
    v1 = table.lookup(k);  
}  
v2 = expensive(v1);  
synchronized(lock) {  
    table.remove(k);  
    table.insert(k, v2);  
}
```

Critical Sections

- Suppose we want to change a value in the hash table
 - assume one lock for the entire table
 - computing the new value takes a long time (“expensive”)
 - convoluted fix:

```
done = false;
while (!done) {
    synchronized(lock) {
        v1 = table.lookup(k);
    }
    v2 = expensive(v1);
    synchronized(lock) {
        if (table.lookup(k) == v1) {
            done = true; // I can exit the loop!
            table.remove(k);
            table.insert(k, v2);
        }
    }
}
```

Leverage Libraries

- Use built-in libraries whenever possible
- In “real life”, it is unusual to have to write your own data structure from scratch
 - Implementations provided in standard libraries
 - Point of CSE332 is to understand the key trade-offs, abstractions, and analysis of such implementations
- Especially true for concurrent data structures
 - Very difficult to provide fine-grained synchronization without race conditions
 - Standard **thread-safe** libraries like **ConcurrentHashMap** written by world experts

Another Bank Operation


Consider transferring money:

```
class BankAccount {
    ...
    synchronized void withdraw(int amt) {...}
    synchronized void deposit(int amt) {...}
    synchronized void transferTo(int amt,
                                  BankAccount a) {
        this.withdraw(amt);
        a.deposit(amt);
    }
}
```

What can go wrong?


Deadlock

x and **y** are two different accounts




Dining Philosopher's Problem

- 5 Philosopher's eating rice around a table
- one chopstick to the left and right of each
- first grab the one on your left, then on your right...



Deadlock = Cycles

- Multiple threads depending on each other in a cycle



- T2 has lock that T1 needs
 - T3 has lock that T2 needs
 - T1 has lock that T3 needs
- Solution?

How to Fix Deadlock?

In Banking example

```
class BankAccount {
    ...
    synchronized void withdraw(int amt) {...}
    synchronized void deposit(int amt) {...}
    synchronized void transferTo(int amt,
                                   BankAccount a) {
        this.withdraw(amt);
        a.deposit(amt);
    }
}
```

How to Fix Deadlock?

Separate withdraw from deposit

```
class BankAccount {  
    ...  
    synchronized void withdraw(int amt) {...}  
    synchronized void deposit(int amt) {...}  
    synchronized void transferTo(int amt,  
                                   BankAccount a) {  
        this.withdraw(amt);  
        a.deposit(amt);  
    }  
}
```


Problems?

Possible Solutions

1. `transferTo` not synchronized
 - exposes intermediate state after `withdraw` before `deposit`
 - may be okay here, but exposes wrong total amount in bank
2. Coarsen lock granularity: one lock for each pair of accounts allowing transfers between them
 - works, but sacrifices concurrent deposits/withdrawals
3. Give every bank-account a unique ID and always acquire locks in the same ID order
 - *Entire program* should obey this order to avoid cycles

Ordering Accounts


Transfer from bank
account 5 to account 9



1. lock A5
2. lock A9
3. withdraw from A5
4. deposit to A9


Ordering Accounts

Transfer from bank
account 5 to account 9



1. lock A5
2. lock A9
3. withdraw from A5
4. deposit to A9


Transfer from bank
account 9 to account 5



1. lock
2. lock
3. withdraw from
4. deposit to


Ordering Accounts

Transfer from bank
account 5 to account 9



1. lock A5
2. lock A9
3. withdraw from A5
4. deposit to A9

Transfer from bank
account 9 to account 5



1. lock
2. lock
3. withdraw from
4. deposit to

No interleavings will produce deadlock!

- T1 cannot block on A9 until it has A5
- T2 cannot acquire A9 until it has A5

Banking Without Deadlocks

```
class BankAccount {
    ...
    private int acctNumber; // must be unique
    void transferTo(int amt, BankAccount a) {
        if(this.acctNumber < a.acctNumber)
            synchronized(this) {
                synchronized(a) {
                    this.withdraw(amt);
                    a.deposit(amt);
                }
            }
        else
            synchronized(a) {
                synchronized(this) {
                    this.withdraw(amt);
                    a.deposit(amt);
                }
            }
    }
}
```

Lock Ordering

- Useful in many situations
 - e.g., when moving an item from work queue A to B, need to acquire locks in a particular order
- Doesn't always work
 - not all objects can be naturally ordered
 - Java StringBuffer append is subject to deadlocks
 - thread 1: append string A onto string B
 - thread 2: append string B onto string A

Locking a Hashtable

- Consider a hashtable with
 - many simultaneous `lookup` operations
 - rare `insert` operations
- What's the right locking strategy?

Read vs. Write Locks

- Recall race conditions
 - two simultaneous write to same location
 - one write, one simultaneous read
- But two simultaneous reads OK
- Synchronize is too strict
 - blocks simultaneous reads

Readers/Writer Locks

A new synchronization ADT: The [readers/writer lock](#)

- A lock's states fall into three categories:
 - “not held”
 - “held for writing” by one thread
 - “held for reading” by *one or more* threads
- **new**: make a new lock, initially “not held”
- **acquire_write**: block if currently “held for reading” or “held for writing”, else make “held for writing”
- **release_write**: make “not held”
- **acquire_read**: block if currently “held for writing”, else make/keep “held for reading” and increment *readers count*
- **release_read**: decrement readers count, if 0, make “not held”

$0 \leq \text{writers} \leq 1$
 $0 \leq \text{readers}$
 $\text{writers} * \text{readers} == 0$

In Java

Java's **synchronized** statement does not support readers/writer

Instead, library

`java.util.concurrent.locks.ReentrantReadWriteLock`

- Different interface: methods `readLock` and `writeLock` return objects that themselves have `lock` and `unlock` methods

Concurrency Summary

- Parallelism is powerful, but introduces new concurrency issues:
 - Data races
 - Interleaving
 - Deadlocks
- Requires synchronization
 - Locks for mutual exclusion
- Guidelines for correct use help avoid common pitfalls