


CSE 332

Data Abstractions

Algorithm Analysis 1



Outline

1 Comparing Algorithms

2 Asymptotic Analysis

Comparing Programs

1

In 143, we asked:

What does it mean to have an “efficient program”?

```
1 System.out.println("hello");
2 System.out.print("e");
3 System.out.print("l");
4 System.out.print("l");
5 System.out.println("o");
```

OUTPUT

```
>> left average run time is 1000 ns.
>> right average run time is 5000 ns.
```

We're measuring in **NANOSECONDS!**

Both of these run **very very** quickly. The first is definitely better style, but it's not “more efficient.”

Comparing Programs: Timing

2

hasDuplicate

Given a **sorted int array**, determine if the array has a duplicate.

Algorithm 1

For each **pair of elements**, check if they're the same.

Algorithm 2

For each **element**, check if it's equal to the one after it.

Why Not Time Programs?

Timing programs is prone to error (not **reliable** or **portable**):

- Hardware: processor(s), memory, etc.
- OS, Java version, libraries, drivers
- Other programs running
- Implementation dependent
- Can we even time an algorithm?

Comparing Programs: # Of Steps

3

hasDuplicate

Given a **sorted int array**, determine if the array has a duplicate.

Example

```
public int stepsHasDuplicate1(int[] array) {
    int steps = 0;
    for (int i=0; i < array.length; i++) {
        for (int j=0; j < array.length; j++) {
            steps++; // The if statement is a step
            if (i != j && array[i] == array[j]) {
                return steps;
            }
        }
    }
    return steps;
}
```

OUTPUT

```
>> hasDuplicate1 average number of steps is 9758172 steps.
>> hasDuplicate2 average number of steps is 170 steps.
```


Why Not Count Steps in Programs?

- Can we even count steps for an algorithm?
- We must do this via **testing**; so, we may miss worst-case input!
- We must do this via **testing**; so, we may miss best-case input!

Comparing Programs: Plotting

4

Instead, let's try running on arrays of size 1, 2, 3, ..., 1000000, and plot:



Why Not Plot Steps in Programs?

- Can we even count steps for an algorithm?
- We must do this via **testing**; so, we may miss worst-case input!
- We must do this via **testing**; so, we may miss best-case input!

Comparing Programs Algorithms: Our Requirements

5

We want to compare **algorithms**, not programs. In general, there are many answers (clarity, security, etc.). Performance (space, time, etc.) are generally among the most important.

- Only consider large inputs (any algorithm will work on 10)
- Answer will be independent of CPU speed, programming language, coding tricks, etc.
- Answer is general and rigorous, complementary to "coding it up and counting steps on some test cases"
- Can do analysis before coding!

Comparing Code: Analytically

6

Basic Operations take "some amount of" Constant Time

- Arithmetic (fixed-width)
- Variable Assignment
- Access one Java field or array index
- etc.

(This is an approximation of reality: a very useful "lie".)

Complex Operations

Consecutive Statements. Sum of time of each statement
Conditionals. Time of condition + $\max(\text{ifBranch}, \text{elseBranch})$
Loops. Number of iterations * Time for Loop Body
Function Calls. Time of function's body
Recursive Function Calls. Solve Recurrence

Analyzing hasDuplicate

7

```

public boolean hasDuplicate1(int[] array) {
    for (int i=0; i < array.length; i++) { // 1
        for (int j=0; j < array.length; j++) { // 1
            if (i != j && array[i] == array[j]) { // 1
                return true; // 1
            }
        }
    }
    return false; // 1
}

```

$\left. \begin{array}{l} 2 \\ 2N+1 \end{array} \right\} (2N+1)(N+1)$

```


public boolean hasDuplicate2(int[] array) {
    for (int i=0; i < array.length - 1; i++) { // 1
        if (array[i] == array[i+1]) { // 1
            return true; // 1
        }
    }
    return false; // 1
}

```

$\left. \begin{array}{l} 2 \\ 2N \end{array} \right\} 2N+1$

Investigating with Pictures


8




Should we consider these "the same"?

Investigating with Pictures

9



Probably a good idea, since they seem to be growing at the same rate. For reference, the function that dwarfs them both is x^2 .



Here's two functions, $f(x)$ and $g(x)$. Ultimately, $g(x)$ will grow much faster than $f(x)$, but at the beginning, it is smaller.

We'd like to be able to compare two functions. Intuitively, we want an operation like " \leq " (e.g. $4 \leq 5$), but for functions.

If we have f and $4f$, we should consider them the same:

$f \leq g$ when...

$f \leq cg$ where c is a constant and $c \neq 0$.

We also care about **all values of the function** that are **big enough**:

$f \leq g$ when...

For all n "large enough", $f(n) \leq cg(n)$, where $c \neq 0$

For some $n_0 \geq 0$, for all $n \geq n_0$, $f(n) \leq cg(n)$, where $c \neq 0$

For some $c \neq 0$, for some $n_0 \geq 0$, for all $n \geq n_0$, $f(n) \leq cg(n)$

Definition (Big-Oh)

We say a function $f: A \rightarrow B$ is **dominated by** a function $g: A \rightarrow B$ when:

$$\exists(c, n_0 > 0). \forall(n \geq n_0). f(n) \leq cg(n)$$

Formally, we write this as $f \in \mathcal{O}(g)$.

True or False?

- (1) $4 + 3n \in \mathcal{O}(n)$ True ($n = n$)
- (2) $4 + 3n = \mathcal{O}(1)$ False: ($n \gg 1$)
- (3) $4 + 3n$ is $\mathcal{O}(n^2)$ True: ($n \leq n^2$)
- (4) $n + 2 \log n \in \mathcal{O}(\log n)$ False: ($n \gg \log n$)
- (5) $\log n \in \mathcal{O}(n + 2 \log n)$ True: ($\log n \leq n + 2 \log n$)

Big-Oh Gotchas

- $\mathcal{O}(f)$ is a **set**! This means we should treat it as such.
- If we know $f(n) \in \mathcal{O}(n)$, then it is also the case that $f(n) \in \mathcal{O}(n^2)$, and $f(n) \in \mathcal{O}(n^3)$, etc.
- Remember that small cases, really don't matter. As long as it's **eventually** an upper bound, it fits the definition.

Okay, but we haven't actually shown anything. Let's **prove** (1) and (2).

Definition (Big-Oh)

We say a function $f: A \rightarrow B$ is **dominated by** a function $g: A \rightarrow B$ when:

$$\exists(c, n_0 > 0). \forall(n \geq n_0). f(n) \leq cg(n)$$

Formally, we write this as $f \in \mathcal{O}(g)$.

We want to prove $4 + 3n \in \mathcal{O}(n)$. That is, we want to prove:

$$\exists(c, n_0 > 0). \forall(n \geq n_0). 4 + 3n \leq cn$$

Proof Strategy

- Choose a c, n_0 that work.
- Prove that they work for all $n \geq n_0$.

Proof

Choose $c = 5$ and $n_0 = 5$. Then, note that $4 + 3n \leq 4n \leq 5n$, because $n \geq 5$. It follows that $4 + 3n \in \mathcal{O}(n)$.

Definition (Big-Oh)

We say a function $f: A \rightarrow B$ is **dominated by** a function $g: A \rightarrow B$ when:

$$\exists(c, n_0 > 0). \forall(n \geq n_0). f(n) \leq cg(n)$$

Formally, we write this as $f \in \mathcal{O}(g)$.

We want to prove $4 + 3n + 4n^2 \in \mathcal{O}(n^3)$.

Scratch Work

We want to choose a c and n_0 such that $4 + 3n + 4n^2 \leq cn^3$. So, manipulate the equation:

$$4 + 3n + 4n^2 \leq 4n^3 + 3n^3 + 4n^3 = 11n^3$$

For this to work, we need $4 \leq 4n^3$ and $3n \leq 3n^3$. $n \geq 1$ satisfies this.

Proof

Choose $c = 11$ and $n_0 = 1$. Then, note that $4 + 3n + 4n^2 \leq 4n^3 + 3n^3 + 4n^3 = 11n^3$, because $n \geq 1$. It follows that $4 + 3n + 4n^2 \in \mathcal{O}(n^3)$.

Definition (Big-Oh)

We say a function $f: A \rightarrow B$ is **dominated by** a function $g: A \rightarrow B$ when:

$$\exists(c, n_0 > 0). \forall(n \geq n_0). f(n) \leq cg(n)$$

Formally, we write this as $f \in \mathcal{O}(g)$.

Definition (Big-Omega)

We say a function $f: A \rightarrow B$ **dominates** a function $g: A \rightarrow B$ when:

$$\exists(c, n_0 > 0). \forall(n \geq n_0). f(n) \geq cg(n)$$

Formally we write this as $f \in \Omega(g)$.

Definition (Big-Theta)

We say a function $f: A \rightarrow B$ **grows at the same rate as** a function

$g: A \rightarrow B$ when: $f \in \mathcal{O}(g)$ and $f \in \Omega(g)$

Formally we write this as $f \in \Theta(g)$.

Important: You need not use the same c value for \mathcal{O} and Ω to prove Θ .

True or False?

- (1) $4 + 3n \in \Theta(n)$ True
- (2) $4 + 3n$ is $\Theta(n^2)$ False

If you want to say “ f is a tight bound for g ”, **do not use** \mathcal{O} —use Θ .

Remember, we're analyzing the **worst case time!** What else can we analyze?

- Space?
- Average Case?
- Best Case?
- Time **over multiple operations?**

Because \log_2 is so common in CSE, we abbreviate it lg. When it comes to Big-Oh, **all log bases are the same:**

Recall the log change of base formula:

$$\log_b(x) = \frac{\log_d(x)}{\log_d(b)}$$

Then, to show $\log_b(n) \in \mathcal{O}(\log_d(n))$, note the following:

$$\text{For all } n \geq 0, \text{ we have } \log_b(x) = \frac{1}{\log_d(b)} \log_d(x).$$

Which is Better?

$$n^{1/10} \text{ or } \log n$$

- $\log n$ grows more slowly (Big-Oh)
- ... But the cross-over point is around 5×10^{17}

- There are many ways to compare algorithms
- Understand formal Big-Oh, Big-Omega, Big-Theta
- Be able to prove any of these