



CSE 332: Data Structures & Parallelism

Lecture 5: Algorithm Analysis II

Ruth Anderson

Autumn 2017

Today

- Finish up Binary Heaps
- Analyzing Recursive Code
- Solving Recurrences

Analyzing code (“worst case”)

Basic operations take “some amount of” **constant time**

- Arithmetic (fixed-width)
- Assignment
- Access one Java field **or array index**
- Etc.

(This is an *approximation of reality*: a very useful “lie”.)

Consecutive statements

Sum of time of each statement

Conditionals

Time of condition plus time of
slower branch

Loops

Num iterations * time for loop body

Function Calls

Time of function’s body

Recursion

Solve *recurrence equation*

Linear search

| | | | | | | | | |
|---|---|---|----|----|----|----|----|-----|
| 2 | 3 | 5 | 16 | 37 | 50 | 73 | 75 | 126 |
|---|---|---|----|----|----|----|----|-----|

Find an integer in a *sorted* array

```
// requires array is sorted
// returns whether k is in array
boolean find(int[] arr, int k){
    for(int i=0; i < arr.length; ++i)
        if(arr[i] == k)
            return true;
    return false;
}
```

Best case: 6 “ish” steps = $O(1)$
Worst case: 5 “ish” * (arr.length)
= $O(\text{arr.length})$

Analyzing Recursive Code

- Computing run-times gets interesting with recursion
- Say we want to perform some computation recursively on a list of size n
 - Conceptually, in each recursive call we:
 - Perform some amount of work, call it $w(n)$
 - Call the function recursively with a smaller portion of the list
- So, if we do $w(n)$ work per step, and reduce the problem size in the next recursive call by 1, we do total work:
$$T(n)=w(n)+T(n-1)$$
- With some base case, like $T(1)=5=O(1)$

Example Recursive code: sum array

Recursive:

- Recurrence is some constant amount of work $O(1)$ done n times

```
int sum(int[] arr) {  
    return help(arr,0);  
}  
int help(int[]arr,int i) {  
    if(i==arr.length)  
        return 0;  
    return arr[i] + help(arr,i+1);  
}
```

Each time **help** is called, it does that $O(1)$ amount of work, and then calls **help** again on a problem one less than previous problem size.

Recurrence Relation: $T(n) = O(1) + T(n-1)$

Solving Recurrence Relations

- Say we have the following recurrence relation:

$$T(n) = 6 \text{ "ish"} + T(n-1)$$

$$T(1) = 9 \text{ "ish"} \quad \leftarrow \text{base case}$$

- Now we just need to solve it; that is, reduce it to a closed form.
- Start by writing it out:

$$T(n) = 6 + T(n-1)$$

$$= 6 + 6 + T(n-2)$$

$$= 6 + 6 + 6 + T(n-3)$$

$$= 6 + 6 + 6 + \dots + 6 + T(1) = 6 + 6 + 6 + \dots + 6 + 9$$

$$= 6k + T(n-k)$$

$$= 6k + 9, \text{ where } k \text{ is the \# of times we expanded } T()$$

- We expanded it out $n-1$ times, so

$$T(n) = 6k + T(n-k)$$

$$= 6(n-1) + T(1) = 6(n-1) + 9$$

$$= 6n + 3 = O(n)$$

Or When does $n-k=1$?

Answer: when $k=n-1$

Binary search

Best case:

Worst case:

| | | | | | | | | |
|---|---|---|----|----|----|----|----|-----|
| 2 | 3 | 5 | 16 | 37 | 50 | 73 | 75 | 126 |
|---|---|---|----|----|----|----|----|-----|

Find an integer in a *sorted* array

- Can also be done non-recursively but “doesn’t matter” here

```
// requires array is sorted
// returns whether k is in array
boolean find(int[] arr, int k){
    return help(arr,k,0,arr.length);
}
boolean help(int[] arr, int k, int lo, int hi) {
    int mid = (hi+lo)/2; //i.e., lo+(hi-lo)/2
    if(lo==hi)         return false;
    if(arr[mid]==k)    return true;
    if(arr[mid]< k)    return help(arr,k,mid+1,hi);
    else               return help(arr,k,lo,mid);
}
```


Binary search

Best case: 9 “ish” steps = $O(1)$

Worst case: $T(n) = 10$ “ish” + $T(n/2)$ where n is `hi-lo`

- $O(\log n)$ where n is `array.length`
- Solve *recurrence equation* to know that...

```
// requires array is sorted
// returns whether k is in array
boolean find(int[]arr, int k){
    return help(arr,k,0,arr.length);
}
boolean help(int[]arr, int k, int lo, int hi) {
    int mid = (hi+lo)/2;
    if(lo==hi)        return false;
    if(arr[mid]==k)  return true;
    if(arr[mid]< k)  return help(arr,k,mid+1,hi);
    else              return help(arr,k,lo,mid);
}
```

Solving Recurrence Relations

1. Determine the recurrence relation. What is the base case?
 - $T(n) = 10 + T(n/2)$ $T(1) = 15$
2. “Expand” the original relation to find an equivalent general expression *in terms of the number of expansions*.
3. Find a closed-form expression by setting *the number of expansions* to a value which reduces the problem to a base case

Solving Recurrence Relations

1. Determine the recurrence relation. What is the base case?
 - $T(n) = 10 + T(n/2)$ $T(1) = 15$
2. “Expand” the original relation to find an equivalent general expression *in terms of the number of expansions*.
 - $T(n) = 10 + 10 + T(n/4)$
= $10 + 10 + 10 + T(n/8)$
= ...
= $10k + T(n/(2^k))$ (where k is the number of expansions)
3. Find a closed-form expression by setting *the number of expansions* to a value which reduces the problem to a base case
 - $n/(2^k) = 1$ means $n = 2^k$ means $k = \log_2 n$
 - So $T(n) = 10 \log_2 n + 15$ (get to base case and do it)
 - So $T(n)$ is $O(\log n)$

sum array again

Two “obviously” linear algorithms: $T(n) = O(1) + T(n-1)$

Iterative:

```
int sum(int[] arr) {
    int ans = 0;
    for(int i=0; i<arr.length; ++i)
        ans += arr[i];
    return ans;
}
```

Recursive:

- Recurrence is
 $c + c + \dots + c$
for n times

```
int sum(int[] arr) {
    return help(arr,0);
}
int help(int[]arr,int i) {
    if(i==arr.length)
        return 0;
    return arr[i] + help(arr,i+1);
}
```

What about a binary version of sum?

```
int sum(int[] arr) {
    return help(arr, 0, arr.length);
}
int help(int[] arr, int lo, int hi) {
    if(lo==hi)    return 0;
    if(lo==hi-1) return arr[lo];
    int mid = (hi+lo)/2;
    return help(arr, lo, mid) + help(arr, mid, hi);
}
```

What about a binary version of sum?

```
int sum(int[] arr) {
    return help(arr, 0, arr.length);
}
int help(int[] arr, int lo, int hi) {
    if(lo==hi) return 0;
    if(lo==hi-1) return arr[lo];
    int mid = (hi+lo)/2;
    return help(arr, lo, mid) + help(arr, mid, hi);
}
```

Recurrence is $T(n) = O(1) + 2T(n/2)$

- $1 + 2 + 4 + 8 + \dots$ for $\log n$ times
- $2^{(\log n)} - 1$ which is proportional to n (by definition of logarithm)

Easier explanation: it adds each number once while doing little else

“Obvious”: You can’t do better than $O(n)$ – have to read whole array

Parallelism teaser

- But suppose we could do two recursive calls *at the same time*
 - Like having a friend do half the work for you!

```
int sum(int[] arr) {
    return help(arr, 0, arr.length);
}
int help(int[] arr, int lo, int hi) {
    if (lo == hi) return 0;
    if (lo == hi - 1) return arr[lo];
    int mid = (hi + lo) / 2;
    return help(arr, lo, mid) + help(arr, mid, hi);
}
```

- If you have as many “friends of friends” as needed, the recurrence is now $T(n) = O(1) + 1T(n/2)$
 - $O(\log n)$: same recurrence as for **find**

Really common recurrences

Should know how to solve recurrences but also recognize some really common ones:

| | |
|-------------------------|---------------|
| $T(n) = O(1) + T(n-1)$ | linear |
| $T(n) = O(1) + 2T(n/2)$ | linear |
| $T(n) = O(1) + T(n/2)$ | logarithmic |
| $T(n) = O(1) + 2T(n-1)$ | exponential |
| $T(n) = O(n) + T(n-1)$ | quadratic |
| $T(n) = O(n) + T(n/2)$ | linear |
| $T(n) = O(n) + 2T(n/2)$ | $O(n \log n)$ |

Note big-Oh can also use more than one variable

- Example: can sum all elements of an n -by- m matrix in $O(nm)$