

0. Big-Oh Proofs

For each of the following, prove that $f \in \mathcal{O}(g)$.

(a) $f(n) = 7n$ $g(n) = \frac{n}{10}$

Solution:

Recall that $f \in \mathcal{O}(g)$ is true if and only if there exists some constant c and some constant $n_0 > 0$ such that for all $n \geq n_0$, the expression $f(n) \leq c \cdot g(n)$ is true by definition of Big- \mathcal{O} .

Now, we choose $c = 70$, $n_0 = 1$. We must now show that $f(n) \leq 70 \cdot g(n)$ is true for all $n \geq 1$.

By chaining inequalities together, we see that if $n \geq 1$, then $f(n) = 7n \leq 70 * \frac{n}{10} = cg(n)$. This proves the claim, so we conclude that $f(n) \in \mathcal{O}(g(n))$

(b) $f(n) = 1000$ $g(n) = 3n^3$

Solution:

We follow the same approach as above.

We choose $c = 1$, $n_0 = 1000$, and so must show that $1000 \leq 1 \cdot 3n^3$ for all $n \geq 1000$.

Now, note that for all $n \geq 1000$ the inequalities $1000 \leq n$, $n \leq n^3$, and $n^3 \leq 3n^3$ are always true.

By chaining the inequalities together, we see that $f(n) = 1000 \leq n \leq n^3 \leq 3n^3 = c \cdot g(n)$ for all $n \geq 1000$ and so conclude that $f \in \mathcal{O}(g)$ is true.

(c) $f(n) = 7n^2 + 3n$ $g(n) = n^4$

Solution:

We choose $c = 10$, $n_0 = 1$. Then, note that $f(n) = 7n^2 + 3n \leq 7n^4 + 3n^4 \leq 10n^4 = c \cdot g(n)$ for all $n \geq 1$. So, we conclude that $f \in \mathcal{O}(g)$ is true.

(As before, we construct and chain inequalities to establish a relationship between f and g).

(d) $f(n) = n + 2n \lg n$ $g(n) = n \lg n$

Solution:

Choose $c = 3$, $n_0 = 2$. Then, note that $f(n) = n + 2n \lg n \leq n \lg n + 2n \lg n = 3n \lg n = c \cdot g(n)$ for all $n \geq 2$. This is because when $n = 2$, $\lg_2(n) = 1$. So, we conclude that $f \in \mathcal{O}(g)$ is true.

1. Is Your Program Running? Better Catch It!

For each of the following, determine the tight $\Theta(\cdot)$ bound for the worst-case runtime in terms of the free variables of the code snippets.

(a)

```
1 int x = 0
2 for (int i = n; i >= 0; i--) {
3     if ((i % 3) == 0) {
4         break
5     }
6     else {
7         x += n
8     }
9 }
```

Solution:

This is $\Theta(1)$ because exactly one of n , $n-1$, or $n-2$ will be divisible by three for all possible values of n . So, the loop runs at most 3 times.

(b)

```
1 int x = 0
2 for (int i = 0; i < n; i++) {
3     for (int j = 0; j < (n * n / 3); j++) {
4         x += j
5     }
6 }
```

Solution:

We can model the worst-case runtime as: $\sum_{i=0}^{n-1} \sum_{j=0}^{n^2/3-1} 1$. This simplifies to: $\sum_{i=0}^{n-1} \sum_{j=0}^{n^2/3-1} 1 = \sum_{i=0}^{n-1} \frac{n^2}{3} = n \left(\frac{n^2}{3} \right) = \frac{n^3}{3}$. So, the worst-case runtime is $\Theta(n^3)$.

(c)

```
1 int x = 0
2 for (int i = 0; i < n; i++) {
3     for (int j = 0; j < i; j++) {
4         x += j
5     }
6 }
```

Solution:

We can model the worst case runtime as $\sum_{i=0}^{n-1} \sum_{j=0}^{i-1} 1$ which simplifies to $\sum_{i=0}^{n-1} i = \left(\frac{n(n-1)}{2} \right)$. So, the worst-case runtime is $\Theta(n^2)$

(d)

```
1 int x = 0
2 for (int i = 0; i < n; i++) {
3     if (n < 100000) {
4         for (int j = 0; j < i * i * n; j++) {
5             x += 1
6         }
7     } else {
8         x += 1
9     }
10 }
```

Solution:

Recall that when computing the asymptotic complexity, we only care about the behavior as the input goes to infinity. Once n is large enough, we will only execute the second branch of the if statement, which means the runtime of the code can be modeled as $\sum_{i=0}^{n-1} 1 = n$. So, the worst-case runtime is $\Theta(n)$.

(e)

```
1 int x = 0
2 for (int i = 0; i < n; i++) {
3     if (i % 5 == 0) {
4         for (int j = 0; j < n; j++) {
5             if (i == j) {
6                 for (int k = 0; k < n; k++) {
7                     x += i * j * k
8                 }
9             }
10        }
11    }
12 }
```

Solution:

We know the runtime of the outer-most loop is $\sum_{i=0}^{n-1} (?)$, where $(?)$ is the (currently unknown) runtime of the middle and inner-most loops. We also know the

middle loop by itself has a runtime of $\sum_{j=0}^{n-1} (?)$ and runs only a fifth of the time. Therefore, we can refine our

model to $\sum_{i=0}^{n-1} \frac{1}{5} \left(\sum_{j=0}^{n-1} (?) \right)$.

Now, note that the inner-most if statement is true exactly only once per each iteration of the middle loop. So, we can refine our model of the runtime

to $\sum_{i=0}^{n-1} \frac{1}{5} \left(\left(\sum_{j=0}^{n-1} 1 \right) + \left(\sum_{k=0}^{n-1} 1 \right) \right)$ which simplifies to

$\sum_{i=0}^{n-1} \frac{2n}{5} = \frac{2n^2}{5}$. Therefore, the worst- case asymptotic runtime will be $\Theta(n^2)$.

2. Asymptotics Analysis

Consider the following method which finds the number of unique Strings within a given array of length n .

```
1 int numUnique(String[] values) {
2     boolean[] visited = new boolean[values.length]
3     for (int i = 0; i < values.length; i++) {
4         visited[i] = false
5     }
6     int out = 0
7     for (int i = 0; i < values.length; i++) {
8         if (!visited[i]) {
9             out += 1
10            for (int j = i; j < values.length; j++) {
11                if (values[i].equals(values[j])) {
12                    visited[j] = true
13                }
14            }
15        }
16    }
17    return out;
18 }
```

Determine the tight $\mathcal{O}(\cdot)$, $\Omega(\cdot)$, and $\Theta(\cdot)$ bounds of each function below. If there is no $\Theta(\cdot)$ bound, explain why. Start by (1) constructing an equation that models each function then (2) simplifying and finding a closed form.

(a) $f(n)$ = the worst-case runtime of numUnique

Solution:

In the worst case, the array will contain entirely unique strings and so must run the inner loop n times.

So, $f(n) = \sum_{i=0}^{n-1} 1 + \sum_{i=0}^{n-1} \sum_{j=i}^{n-1} 1 = n + \frac{n(n+1)}{2}$ which means $f \in \mathcal{O}(n^2)$, $f \in \Omega(n^2)$, and $f \in \Theta(n^2)$.

(b) $g(n)$ = the best-case runtime of `numUnique`

Solution:

In the best case, the array will contain the exact same string repeated n times, causing the inner loop to run only once.

$$\text{So, } g(n) = \sum_{i=0}^{n-1} 1 + \sum_{i=0}^{n-1} 1 + \sum_{j=0}^{n-1} 1 = 3n \text{ which means } g \in \mathcal{O}(n), g \in \Omega(n), \text{ and } g \in \Theta(n).$$

(c) $h(n)$ = the amount of memory used by `numUnique` (the space complexity)

Solution:

`numUnique` will create a boolean array of length n and allocate a few extra variables, which take up a constant and therefore negligible amount of memory.

So, $h(n) = n + k$ (where k is some constant) which means $h \in \mathcal{O}(n)$, $h \in \Omega(n)$, and $h \in \Theta(n)$.

3. Oh Snap!

For each question below, explain what's wrong with the provided answer. The problem might be the reasoning, the conclusion, or both!

(a) Determine the tight $\Theta(\cdot)$ bound for the worst-case runtime of the following piece of code:

```
1 public static int waddup(int n) {
2     if (n > 10000) {
3         return n
4     } else {
5         for (int i = 0; i < n; i++) {
6             System.out.println("It's dat boi!")
7         }
8         return 0
9     }
10 }
```

Bad answer: The runtime of this function is $\mathcal{O}(n)$, because when searching for an upper bound, we always analyze the code branch with the highest runtime. We see the first branch is $\mathcal{O}(1)$, but the second branch is $\mathcal{O}(n)$.

Solution:

The tightest upper bound is $\mathcal{O}(1)$, not $\mathcal{O}(n)$. Picking the code branch with the highest runtime is not necessarily the correct thing to do – instead, we must consider what the runtime is as the input grows towards by infinity.

In this case, we can see the first branch will be executed for when $n > 10000$, so we consider only that branch when computing the asymptotic complexity.

(b) Determine the tight $\Theta(\cdot)$ worst-case runtime of the following piece of code:

```
1 public static void trick(int n) {
2     for (int i = 1; i < Math.pow(2, n); i *= 2) {
3         for (int j = 0; j < n; j++) {
4             System.out.println("(" + i + ", " + j + ")")
5         }
6     }
7 }
```

Bad answer: The runtime of this function is $\mathcal{O}(n^2)$, because the outer loop is conditioned on an expression with n and so is the inner loop.

Solution:

While the runtime is $\mathcal{O}(n^2)$, the explanation is incorrect. In particular, it glosses over the fact that we are iterating from 0 to $2^n - 1$ in the outer loop.


A more precise explanation should explain that while the outer loop terminates when $i = 2^n$, we are also multiplying i by 2 per each iteration. This means the outer loop does $\lg(2^n)$ iterations, which is just equivalent to n .

The inner loop does $\sum_{j=0}^{n-1} 1 = n$ iterations, so we conclude the overall runtime is $\mathcal{O}(n^2)$.

4. Look Before You Heap


(a) Insert 10, 7, 15, 17, 12, 20, 6, 32 into a *min heap*.

Solution:




(b) Now, insert the same values into a *max heap*.

Solution:




(c) Now, insert 10, 7, 15, 17, 12, 20, 6, 32 into a *min heap*, but use Floyd's buildHeap algorithm.

Solution:



(d) Insert 1, 0, 1, 1, 0 into a *min heap*.

Solution:



5. \mathcal{O} My God!

Recall the definition of $f \in \Omega(g)$ is as follows:

$$\exists(c, n_0 > 0). \forall(n \geq n_0). f(n) \geq cg(n)$$

Prove that $4n^2 + n^5 \in \Omega(n)$.

Solution:

Choose $c = 5$ and $n_0 = 1$.

Then, since $n \geq 1$, $4n^2 + n^5 \geq 4n + n = 5n \geq cg(n)$.