## Section 3: Hashing & Sorting

## 0. Hash... Browns?

For the following scenarios, insert the following elements in this order: 7, 9, 48, 8, 37, 57. For each table, TableSize = 10, and you should use the primary hash function h(k) = k. If an item cannot be inserted into the table, please indicate this and continue inserting the remaining values.

a) Linear Probing

0	
1	
2	
3	
4	
5	
6	
7	
8	
9	

b)	b) Quadratic Probing		
	0		
	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		

c) Separate chaining hash table - Use a linked list for each bucket. Order elements within buckets in any way you wish.

0	
1	
2	
3	
4	
5	
6	
7	
8	
9	

## 1. Double Double Toil and Trouble

a) Describe double hashing.

b) List 2 cons of quadratic probing and describe how one of those is fixed by using double hashing.

## 2. Sorting Hat

Suppose we sort an array of numbers, but it turns out every element of the array is the same, e.g., {17, 17, 17, ..., 17}. (So, in hindsight, the sorting is useless.)

- a) What is the asymptotic running time of insertion sort in this case?
- b) What is the asymptotic running time of selection sort in this case?
- c) What is the asymptotic running time of merge sort in this case?
- d) What is the asymptotic running time of quick sort in this case?