


# CSE 332 Autumn 2024

## Lecture 17: Graphs

Nathan Brunelle


<http://www.cs.uw.edu/332>

# ARPANET



# Undirected Graphs

Definition:  $G = (V, E)$   
Vertices/Nodes  
Edges




$V = \{1,2,3,4,5,6,7,8,9\}$

$E = \{(1,2), (2,3), (1,3), \dots\}$

$(2,1)$

# Directed Graphs

Definition:  $G = (V, E)$   
Vertices/Nodes  
Edges




$V = \{1,2,3,4,5,6,7,8,9\}$

$E = \{(1,2), (2,3), (1,3), \dots\}$

# Self-Edges and Duplicate Edges

Some graphs may have duplicate edges (e.g. here we have the edge (1,2) twice).  
Some may also have self-edges (e.g. here there is an edge from 1 to 1).  
Graph with Neither self-edges nor duplicate edges are called **simple graphs**


( ( , ) )



# Weighted Graphs

Definition:  $G = (V, E)$   
Vertices/Nodes  
Edges

$w(e)$  = weight of edge  $e$



$V = \{1,2,3,4,5,6,7,8,9\}$



$E = \{(1,2), (2,3), (1,3), \dots\}$

# Graph Applications

- For each application below, consider:
  - What are the nodes, what are the edges?
  - Is the graph directed?
  - Is the graph simple?
  - Is the graph weighted?
- LinkedIn Connections
  - Nodes: People, edges: connection
  - Undirected: connections are mutual
  - Simple: yes, because I can't be connected to myself, no duplicate connection
  - Maybe:
- Twitter Followers
  - Nodes: accounts, following
  - Directed: following is not necessarily mutual
  - Simple: yes, because
- Java Inheritance
  - Nodes: classes, edges: extends, implements
  - Directed:
  - simple
- Airline Routes
  - Nodes: cities, Edges: a plane
  - Directed: maybe?
  - Probably not simple
- Course Prerequisites
  - Nodes: courses, edges prerequisite

# Some Graph Terms


- Adjacent/Neighbors
  - Nodes are adjacent/neighbors if they share an edge
- Degree
  - Number of edges “touching” a vertex
- Indegree
  - Number of incoming edges
- Outdegree
  - Number of outgoing edges






# Definition: Complete Graph


A Graph  $G = (V, E)$  s.t. for any pair of nodes  $v_1, v_2 \in V$  there is an edge from  $v_1$  to  $v_2$



Complete Undirected Graph




Complete Directed Graph



Complete Directed Non-simple Graph



# Definition: Path



A sequence of nodes  $(v_1, v_2, \dots, v_k)$   
s.t.  $\forall 1 \leq i \leq k - 1, (v_i, v_{i+1}) \in E$

## Simple Path:



A path in which each node appears at most once

## Cycle:

A path which starts and ends in the same place


# Definition: (Strongly) Connected Graph

A Graph  $G = (V, E)$  s.t. for any pair of nodes  $v_1, v_2 \in V$  there is a path from  $v_1$  to  $v_2$




# Definition: (Strongly) Connected Graph

A Graph  $G = (V, E)$  s.t. for any pair of nodes  $v_1, v_2 \in V$  there is a path from  $v_1$  to  $v_2$




Connected




Not (strongly) Connected

# Definition: Weakly Connected Graph

A Graph  $G = (V, E)$  s.t. for any pair of nodes  $v_1, v_2 \in V$  there is a path from  $v_1$  to  $v_2$  ignoring direction of edges



Weakly Connected




Not Weakly Connected

# Graph Density, Data Structures, Efficiency


- The maximum number of edges in a graph is  $\Theta(|V|^2)$ :
  - Undirected and simple:  $\frac{|V|(|V|-1)}{2}$
  - Directed and simple:  $|V|(|V|-1)$
  - Direct and non-simple (but no duplicates):  $|V|^2$
- If the graph is connected, the minimum number of edges is  $|V| - 1$
- If  $|E| \in \Theta(|V|^2)$  we say the graph is **dense**
- If  $|E| \in \Theta(|V|)$  we say the graph is **sparse**
- Because  $|E|$  is not always near to  $|V|^2$  we do not typically substitute  $|V|^2$  for  $|E|$  in running times, but leave it as a separate variable
  - However,  $\log(|E|) \in \Theta(\log(|V|))$

# Definition: Tree

A Graph  $G = (V, E)$  is a tree if it is undirect, connected, and has no cycles (i.e. is acyclic). Often one node is identified as the “root”



A Tree



A Rooted Tree