

CSE 332 Autumn 2024

Lecture 20: ForkJoin

Nathan Brunelle

<http://www.cs.uw.edu/332>

Parallelism Vs. Concurrency (with Potatoes)

- Sequential:
 - The task is completed by just one processor doing one thing at a time
 - There is one cook who peels all the potatoes
- Parallelism:
 - One task being completed by many threads
 - Recruit several cooks to peel a lot of potatoes faster
- Concurrency:
 - Parallel tasks using a shared resource
 - Several cooks are making their own recipes, but there is only 1 oven

New Story of Code Execution


- Old Story:
 - One program counter (current statement executing)
 - One call stack (with each stack frame holding local variables)
 - Objects in the heap created by memory allocation (i.e., new)
 - (nothing to do with data structure called a heap)
- New Story:
 - Collection of threads each with its own:
 - Program Counter
 - Call Stack
 - Local Variables
 - References to objects in a shared heap

Old Story

Call Stack
Program Counter
Local Variables (primitives and references to Heap objects)



Heap Containing Objects and Static Fields




New Story

Threads, each with its own unshared:

Call Stack

Program Counter

Local Variables (primitives and references
to Heap objects)



Needs from Our Programming Language

- A way to create multiple things running at once
 - Threads
- Ways to share memory
 - References to common objects
- Ways for threads to synchronize
 - For now, just wait for other threads to finish their work

Parallelism Example (not real code)

- Goal: Find the sum of an array
- Idea: 4 processors will each find the sum of one quarter of the array, then we can add up those 4 results

Note: This FORALL construct does not exist, but it's similar to how we'll actually do it.

```
int sum(int[] arr){  
    res = new int[4];  
    len = arr.length;  
    FORALL(i=0; i < 4; i++) { //parallel iterations  
        res[i] = sumRange(arr,i*len/4,(i+1)*len/4);  
    }  
    return res[0]+res[1]+res[2]+res[3];  
}
```


```
int sumRange(int[] arr, int lo, int hi) {  
    result = 0;  
    for(j=lo; j < hi; j++)  
        result += arr[j]; return result;  
}
```

Java.lang.Thread

- To run a new thread:
 1. Define a subclass **C** of `java.lang.Thread`, overriding **run**
 2. Create an object of class **C**
 3. Call that object's **start** method
 - **start** sets off a new thread, using **run** as its “main”
- Calling “**run**” directly causes the program to execute “**run**” sequentially

Back to Summing an Array

- Goal: Find the sum of an array
- Idea: 4 threads each find the sum of one quarter of the array
- Process:
 - Create 4 thread objects, each given a portion of the work
 - Call start() on each thread object to run it in parallel
 - Wait for threads to finish using join()
 - Add together their 4 answers for the final result



First Attempt (part 1, Defining Thread Object)

```
class SumThread extends java.lang.Thread {  
    int lo; // fields, assigned in the constructor  
    int hi; // so threads know what to do.  
    int[] arr;  
    int ans = 0; // result  
  
    SumThread(int[] a, int l, int h) {  
        lo=l; hi=h; arr=a;  
    }  
  
    public void run() { //override must have this type  
        for(int i=lo; i < hi; i++)  
            ans += arr[i];  
    }  
}
```

First Attempt (part 2, Creating Thread Objects)

```
static int parallelSum(int[] arr){ // this method could be anywhere
```

```
    int len = arr.length;  
    int ans = 0;  
    SumThread[] threads = new SumThread[4];  
    for(int i=0; i < 4; i++) // create threads  
        threads[i] = new SumThread(arr, i*len/4, (i+1)*len/4);  
    // more stuff to follow  
}
```

```
class SumThread extends java.lang.Thread {  
    int lo, int hi, int[] arr; // fields to know what to do  
    int ans = 0; // result  
    SumThread(int[] a, int l, int h) { ... }  
    public void run(){ ... } // override  
}
```

First Attempt (part 3, Running Thread Objects)

```
static int parallelSum(int[] arr){ // this method could be anywhere
```

```
    int len = arr.length;
```

```
    int ans = 0;
```

```
    SumThread[] threads = new SumThread[4];
```

```
    for(int i=0; i < 4; i++){ // create threads, do parallel computations
```

```
        threads[i] = new SumThread(arr,i*len/4,(i+1)*len/4);
```

```
        threads[i].start(); // start not run
```

```
}
```

```
    for(int i=0; i < 4; i++) // combine results
```

```
        ans += threads[i].ans;
```

```
    return ans;
```

```
}
```

```
class SumThread extends java.lang.Thread {  
    int lo, int hi, int[] arr; // fields to know what to do  
    int ans = 0; // result  
    SumThread(int[] a, int l, int h) { ... }  
    public void run(){ ... } // override  
}
```

First Attempt (part 4, Synchronizing)

```
static int parallelSum(int[] arr){ // this method could be anywhere
```

```
    int len = arr.length;
    int ans = 0;
    SumThread[] threads = new SumThread[4];
    for(int i=0; i < 4; i++){ // do parallel computations
        threads[i] = new SumThread(arr,i*len/4,(i+1)*len/4);
        threads[i].start(); // start not run
    }
    for(int i=0; i < 4; i++){ // combine results
        threads[i].join(); // wait for thread to finish!
        ans += threads[i].ans;
    }
    return ans;
}
```

```
class SumThread extends java.lang.Thread {
    int lo, int hi, int[] arr; // fields to know what to do
    int ans = 0; // result
    SumThread(int[] a, int l, int h) { ... }
    public void run(){ ... } // override
}
```

Join

- Causes program to pause until the other thread completes its **run** method
- Avoids a **race condition**
 - Without join the other thread's **ans** field may not have its final answer yet

Adding More Parallelism!

```
static int parallelSum(int[] arr, int numTs){  
    int len = arr.length;  
    int ans = 0;  
    SumThread[] threads = new SumThread[numTs];  
    for(int i=0; i < numTs; i++){ // do parallel computations  
        threads[i] = new SumThread(arr, i*len/numTs, (i+1)*len/numTs);  
        threads[i].start(); // start not run  
    }  
    for(int i=0; i < numTs; i++) { // combine results  
        threads[i].join(); // wait for thread to finish!  
        ans += threads[i].ans;  
    }  
    return ans;  
}
```

Different machines have different numbers of processors!

Making the thread count a parameter helps make your program more efficient and reusable across computers

Flaws With this Attempt

- Even If we make the number of threads equal to the number of processors, the OS is doing time slicing, so we might not have all processors available right now
- For some problems, not all subproblems will take the same amount of time:
 - E.g. determining whether all integers in an array are prime.

One Potential Solution: More Threads!

- Identify an “optimal” workload per thread
 - E.g. maybe it’s not worth splitting the work if the array is shorter than 1000
- Split the array into chunks using this “sequential Cutoff”
 - $\text{numTs} = \text{len}/\text{SEQ_CUTOFF};$
- Problem: One process is still responsible for summing all $\text{len}/1000$ results
 - Process is still linear time

A Better Solution: Divide and Conquer!

- Idea: Each thread checks its problem size. If its smaller than the sequential cutoff, it will sum everything sequentially. Otherwise it will split the problem in half across two separate threads.

5	8	2	9	4	1
---	---	---	---	---	---

Merge Sort

5

- **Base Case:**

- If the list is of length 1 or 0, it's already sorted, so just return it

5	8	2	9	4	1
---	---	---	---	---	---

- **Divide:**

- Split the list into two “sublists” of (roughly) equal length

2	5	8	1	4	9
---	---	---	---	---	---

- **Conquer:**

- Sort both lists recursively

2	5	8	1	4	9
1	2	4	5	8	9

- **Combine:**


- **Merge** sorted sublists into one sorted list

Parallel Sum

5

- **Base Case:**

- If the list's length is smaller than the Sequential Cutoff, find the sum sequentially



5	8	2	9	4	1
---	---	---	---	---	---

- **Divide:**

- Split the list into two “sublists” of (roughly) equal length, create a thread to sum each sublist.

- **Conquer:**

- Call **start()** for each thread

- **Combine:**

- Sum together the answers from each thread

Divide and Conquer with Threads

```
class SumThread extends java.lang.Thread {  
    public void run(){ // override  
        if(hi - lo < SEQUENTIAL_CUTOFF) // “base case”  
            for(int i=lo; i < hi; i++) ans += arr[i];  
        else {  
            SumThread left = new SumThread(arr,lo,(hi+lo)/2); // divide  
            SumThread right= new SumThread(arr,(hi+lo)/2,hi); // divide  
            left.start(); // conquer  
            right.start(); // conquer  
            left.join(); // don’t move this up a line – why?  
            right.join();  
            ans = left.ans + right.ans; // combine  
        }  
    }  
    int sum(int[] arr){ // just make one thread!  
        SumThread t = new SumThread(arr,0,arr.length);  
        t.run();  
        return t.ans; }  
}
```

Small optimization

- Instead of calling two separate threads for the two subproblems, create one parallel thread (**using start**) and one sequential thread (**using run**)

Divide and Conquer with Threads (optimized)

```
class SumThread extends java.lang.Thread {  
    public void run(){ // override  
        if(hi - lo < SEQUENTIAL_CUTOFF) // “base case”  
            for(int i=lo; i < hi; i++) ans += arr[i];  
        else {  
            SumThread left = new SumThread(arr,lo,(hi+lo)/2); // divide  
            SumThread right= new SumThread(arr,(hi+lo)/2,hi); // divide  
            left.start(); // conquer  
            right.run(); // conquer  
            left.join(); // don’t move this up a line – why?  
            //right.join();  
            ans = left.ans + right.ans; // combine  
        }  
    }  
    int sum(int[] arr){ // just make one thread!  
        SumThread t = new SumThread(arr,0,arr.length);  
        t.run();  
        return t.ans; }  
}
```

ForkJoin Framework

- This strategy is common enough that Java (and C++, and C#, and...) provides a library to do it for you!

What you would do in Threads	What to instead in ForkJoin
Subclass Thread	Subclass RecursiveTask<V>
Override run	Override compute
Store the answer in a field	Return a V from compute
Call start	Call fork
join synchronizes only	join synchronizes and returns the answer
Call run to execute sequentially	Call compute to execute sequentially
Have a topmost thread and call run	Create a pool and call invoke

Divide and Conquer with ForkJoin

```
class SumTask extends RecursiveTask<Integer> {  
    int lo; int hi; int[] arr; // fields to know what to do  
    SumTask(int[] a, int l, int h) { ... } // constructor  
    protected Integer compute(){ // return answer  
        if(hi - lo < SEQUENTIAL_CUTOFF) { // base case  
            int ans = 0; // local var, not a field  
            for(int i=lo; i < hi; i++) {  
                ans += arr[i]; return ans; }  
        } else {  
            SumTask left = new SumTask(arr,lo,(hi+lo)/2); // divide  
            SumTask right= new SumTask(arr,(hi+lo)/2,hi); // divide  
            left.fork(); // execute the left compute in parallel(conquer)  
            int rightAns = right.compute(); //do right compute sequentially (conquer)  
            int leftAns = left.join(); // wait for result from left, save return value to a variable  
            return leftAns + rightAns; // combine  
        }  
    }  
}
```

Divide and Conquer with ForkJoin (continued)

```
static final ForkJoinPool POOL = new ForkJoinPool();
static int parallelSum(int[] arr){
    SumTask task = new SumTask(arr,0,arr.length)
    return POOL.invoke(task); // invoke returns the value compute returns
}
```

Find Max with ForkJoin

```
class MaxTask extends RecursiveTask<Integer> {  
    int lo; int hi; int[] arr; // fields to know what to do  
    SumTask(int[] a, int l, int h) { ... }  
    protected Integer compute(){// return answer  
        if(hi - lo < SEQUENTIAL_CUTOFF) { // base case  
            int ans = Integer.MIN_VALUE; // local var, not a field  
            for(int i=lo; i < hi; i++) {  
                ans = Math.max(ans, arr[i]);}  
            return ans;  
        } else {  
            MaxTask left = new MaxTask(arr,lo,(hi+lo)/2); // divide  
            MaxTask right= new MaxTask(arr,(hi+lo)/2,hi); // divide  
            left.fork(); // fork a thread and calls compute (conquer)  
            int rightAns = right.compute(); //call compute directly (conquer)  
            int leftAns = left.join(); // get result from left  
            return Math.max(rightAns, leftAns); // combine  
        }  
    }  
}
```

Other Problems that can be solved similarly

- Element Search
 - Is the value 17 in the array?
- Counting items with a certain property
 - How many elements of the array are divisible by 5?
- Checking if the array is sorted
- Find the smallest rectangle that covers all points in the array
- Find the first thing that satisfies a property
 - What is the leftmost item that is divisible by 20?

Reductions

- All examples of a category of computation called a reduction
 - We “reduce” all elements in an array to a single item
 - Requires operation done among elements is associative
 - $(x + y) + z = x + (y + z)$
 - The “single item” can itself be complex
 - E.g. create a histogram of results from an array of trials

Map

- Perform an operation on each item in an array to create a new array of the same size
- Examples:
 - Vector addition:
 - $\text{sum}[i] = \text{arr1}[i] + \text{arr2}[i]$
 - Function application:
 - $\text{out}[i] = f(\text{arr}[i]);$

Map with ForkJoin

```
class AddTask extends RecursiveAction {  
    int lo; int hi; int[] arr; // fields to know what to do  
    AddTask(int[] a, int[] b, int[] sum, int l, int h) { ... }  
    protected void compute(){// return answer  
        if(hi – lo < SEQUENTIAL_CUTOFF) { // base case  
            for(int i=lo; i < hi; i++) {  
                sum[i] = a[i] + b[i];}  
        } else {  
            AddTask left = new AddTask(a,b,sum,lo,(hi+lo)/2); // divide  
            AddTask right= new AddTask(a,b,sum,(hi+lo)/2,hi); // divide  
            left.fork(); // fork a thread and calls compute (conquer)  
            right.compute(); //call compute directly (conquer)  
            left.join(); // get result from left  
            return; // combine  
        }  
    }  
}
```

Map with ForkJoin (continued)

```
static final ForkJoinPool POOL = new ForkJoinPool();
int[] add(int[] a, int[] b){
    int[] ans = new int[a.length];
    AddTask task = new AddTask(a, b, ans, 0, a.length)
    POOL.invoke(task);
    return ans;
}
```

Maps and Reductions

- “Workhorse” constructs in parallel programming
- Many problems can be written in terms of maps and reductions
- With practice, writing them will become second nature
 - Like how over time for loops and if statements have gotten easier

Section

- Working with examples of ForkJoin
- Make sure to bring your laptops!
 - And charge it!