CSE 333


Lecture 6 - system calls, intro to file I/O

Steve Gribble

Department of Computer Science & Engineering University of Washington



Remember this picture?



hardware

CPU memory storage network GPU clock audio radio peripherals

What's an OS?


Software that:

- 1. directly interacts with the hardware
 - OS is trusted to do so; user-level programs are not
 - OS must be ported to new HW; user-level programs are portable
- 2. manages (allocates, schedules, protects) hardware resources
 - decides which programs can access which files, memory locations, pixels on the screen, etc., and when
- 3. abstracts away messy hardware devices
 - provides high-level, convenient, portable abstractions
 - e.g., files vs. disk blocks

OS as an abstraction provider

The OS is the "layer below"

- a module that your program can call (with system calls)
- provides a powerful API (the OS API)



file system

- open(), read(), write(), close(), ... network stack
- connect(), listen(), read(), write (), ... virtual memory
- brk(), shm_open(), ... process management
- fork(), wait(), nice(), ...

OS isolates processes from each other

- but permits controlled sharing between them
 - through shared name spaces (e.g., FS names)

OS isolates itself from processes

- and therefore, must prevent processes from accessing the hardware directly

OS is allowed to access the hardware

- user-level processes run with the CPU in unprivileged mode
- when the OS is running, the CPU is set to privileged mode
- user-level processes invoke a system call to safely enter the OS

process A (untrusted)

process B (untrusted)

process C (untrusted)

process D (trusted)

OS (trusted)

HW (trusted)

a CPU (thread of execution) is running user-level code in process A; that CPU is set to unprivileged mode

→(() process A (untrusted) process B (untrusted)


process C (untrusted)

process D (trusted)


OS (trusted)

HW (trusted)

code in process A invokes a system call; the hardware then sets the CPU to privileged mode and traps into the OS, which invokes the appropriate system call handler




because the CPU executing the thread that's in the OS is in privileged mode, it is able to use privileged instructions that interact directly with hardware devices like disks



once the OS has finished servicing the system call (which might involve long waits as it interacts with HW) it:

- (a) sets the CPU back to unprivileged mode, and
- (b) returns out of the system call back to the user-level code in process A



CSE333 lec 6 syscall fio // 10-08-11 // gribble

the process continues executing whatever code that is next after the system call invocation

∽M process A (untrusted) process B (untrusted)

process C (untrusted)


process D (trusted)

OS (trusted)

HW (trusted)


A more accurate picture:

- consider a typical Linux process
- its thread of execution can be several places
 - in your program's code
 - in **glibc**, a shared library containing the C standard library, POSIX support, and more
 - in the Linux architectureindependent code
 - in Linux x86-32/x86-64 code



Some routines your program invokes may be entirely handled by glibc

- without involving the kernel
 - e.g., strcmp() from stdio.h
- ∃ some initial overhead when invoking functions in dynamically linked libraries
- but, after symbols are resolved, invoking glibc routines is nearly as fast as a function call within your program itself




architecture-independent code

architecture-dependent code

Linux kernel


Some routines may be handled by glibc, but they in turn invoke Linux system calls

- e.g., POSIX wrappers around Linux syscalls
 - POSIX readdir() invokes the underlying Linux readdir()
- e.g., C stdio functions that read and write from files
 - fopen(), fclose(), fprintf() invoke underlying Linux open(), read(), write(), close(), etc.




Your program can choose to directly invoke Linux system calls as well

- nothing forces you to link with glibc and use it
- but, relying on directly invoked Linux system calls may make your program less portable across UNIX varieties



Let's walk through how a Linux system call actually works


 we'll assume 32-bit x86 using the modern SYSENTER / SYSEXIT x86 instructions



0xFFFFFFF

Remember our process address space picture

 let's add some details



your
program

C standard
library

glibc

architecture-independent code


architecture-dependent code


Linux kernel

CPU

CSE333 lec 6 syscall fio // 10-08-11 // gribble

OxFFFFFF





architecture-independent code

architecture-dependent code

Linux kerne

unpriv CPU

CSE333 lec 6 syscall fio // 10-08-11 // gribble

SP -

process calls into a glibc

function (e.g., fopen)

▶ we'll ignore the messy

shared libraries

details of loading / linking

0xFFFFFFF

linux-gate.so Linux kernel stack kernel stack shared libraries heap (malloc/free) read/write segment .data, .bss read-only segment .text, .rodata

0x0000000

your
program

C standard
library

POSIX

glibc

architecture-independent code
architecture-dependent code

Linux kernel

unpriv CPU

CSE333 lec 6 syscall fio // 10-08-11 // gribble

OxFFFFFFF

IP →

linux-gate.so

glibc begins the process of invoking a Linux system call

SP -

- glibc's fopen() likely invokes Linux's open() system call
- puts the system call # and arguments into registers
- uses the call x86
 instruction to call into the
 routine __kernel_vsyscall
 located in linux-gate.so

Linux kernel stack kernel stack shared libraries heap (malloc/free) read/write segment .data. .bss read-only segment .text, .rodata

your
program

C standard
library

glibc

architecture-independent code

architecture-dependent code

Linux kernel

unpriv CPU

CSE333 lec 6 syscall fio // 10-08-11 // gribble

0xFFFFFFF

 \mathbb{P}

SP -

linux-gate.so is a *vdso*

- a virtual dynamically linked shared object
- ▶ is a kernel-provided shared library, i.e., is not associated with a .so file, but rather is conjured up by the kernel and plunked into a process's address space
- provides the intricate machine code needed to trigger a system call

linux-gate.so Linux kernel stack kernel stack shared libraries heap (malloc/free) read/write segment .data. .bss read-only segment .text, .rodata

your
program

C standard
library

glibc

architecture-independent code

architecture-dependent code

Linux kernel


unpriv CPU


CSE333 lec 6 syscall fio // 10-08-11 // gribble

0xFFFFFFF

linux-gate.so eventually SP→ invokes the SYSENTER IP → x86 instruction

- ▶ SYSENTER is x86's "fast system call" instruction
- ▶ it has several side-effects
 - causes the CPU to raise its privilege level
 - traps into the Linux kernel by changing the SP, IP to a previously determined location
 - changes some segmentation related registers (see cse451)





architecture-independent code

architecture-dependent code

Linux kernel

priv CPU

CSE333 lec 6 syscall fio // 10-08-11 // gribble


0xFFFFFFF


The kernel begins executing code at the SYSENTER entry point




▶ is in the architecturedependent part of Linux

- ▶ it's job is to:
 - look up the system call number in a system call dispatch table
 - call into the address stored in that table entry; this is Linux's system call handler
 - for open, the handler is named sys_open, and is system call #5







Linux kernel

priv CPU


CSE333 lec 6 syscall fio // 10-08-11 // gribble


OxFFFFFF




The system call handler executes

- what it does is systemcall specific, of course
- ▶ it may take a long time to execute, especially if it has to interact with hardware
 - Linux may choose to context switch the CPU to a different runnable process








Linux kernel

priv **CPU**


CSE333 lec 6 syscall fio // 10-08-11 // gribble


OxFFFFFF



Eventually, the system call handler finishes

- returns back to the system call entry point
 - places the system call's return value in the appropriate register
 - calls SYSEXIT to return to the user-level code





architecture-independent code architecture-dependent code

Linux kernel


priv **CPU**

CSE333 lec 6 syscall fio // 10-08-11 // gribble


0xFFFFFFF

SYSEXIT transitions the processor back to user-mode code

- ▶ has several side-effects
 - restores the IP, SP to user-land values
 - sets the CPU back to unprivileged mode
 - changes some segmentation related registers (see cse451)
- returns the processor back to glibc



0x0000000



architecture-independent code

architecture-dependent code

Linux kernel

unpriv CPU

CSE333 lec 6 syscall fio // 10-08-11 // gribble

glibc continues to


might execute more


 eventually returns back to your program code

system calls

execute

OxFFFFFFF





architecture-independent code
architecture-dependent code

Linux kernel

unpriv CPU

CSE333 lec 6 syscall fio // 10-08-11 // gribble

If you're curious

Download the Linux kernel source code

- get version 2.6.34.8
- available from http://www.kernel.org/

Take a look at:

- arch/x86/kernel/syscall_table_32.S [system call table]
- arch/x86/kernel/entry_32.S [SYSENTER entry point and more]
- arch/x86/vdso/vdso32/sysenter.S [user-land vdso]

And: http://articles.manugarg.com/systemcallinlinux2_6.html

Also...

man, section 2: Linux system calls

- man 2 intro
- man 2 syscalls (or look online here)

man, section 3: glibc / libc library functions

- man 3 intro (or look online here)

strace

A useful Linux utility that shows the sequence of system calls that a process makes:

```
bash$ strace 1s 2>&1 | less
[005c7424] execve("/bin/ls", ["ls"], [/* 47 vars */]) = 0
[003caffd] brk(0)
                                     = 0 \times 9376000
[003cc3c3] mmap2(NULL, 4096, PROT READ|PROT WRITE, MAP PRIVATE|MAP ANONYMOUS, -1, 0) =
0xb7800000
[003cc2c1] access("/etc/ld.so.preload", R OK) = -1 ENOENT (No such file or directory)
[003cc184] open("/etc/ld.so.cache", O RDONLY) = 3
[003cc14e] fstat64(3, {st mode=S IFREG|0644, st size=92504, ...}) = 0
[003cc3c3] mmap2(NULL, 92504, PROT READ, MAP PRIVATE, 3, 0) = 0xb77e9000
[003cc1bd] close(3)
[003cc184] open("/lib/libselinux.so.1", O RDONLY) = 3
[003cc204] read(3, "\177ELF\1\1\1\0\0\0\0\0\0\0\0\0\0\0\0\3\0\1\0\0\"..., 512) = 512
[003cc14e] fstat64(3, {st mode=S IFREG|0755, st size=122420, ...}) = 0
[003cc3c3] mmap2(0x6d6000, 125948, PROT READ|PROT EXEC, MAP PRIVATE|MAP DENYWRITE, 3, 0) =
0x6d6000
[003cc3c3] mmap2(0x6f3000, 8192, PROT READ|PROT WRITE, MAP PRIVATE|MAP FIXED|MAP
DENYWRITE, 3, 0x1c) = 0x6f3000
[003cc1bd] close(3)
[003cc184] open("/lib/librt.so.1", O RDONLY) = 3
512) = 512
... etc.
```

strace

A useful Linux utility that shows the sequence of system calls that a process makes:

```
bash$ strace 1s 2>&1 | less
[00110424] open(".", O RDONLY|O NONBLOCK|O LARGEFILE|O DIRECTORY|O CLOEXEC) = 3
[00110424] fcntl64(3, F GETFD)
                                        = 0x1 (flags FD CLOEXEC)
[00110424] getdents64(3, /* 6 entries */, 32768) = 184
[00110424] getdents64(3, /* 0 entries */, 32768) = 0
[001104241 close(3)
[00110424] fstat64(1, {st mode=S IFIFO|0600, st size=0, ...}) = 0
[00110424] mmap2(NULL, 4096, PROT READ|PROT WRITE, MAP PRIVATE|MAP ANONYMOUS, -1, 0) =
0xb77ff000
[00110424] write(1, "bomstrip.py\nmountlaptop.sh\nteste"..., 43
bomstrip.py
mountlaptop.sh
tester
tester.c
) = 43
[00110424] close(1)
[00110424] munmap(0xb77ff000, 4096)
[00110424] close(2)
[00110424] exit group(0)
                                        = ?
```

Let's do some file I/O...

We'll start by using C's standard library

- these functions are implemented in glibc on Linux
- they are implemented using Linux system calls

C's stdio defines the notion of a **stream**

- a stream is a way of reading or writing a sequence of characters from/to a device
 - a stream can be either text or binary; Linux does not distinguish
 - a stream is buffered by default; libc reads ahead of you
 - three streams are provided by default: stdin, stdout, stderr
 - you can open additional streams to read/write to files

Using C streams

```
#include <stdio.h>
                                           fread example.c
#include <stdlib.h>
#include <errno.h>
#define READBUFSIZE 128
int main(int argc, char **argv) {
  FILE *f;
  char readbuf[READBUFSIZE];
  size t readlen;
  if (argc != 2) {
    fprintf(stderr, "usage: ./fread example filename\n");
    return EXIT FAILURE; // defined in stdlib.h
  // Open, read, and print the file
  f = fopen(argv[1], "rb"); // "rb" --> read, binary mode
  if (f == NULL) {
    fprintf(stderr, "%s -- ", argv[1]);
   perror("fopen failed -- ");
    return EXIT FAILURE;
  // Read from the file, write to stdout.
  while ((readlen = fread(readbuf, 1, READBUFSIZE, f)) > 0)
    fwrite(readbuf, 1, readlen, stdout);
  fclose(f);
  return EXIT SUCCESS; // defined in stdlib.h
```

printf(...) is equivalent
to fprintf(stdout, ...)

stderr is a stream for printing error output

to a console

fopen opens a stream to read or

write a file

perror writes a string describing the last error to stderr

stdout is for printing non-error output to the console

£333 lec 6 syscall fio // 10-08-11 // gribble

Writing is easy too

see cp_example.c

A gotcha

By default, stdio turns on **buffering** for streams

- data written by fwrite() is copied into a buffer allocated by stdio inside your process's address space
- at some point, the buffer will be drained into the destination
 - when you call fflush() on the stream
 - when the buffer size is exceeded (often 1024 or 4096 bytes)
 - for stdout to a console, when a newline is written ("line buffered")
 - when you call fclose() on the stream
 - when your process exits gracefully (exit() or return from main())

Why is this a gotcha?

What happens if...

- your computer loses power before the buffer is flushed?
- your program assumes data is written to a file, and it signals another program to read it?

What are the performance implications?

- data is *copied* into the stdio buffer
 - consumes CPU cycles and memory bandwidth
 - can potentially slow down high performance applications, like a web server or database ("zero copy")

What to do about it

Turn off buffering with **setbuf()**

- this, too, may cause performance problems
 - e.g., if your program does many small fwrite()'s, each of which will now trigger a system call into the Linux kernel

Use a different set of system calls

- POSIX provides open(), read(), write(), close(), and others
- no buffering is done at the user level

but...what about the layers below?

- the OS caches disk reads and writes in the FS buffer cache
- disk controllers have caches too!

Exercise 1

Write a program that:

- uses argc/argv to receive the name of a text file
- reads the contents of the file a line at a time
- parses each line, converting text into a uint32_t
- builds an array of the parsed uint32_t's
- sorts the array
- prints the sorted array to stdout
 - hints: use "man" to read about getline, sscanf, realloc, and qsort

```
bash$ cat in.txt
1213
3231
000005
52
bash$ ex1 in.txt
5
52
1213
3231
bash$
```

Exercise 2

Write a program that:

- loops forever; in each loop, it:
 - prompts the user to input a filename
 - reads from stdin to receive a filename
 - opens and reads the file, and prints its contents to stdout, in the format shown on the right
- hints:
 - use "man" to read about fgets
 - or if you're more courageous, try "man 3 readline" to learn about libreadline.a, and google to learn how to link to it

