

CSE 333

Lecture 9 - intro to C++



Today's goals

An introduction to C++

- some shortcomings of C that C++ addresses
- give you one perspective on how to learn C++
- kick the tires and write some code

C

We had to work hard to mimic encapsulation, abstraction

- encapsulation: hiding implementation details
 - used header file conventions and the “static” specifier to separate private functions from public functions
 - cast structures to (void *) to hide implementation-specific details
- abstraction: associating behavior with encapsulated state
 - the functions that operate on a LinkedList were not really tied to the linked list structure
 - we passed a linked list to a function, rather than invoking a method on a linked list instance
 - we rely on the user of the code to make correct associations; the language provides little

C++

A major addition is its support for object-orientedness

- classes
 - public, private, and protected methods and instance variables
 - (multiple!) inheritance
- polymorphism
 - static polymorphism: multiple functions or methods with the same name, but different argument types
 - dynamic polymorphism: derived classes can overload methods of parents, and methods will be dispatched correctly

C

We had to emulate generic data structures

- customer passes a (void *) as a payload to a linked list
- customer had to pass in function pointers so that the linked list could operate on payloads correctly
 - comparisons, deallocation, pickling up state, etc.

C++

Supports templates to facilitate generic data types!

- to declare that x is a vector of ints:
 - `vector<int> x;`
- to declare that x is a vector of floats:
 - `vector<float> x;`
- to declare that x is a vector of (vectors of floats):
 - `vector<vector<float>> x;`

C

We had to be careful about namespace collisions

- C distinguishes between external and internal linkage
 - › use “static” to prevent a name from being visible outside a module
 - › otherwise, a name is global -- visible everywhere
- we used naming conventions to help avoid collisions in the global namespace
 - › LLIteratorNext, HTIteratorNext, etc.

C++

Permits a module to define its own namespace!

- the linked list module could define an “LL” namespace
- the hashtable module could define an “HT” namespace
- both modules could define an Iterator class
 - › one would be globally named LL::Iterator
 - › the other would be globally named HT::Iterator

C

C does not provide any standard data structures

- we had to implement our own linked list and hash table
 - *There are libraries, but none have anything close to universal adoption*
- as a C programmer, you often re-invent the wheel badly
 - maybe if you're clever you'll use somebody else's libraries
 - but, C's lack of abstraction, encapsulation, and generics means you'll probably have to tweak them, or tweak your code to use them

C++

The C++ standard library is rich!

- generic containers: bitset, queue, list, associative array (including hash table), deque, set, stack, and vector
 - and, iterators for most of these
- a string class: hides the implementation of strings
- streams: allows you to stream data to and from objects, consoles, files, strings, and so on
- and more...

C

Error handling is a pain

- have to define error codes and return them
- customers have to understand error code conventions, and need to constantly test return values
- if `a()` calls `b()` calls `c()`
 - a depends on b to propagate an error in c back to it

C++

Supports exceptions!

- try / throw / catch

if used with discipline, can simplify error processing

- but, if used carelessly, can complicate memory management
- consider: a() calls b() calls c()
 - if c() throws an exception that b() doesn't catch, you might not get a chance to clean up resources allocated inside b()

Some tasks still hurt in C++

Memory management

- C++ has no garbage collector
 - you have to manage memory allocation and deallocation, and track ownership of memory
 - it's still possible to have leaks, double frees, and so on
- but, there are some things that help
 - “smart pointers”
 - classes that encapsulate pointers and track reference counts
 - deallocate memory when the reference count goes to zero

Some tasks still hurt in C++

C++ doesn't guarantee type or memory safety

- You can still...
 - › forcibly cast pointers between incompatible types
 - › walk off the end of an array and smash the stack
 - › have dangling pointers
 - › conjure up a pointer to an address of your choosing

C++ has many, many features.

Operator overloading

- your class can define methods for handling “+”, “->”, etc!

Object constructors, destructors

- particularly handy for stack-allocated objects


Reference types

- truly pass-by-reference instead of pass-by-value

Advanced OO

- multiple inheritance, virtual base classes, dynamic dispatch

How to think about C++



Our first C++ program: helloworld.c

```
helloworld.c
#include <stdio.h>
#include <stdlib.h>

int main(int argc, char *argv[]) {
    printf("Hello, World!\n");
    return EXIT_SUCCESS;
}
```

A C program is a C++ program.

- This means the C++ compiler must allow the ugly things that C allows, but...
- It can provide “better” ways to do those things, and...
- It can support things beyond what C supports

C++: helloworld.cc

```
helloworld.cc
#include <iostream>
#include <cstdlib>

int main(int argc, char **argv) {
    std::cout << "Hello, World!" << std::endl;
    return EXIT_SUCCESS;
}
```

Looks simple enough...

- compile with g++ instead of gcc:
 - g++ -Wall -std=gnu++0x -o helloworld helloworld.cc
- let's walk through the program step by step

Hello, world!

```
helloworld.cc
#include <iostream>
#include <cstdlib>

int main(int argc, char **argv) {
    std::cout << "Hello, World!" << std::endl;
    return EXIT_SUCCESS;
}
```

Looks simple enough...

- compile with g++ instead of gcc:
 - g++ -Wall -std=gnu++0x -o helloworld helloworld.cc
- let's walk through the program step by step

Hello, world!

```
helloworld.cc
#include <iostream>
#include <cstdlib>

int main(int argc, char **argv) {
    std::cout << "Hello, World!" << std::endl;
    return EXIT_SUCCESS;
}
```

`iostream.h` is part of the C++ standard library

- note you don't need to add the ".h" when you include standard library headers
 - but you do for local headers (e.g., `#include "ll.h"`)
- `iostream` declares stream object instances, including `std::cin`, `std::cout`, `std::cerr`, in the "std" namespace

Hello, world!

```
helloworld.cc
#include <iostream>
#include <cstdlib>

int main(int argc, char **argv) {
    std::cout << "Hello, World!" << std::endl;
    return EXIT_SUCCESS;
}
```

cstdlib is the C standard library's stdlib.h header

- (nearly) all C standard library functions are available to you
 - for header foo.h, you should #include <foo>
- we need it for EXIT_SUCCESS, as usual

Hello, world!

```
helloworld.cc
#include <iostream>
#include <cstdlib>

int main(int argc, char **argv) {
    std::cout << "Hello, World!" << std::endl;
    return EXIT_SUCCESS;
}
```

`std::cout` is the “cout” object instance declared by `iostream.h`, living within the “std” namespace

- `std::cout` is an object of class `ostream`
 - Think `System.out` from Java
 - <http://www.cplusplus.com/reference/iostream/ostream/>
- used to format and write output to the console

Hello, world!

```
helloworld.cc
#include <iostream>
#include <cstdlib>

int main(int argc, char **argv) {
    std::cout << "Hello, World!" << std::endl;
    return EXIT_SUCCESS;
}
```

C++ distinguishes between objects and primitive types

- primitive types include all the familiar ones from C
 - char, short, unsigned long, float, double, long double, etc.
 - and, C++ defines “bool” as a primitive type

Hello, world!

```
helloworld.cc
#include <iostream>
#include <cstdlib>

int main(int argc, char **argv) {
    std::cout << "Hello, World!" << std::endl;
    return EXIT_SUCCESS;
}
```

“<<” is an operator defined by the C++ language

- it's defined by C as well; in C/C++, it left shifts the bits of integers
- but, C++ allows *classes* to overload operators
 - the ostream class overloads “<<”
 - i.e., it defines methods that are invoked when an ostream is the LHS of the << operator

Hello, world!

```
helloworld.cc
#include <iostream>
#include <cstdlib>

int main(int argc, char **argv) {
    std::cout << "Hello, World!" << std::endl;
    return EXIT_SUCCESS;
}
```

ostream has many different methods to handle <<

- the methods differ in the type of the RHS of <<
- if you do `std::cout << "foo";`
 - C++ invokes cout's method to handle "<<" with RHS "char **"

Hello, world!

```
helloworld.cc
#include <iostream>
#include <cstdlib>

int main(int argc, char **argv) {
    std::cout << "Hello, World!" << std::endl;
    return EXIT_SUCCESS;
}
```

the ostream class's methods that handle "<<" return (a reference to) themselves

- so, when (std::cout << "Hello, World!") is evaluated:
 - a method of the std::cout object is invoked
 - it buffers the string "Hello, World!" for the console
 - and, it returns (a reference to) std::cout

Hello, world!

```
helloworld.cc
#include <iostream>
#include <cstdlib>

int main(int argc, char **argv) {
    std::cout << "Hello, World!" << std::endl;
    return EXIT_SUCCESS;
}
```

next, a method on `std::cout` to handle “<<” is invoked

- this time, the RHS is `std::endl`
- turns out this is a pointer to a “manipulator” function
 - this manipulator function writes newline to the ostream it is invoked on, and then flushes the ostream’s buffer
 - so, something is printed on the console at this point

Wow...

```
helloworld.cc
#include <iostream>
#include <cstdlib>

int main(int argc, char **argv) {
    std::cout << "Hello, World!" << std::endl;
    return EXIT_SUCCESS;
}
```

You should be surprised and scared at this point

- C++ makes it easy to hide a significant amount of complexity
 - it's powerful, but really dangerous
 - once you mix together templates, operator overloading, method overloading, generics, and multiple inheritance, and it gets really hard to know what's actually happening!

Refining it a bit...

```
#include <iostream>                                helloworld2.cc
#include <cstdlib>
#include <string>

using namespace std;

int main(int argc, char **argv) {
    string hello("Hello, World!");
    cout << hello << endl;
    return EXIT_SUCCESS;
}
```

C++'s standard library has a `std::string` class!

- include the `string.h` header to use it
- <http://www.cplusplus.com/reference/string/>

Refining it a bit...

```
#include <iostream>                                helloworld2.cc
#include <cstdlib>
#include <string>

using namespace std;

int main(int argc, char **argv) {
    string hello("Hello, World!");
    cout << hello << endl;
    return EXIT_SUCCESS;
}
```

The “using” keyword introduces part of a namespace, or an entire namespace, into the current region

- using namespace std; -- imports all names from std::
- using std::cout; -- imports only std::cout

Refining it a bit...

```
#include <iostream>                                helloworld2.cc
#include <cstdlib>
#include <string>

using namespace std;

int main(int argc, char **argv) {
    string hello("Hello, World!");
    cout << hello << endl;
    return EXIT_SUCCESS;
}
```

We're instantiating a `std::string` object on the stack

- passing the C string "Hello, World!" to its constructor method
 - **hello is deallocated** (and its `destructor` invoked) **when main returns**

Refining it a bit...

```
#include <iostream>                                helloworld2.cc
#include <cstdlib>
#include <string>

using namespace std;

int main(int argc, char **argv) {
    string hello("Hello, World!");
    cout << hello << endl;
    return EXIT_SUCCESS;
}
```

The C++ string library overloads the << operator as well

- defines a function (not an object method) that is invoked when the LHS is an ostream and the RHS is a std::string

- <http://www.cplusplus.com/reference/string/operator<</>

Refining it a bit...

```
#include <iostream>                                helloworld2.cc
#include <cstdlib>
#include <string>

using namespace std;

int main(int argc, char **argv) {
    string hello("Hello, World!");
    cout << hello << endl;
    return EXIT_SUCCESS;
}
```

Note the side-effect of `using namespace std;`

- can now refer to `std::string` by `string`, `std::cout` by `cout`, and `std::endl` by `endl`

string concatenation

```
#include <iostream>
#include <cstdlib>

using namespace std;

int main(int argc, char **argv) {
    string hello("Hello");
    hello = hello + " there";
    cout << hello << endl;
    return EXIT_SUCCESS;
}
```

concat.cc

The string class overloads the “+” operator

- creates and returns a new string that is the concatenation of LHS and RHS

string assignment

```
#include <iostream>
#include <cstdlib>

using namespace std;

int main(int argc, char **argv) {
    string hello("Hello");
    hello = hello + " there";
    cout << hello << endl;
    return EXIT_SUCCESS;
}
```

concat.cc

The string class overloads the “=” operator

- copies the RHS and replaces the string’s contents with it
 - › so, the full statement (a) “+” creates a string that is the concatenation of hello’s current contents and “ there”, and (b) “=” creates a copy of the concatenation to store in hello

stream manipulators

```
#include <iostream>
#include <cstdlib>
#include <iomanip>

using namespace std;

int main(int argc, char **argv) {
    cout << "Hi! " << setw(4) << 5 << " " << 5 << endl;
    cout << hex << 16 << " " << 13 << endl;
    cout << dec << 16 << " " << 13 << endl;
    return EXIT_SUCCESS;
}
```

helloworld3.cc

`iomanip.h` defines a set of stream manipulator functions

- pass them to a stream to affect formatting

- <http://www.cplusplus.com/reference/iostream/manipulators/>

stream manipulators

```
#include <iostream>
#include <cstdlib>
#include <iomanip>

using namespace std;

int main(int argc, char **argv) {
    cout << "Hi! " << setw(4) << 5 << " " << 5 << endl;
    cout << hex << 16 << " " << 13 << endl;
    cout << dec << 16 << " " << 13 << endl;
    return EXIT_SUCCESS;
}
```

helloworld3.cc

setw(x) sets the width of the next field to x

- only affects the next thing sent to the output stream

stream manipulators

```
#include <iostream>
#include <cstdlib>
#include <iomanip>

using namespace std;

int main(int argc, char **argv) {
    cout << "Hi! " << setw(4) << 5 << " " << 5 << endl;
    cout << hex << 16 << " " << 13 << endl;
    cout << dec << 16 << " " << 13 << endl;
    return EXIT_SUCCESS;
}
```

helloworld3.cc

hex sets the stream to output integers in hexadecimal

- stays in effect until you set the stream to some other base
- hex, dec, oct are your choices

You can still use printf, though

```
helloworld4.cc  
  
#include <stdio>  
#include <stdlib>  
  
int main(int argc, char **argv) {  
    printf("hello from C\n");  
    return EXIT_SUCCESS;  
}
```

C is (roughly) a subset of C++

Reading

```
#include <iostream>
#include <cstdlib>

using namespace std;

int main(int argc, char **argv) {
    int num;
    cout << "Type a number: ";
    cin >> num;
    cout << "You typed: " << num << endl;
    return EXIT_SUCCESS;
}
```

helloworld5.cc

std::cin is an object instance of class istream

- supports the >> operator for “extraction”
- cin also has a getline() method

Exercise 1

Write a C++ program that:

- uses streams to:
 - prompts the user to type in 5 floats
 - prints them out in opposite order
 - with 4 digits of precision