

CSE 333 – SECTION 3

POSIX I/O Functions

Important Dates

- **Tonight** HW1 due
- Apr 28th HW2 due
- May 6th Midterm
- (And regular exercises in between)

Basic File Operations

- Open the file
- Read from the file
- Write to the file
- Close the file / free up resources

System I/O Calls

```
int open(char* filename, int flags, mode_t mode);
```

Returns an integer which is the file descriptor.

Returns -1 if there is a failure.

filename: A string representing the name of the file.

flags: An integer code describing the access.

O_RDONLY -- opens file for read only

O_WRONLY – opens file for write only

O_RDWR – opens file for reading and writing

O_APPEND --- opens the file for appending

O_CREAT -- creates the file if it does not exist

O_TRUNC -- overwrite the file if it exists

mode: File protection mode. Ignored if O_CREAT is not specified.

System I/O Calls

```
ssize_t read(int fd, void *buf, size_t count);  
ssize_t write(int fd, const void *buf, size_t count);
```

fd: file descriptor.

buf: address of a memory area into which the data is read.

count: the maximum amount of data to read from the stream.

The return value is the actual amount of data read from the file.

```
int close(int fd);
```

Returns 0 on success, -1 on failure.

[man 2 read]

[man 2 write]

[man 2 close]

Errors

- When an error occurs, the error number is stored in **errno**, which is defined under `<errno.h>`
- View/Print details of the error using **perror()** and **errno**.
- POSIX functions have a variety of error codes to represent different errors. Some common error conditions:
 - **EBADF** - *fd* is not a valid file descriptor or is not open for reading.
 - **EFAULT** - *buf* is outside your accessible address space.
 - **EINTR** - The call was interrupted by a signal before any data was read.
 - **EISDIR** - *fd* refers to a directory.
- **errno** is shared by all library functions and overwritten frequently, so you must read it right after an error to be sure of getting the right code

[man 3 errno]

[man 3 perror]

Reading a file

```
#include <errno.h>
#include <unistd.h>
```

```
...
```

```
char *buf = ...;
int bytes_left = n;
int result = 0;
```

```
while (bytes_left > 0) {
    result = read(fd, buf + (n-bytes_left), bytes_left);
    if (result == -1) {
        if (errno != EINTR) {
            // a real error happened, return an error result
        }
        // EINTR happened, do nothing and loop back around
        continue;
    }
    bytes_left -= result;
}
```

Reading a file

```
#include <errno.h>
#include <unistd.h>

char buf...;
int bytes_read = 0;
int result = 0;


int fd = open("filename", O_RDONLY);
// BUG: if length of named file is smaller than N, infinite loop!
while (bytes_read < N) {
    result = read(fd, buf + bytes_read, N - bytes_read);
    if (result == -1) {
        if (errno != EINTR && errno != EAGAIN) {
            // a real error happened, return an error result
        }
        // EINTR happened, do nothing and loop back around
        continue;
    }
    bytes_read += result;
}
```


Again, why are we learning POSIX functions?

- They are unbuffered. You can implement different buffering/caching strategies on top of read/write.
- More explicit control since read and write functions are system calls and you can directly access system resources.
- There is no standard higher level API for network and other I/O devices.

STDIO vs. POSIX Functions

- User mode vs. Kernel mode.
- STDIO library functions
 - fopen, fread, fwrite, fclose, etc.
 - use FILE* pointers.
- POSIX functions
 - open, read, write, close, etc.
 - use integer file descriptors.



Directories

- Accessing directories:
 - Open a directory
 - Iterate through its contents
 - Close the directory
- Opening a directory:

```
DIR *opendir(const char* name);
```

- Opens a directory given by **name** and provides a pointer **DIR*** to access files within the directory.
- Don't forget to close the directory when done:

```
int closedir(DIR *dirp);
```

```
[man 0P dirent.h]
```

```
[man 3 opendir]
```

```
[man 3 closedir]
```

Directories

- Reading a directory file.

```
struct dirent *readdir(DIR *dirp);
```

```
struct dirent {
    ino_t      d_ino;      /* inode number for the dir entry */
    off_t      d_off;      /* not necessarily an offset */
    unsigned short d_reclen; /* length of this record */
    unsigned char d_type;   /* type of file (not what you think);
                             not supported by all file system types */
    char        d_name[NAME_MAX+1] ; /* directory entry name */
};
```

[man 3 readdir]

[man readdir]

Read the man pages

- **man, section 2: Linux system calls**

- `man 2 intro`
- `man 2 syscalls`
- `man 2 open`
- `man 2 read`

- ...

- **man, section 3: glibc / libc library functions**

- `man 3 intro`
- `man 3 fopen`
- `man 3 fread`
- `man 3 stdio` for a full list of functions declared in `<stdio.h>`

- ...

Section Exercises 1 & 2

Find a partner if you wish.

1. Write a C program that given a directory:

- Prints the names of the entries to stdout
- Analogous to the bash command **ls**

2. Write a C program that given a filename:

- Prints the names of the directory entries to stdout
- Analogous to the bash command **cat**

**You must use POSIX functions! And handle any errors!
:)**