

Client-side Networking

CSE 333 Autumn 2018

Instructor: Hal Perkins

Teaching Assistants:

Tarkan Al-Kazily

Renshu Gu

Travis McGaha

Harshita Neti

Thai Pham

Forrest Timour

Soumya Vasisht

Yifan Xu

Administrivia

- ❖ hw4 out today – due Thur. Dec. 6 (last week of qtr)
 - Demo today in class
- ❖ Exercise 15 due Monday
 - Client-side TCP connection
- ❖ Companion exercise 16 out Monday, due next Wednesday
 - Server-side TCP connection (to talk with your client-side code!)

Socket API: Client TCP Connection

- ❖ There are five steps:
 - 1) Figure out the IP address and port to connect to
 - 2) Create a socket
 - 3) Connect the socket to the remote server
 - 4) **read**() and **write**() data using the socket
 - 5) Close the socket

Step 1: DNS Lookup

- ❖ Covered in lecture and section already
- ❖ See `dnsresolve.cc`

```
struct addrinfo {  
    int      ai_flags;           // additional flags  
    int      ai_family;         // AF_INET, AF_INET6, AF_UNSPEC  
    int      ai_socktype;       // SOCK_STREAM, SOCK_DGRAM, 0  
    int      ai_protocol;       // IPPROTO_TCP, IPPROTO_UDP, 0  
    size_t   ai_addrlen;        // length of socket addr in bytes  
    struct sockaddr* ai_addr;    // pointer to socket addr  
    char*     ai_canonname;      // canonical name  
    struct addrinfo* ai_next;    // can form a linked list  
};
```

Step 2: Creating a Socket

❖ `int socket(int domain, int type, int protocol);`

- Creating a socket doesn't bind it to a local address or port yet
- Returns file descriptor or `-1` on error

socket.cc

```
#include <arpa/inet.h>
#include <stdlib.h>
#include <string.h>
#include <unistd.h>
#include <iostream>

int main(int argc, char** argv) {
    int socket_fd = socket(AF_INET, SOCK_STREAM, 0);
    if (socket_fd == -1) {
        std::cerr << strerror(errno) << std::endl;
        return EXIT_FAILURE;
    }
    close(socket_fd);
    return EXIT_SUCCESS;
}
```

Step 3: Connect to the Server

- ❖ The **connect** () system call establishes a connection to a remote host

- ```
int connect(int sockfd, const struct sockaddr* addr, socklen_t addrlen);
```

- sockfd: Socket file description from Step 2
  - addr and addrlen: Usually from one of the address structures returned by getaddrinfo in Step 1 (DNS lookup)
  - Returns 0 on success and -1 on error
- ❖ **connect** ( ) may take some time to return
  - It is a *blocking* call by default
  - The network stack within the OS will communicate with the remote host to establish a TCP connection to it
    - This involves ~2 *round trips* across the network

# Connect Example

❖ See `connect.cc`

```
// Get an appropriate sockaddr structure.
struct sockaddr_storage addr;
size_t addrlen;
LookupName(argv[1], port, &addr, &addrlen);

// Create the socket.
int socket_fd = socket(addr.ss_family, SOCK_STREAM, 0);
if (socket_fd == -1) {
 cerr << "socket() failed: " << strerror(errno) << endl;
 return EXIT_FAILURE;
}

// Connect the socket to the remote host.
int res = connect(socket_fd,
 reinterpret_cast<sockaddr*>(&addr),
 addrlen);
if (res == -1) {
 cerr << "connect() failed: " << strerror(errno) << endl;
}
```

## Step 4: `read()`

- ❖ If there is data that has already been received by the network stack, then `read()` will return immediately with it
  - `read()` might return with *less* data than you asked for
- ❖ If there is no data waiting for you, by default `read()` will *block* until something arrives
  - This might cause *deadlock*!
  - Can `read()` return 0?



## Step 4: `write()`

- ❖ `write()` enqueues your data in a send buffer in the OS and then returns
  - The OS transmits the data over the network in the background
  - When `write()` returns, the receiver probably has not yet received the data!
- ❖ If there is no more space left in the send buffer, by default `write()` will *block*

# Read/Write Example

```
while (1) {
 int wres = write(socket_fd, readbuf, res);
 if (wres == 0) {
 cerr << "socket closed prematurely" << endl;
 close(socket_fd);
 return EXIT_FAILURE;
 }
 if (wres == -1) {
 if (errno == EINTR)
 continue;
 cerr << "socket write failure: " << strerror(errno) << endl;
 close(socket_fd);
 return EXIT_FAILURE;
 }
 break;
}
```

❖ See `sendreceive.cc`

■ Demo

## Step 5: `close()`

❖ `int close(int fd) ;`

- Nothing special here – it's the same function as with file I/O
- Shuts down the socket and frees resources and file descriptors associated with it on both ends of the connection

# hw4 demo

## ❖ Multithreaded Web Server (333gle)

- Don't worry – multithreading has mostly been written for you
- `./http333d <port> <static files> <indices+>`
- Some security bugs to fix, too

# Extra Exercise #1

- ❖ Write a program that:
  - Reads DNS names, one per line, from `stdin`
  - Translates each name to one or more IP addresses
  - Prints out each IP address to `stdout`, one per line