

C++ Standard Template Library

CSE 333 Spring 2018

Instructor: Justin Hsia

Teaching Assistants:

Danny Allen

Dennis Shao

Eddie Huang

Kevin Bi

Jack Xu

Matthew Neldam

Michael Poulain

Renshu Gu

Robby Marver

Waylon Huang

Wei Lin

Administrivia

- ❖ No exercise released today!
- ❖ Homework 2 due tomorrow (4/26)
 - Don't forget to clone your repo to double-/triple-/quadruple-check compilation!
- ❖ Midterm is next Friday (5/4) @ 5–6 pm in GUG 220
 - 1 double-sided page of hand-written notes; reference info may be provided on exam (**subject to change**)
 - Topics: everything from lecture, exercises, project, etc. up through hw2 and C++ new/delete
 - Old exams on course website, review in section next week

C++'s Standard Library

- ❖ C++'s Standard Library consists of four major pieces:
 - 1) The entire C standard library
 - 2) C++'s input/output stream library
 - `std::cin`, `std::cout`, `stringstreams`, `fstreams`, etc.
 - 3) C++'s standard template library (**STL**)
 - Containers, iterators, algorithms (sort, find, etc.), numerics
 - 4) C++'s miscellaneous library
 - Strings, exceptions, memory allocation, localization

STL Containers

- ❖ A **container** is an object that stores (in memory) a collection of other objects (elements)
 - Implemented as class templates, so hugely flexible
 - More info in *C++ Primer* §9.2, 11.2
- ❖ Several different classes of container
 - Sequence containers (`vector`, `deque`, `list`)
 - Associative containers (`set`, `map`, `multiset`, `multimap`, `bitset`)
 - Differ in algorithmic cost and supported operations

Container Drawbacks

- ❖ STL containers store by *value*, not by *reference*
 - When you insert an object, the container makes a copy
 - If the container needs to rearrange objects, it makes copies
 - e.g. if you sort a `vector`, it will make many, many copies
 - e.g. if you insert into a `map`, that may trigger several copies
 - What if you don't want this (disabled copy constructor or copying is expensive)?
 - You can insert a wrapper object with a pointer to the object
 - We'll learn about these “smart pointers” soon

Our Tracer Class

- ❖ Wrapper class for an `unsigned int` `value_`
 - Default ctor, cctor, dtor, `op=`, `op<` defined
 - `friend` function `operator<<` defined
 - Also holds unique `unsigned int` `id_` (increasing from 0)
 - Private helper method `PrintID()` to return `"(id_,value_)"` as a string
 - Class and member definitions can be found in `Tracer.h` and `Tracer.cc`
- ❖ Useful for tracing behaviors of containers
 - All methods will print identifying messages
 - Unique `id_` allows you to follow individual instances

STL **vector**

- ❖ A generic, dynamically resizable array
 - <http://www.cplusplus.com/reference/stl/vector/vector/>
 - Elements are store in *contiguous* memory locations
 - Elements can be accessed using pointer arithmetic if you'd like to
 - Random access is $O(1)$ time
 - Adding/removing from the end is cheap (constant time)
 - Inserting/deleting from the middle or start is expensive (linear time)

vector/Tracer Example

vectorfun.cc

```
#include <iostream>
#include <vector>
#include "Tracer.h"

using namespace std;

int main(int argc, char** argv) {
    Tracer a, b, c;
    vector<Tracer> vec;

    cout << "vec.push_back " << a << endl;
    vec.push_back(a);
    cout << "vec.push_back " << b << endl;
    vec.push_back(b);
    cout << "vec.push_back " << c << endl;
    vec.push_back(c);

    cout << "vec[0]" << endl << vec[0] << endl;
    cout << "vec[2]" << endl << vec[2] << endl;

    return 0;
}
```


Why All the Copying?

STL iterator

- ❖ Each container class has an associated **iterator** class (e.g. `vector<int>::iterator`) used to iterate through elements of the container
 - <http://www.cplusplus.com/reference/std/iterator/>
 - **Iterator range** is from `begin` up to `end`
 - `end` is one past the last container element!
 - Some container iterators support more operations than others
 - All can be incremented (`++`), copied, copy-constructed
 - Some can be dereferenced on RHS (e.g. `x = *it;`)
 - Some can be dereferenced on LHS (e.g. `*it = x;`)
 - Some can be decremented (`--`)
 - Some support random access (`[]`, `+`, `-`, `+=`, `-=`, `<`, `>` operators)

iterator Example

vectoriterator.cc

```
#include <vector>

#include "Tracer.h"

using namespace std;

int main(int argc, char** argv) {
    Tracer a, b, c;
    vector<Tracer> vec;

    vec.push_back(a);
    vec.push_back(b);
    vec.push_back(c);

    cout << "Iterating:" << endl;
    vector<Tracer>::iterator it;
    for (it = vec.begin(); it < vec.end(); it++) {
        cout << *it << endl;
    }
    cout << "Done iterating!" << endl;
    return 0;
}
```

Type Inference (C++11)

- ❖ The `auto` keyword can be used to infer types
 - Simplifies your life if, for example, functions return complicated types
 - The expression using `auto` must contain explicit initialization for it to work

```
// Calculate and return a vector  
// containing all factors of n  
std::vector<int> Factors(int n);  
  
void foo(void) {  
    // Manually identified type  
    std::vector<int> facts1 =  
        Factors(324234);  
  
    // Inferred type  
    auto facts2 = Factors(12321);  
  
    // Compiler error here  
    auto facts3;  
}
```

auto and Iterators

- ❖ Life becomes much simpler!

```
for (vector<Tracer>::iterator it = vec.begin(); it < vec.end(); it++) {  
    cout << *it << endl;  
}
```



```
for (auto it = vec.begin(); it < vec.end(); it++) {  
    cout << *it << endl;  
}
```

Range for Statement (C++11)

- ❖ Syntactic sugar that emulates Java's foreach

```
for ( declaration : expression ) {  
    statements  
}
```

- *declaration* defines loop variable
- *expression* is an object representing a sequence
 - Strings, initializer lists, arrays with an explicit length defined, STL containers that support iterators

```
// Prints out a string, one  
// character per line  
std::string str("hello");  
  
for ( auto c : str ) {  
    std::cout << c << std::endl;  
}
```

Updated iterator Example

vectoriterator_2011.cc

```
#include <vector>

#include "Tracer.h"

using namespace std;

int main(int argc, char** argv) {
    Tracer a, b, c;
    vector<Tracer> vec;

    vec.push_back(a);
    vec.push_back(b);
    vec.push_back(c);

    cout << "Iterating:" << endl;
    // "auto" is a C++11 feature not available on older compilers
    for (auto& p : vec) {
        cout << p << endl;
    }
    cout << "Done iterating!" << endl;
    return 0;
}
```

STL Algorithms

- ❖ A set of functions to be used on ranges of elements
 - **Range**: any sequence that can be accessed through *iterators* or *pointers*, like arrays or some of the containers
 - General form: `algorithm(begin, end, ...);`
- ❖ Algorithms operate directly on range *elements* rather than the containers they live in
 - Make use of elements' copy ctor, =, ==, !=, <
 - Some do not modify elements
 - e.g. find, count, for_each, min_element, binary_search
 - Some do modify elements
 - e.g. sort, transform, copy, swap

Algorithms Example

vectoralgos.cc

```
#include <vector>
#include <algorithm>
#include "Tracer.h"
using namespace std;

void PrintOut(const Tracer& p) {
    cout << " printout: " << p << endl;
}

int main(int argc, char** argv) {
    Tracer a, b, c;
    vector<Tracer> vec;

    vec.push_back(c);
    vec.push_back(a);
    vec.push_back(b);
    cout << "sort:" << endl;
    sort(vec.begin(), vec.end());
    cout << "done sort!" << endl;
    for_each(vec.begin(), vec.end(), &PrintOut);
    return 0;
}
```

Copying For sort

Iterator Question

- ❖ Write a function `OrderNext ()` that takes a `vector<Tracer>` iterator and then does the compare-and-possibly-swap operation we saw in `sort ()` on that element and the one *after* it
 - Hint: Iterators behave similarly to pointers!
 - Example: `OrderNext (vec.begin ())` should order the first 2 elements of `vec`

Extra Exercise #1

- ❖ Using the `Tracer.h/.cc` files from lecture:
 - Construct a vector of lists of Tracers
 - *i.e.* a `vector` container with each element being a `list` of Tracers
 - Observe how many copies happen 😊
 - Use the sort algorithm to sort the vector
 - Use the `list.sort()` function to sort each list