

The Heap and Structs

CSE 333 Summer 2018

Instructor: Hal Perkins

Teaching Assistants:

Renshu Gu

William Kim

Soumya Vasisht

Administrivia

- ❖ Discussion board:
 - Look before you post – there might be useful stuff already!
 - Help everyone by using descriptive titles (not, e.g., “question” 😊)

- ❖ Exercise 3 out today and due Wednesday morning

- ❖ We *highly* recommend doing the extra exercises that are at the end of each lecture
 - Also, Google for “C pointer exercises” and do as many as you can get your hands on
 - You **MUST** master pointers quickly, or you’ll have trouble the rest of the course (including hw1)

Administrivia

- ❖ hw0 due tonight *before* 11:00 pm (and 0 seconds)
 - If your clock says 11:01, then it's late!
 - You really, *really* don't want to use late days for hw0
 - Git: add/commit/push, then tag with hw0-final, then push tag
 - Then clone repo somewhere totally different and do `git checkout hw0-final` and verify that all is well
- ❖ hw1 due Thu, 7/5
 - You **may not** modify interfaces (.h files)
 - But **do** read the interfaces while you're writing code
 - Suggestion: look at `example_program_{ll|ht}.c` for typical usage of lists and hash tables

Lecture Outline

- ❖ **Heap-allocated Memory**
 - `malloc()` and `free()`
 - **Memory leaks**
- ❖ `structs` and `typedef`

Memory Allocation So Far

❖ So far, we have seen two kinds of memory allocation:

```
int counter = 0;    // global var

int main(int argc, char** argv) {
    counter++;
    printf("count = %d\n", counter);
    return 0;
}
```

- counter is **statically**-allocated
 - Allocated when program is loaded
 - Deallocated when program exits

```
int foo(int a) {
    int x = a + 1;    // local var
    return x;
}

int main(int argc, char** argv) {
    int y = foo(10); // local var
    printf("y = %d\n", y);
    return 0;
}
```

- a, x, y are **automatically**-allocated
 - Allocated when function is called
 - Deallocated when function returns

Dynamic Allocation

- ❖ Situations where static and automatic allocation aren't sufficient:
 - We need memory that persists across multiple function calls but not the whole lifetime of the program
 - We need more memory than can fit on the Stack
 - We need memory whose size is not known in advance to the caller

```
// this is pseudo-C code  
char* ReadFile(char* filename) {  
    int size = GetFileSize(filename);  
    char* buffer = AllocateMem(size);  
  
    ReadFileIntoBuffer(filename, buffer);  
    return buffer;  
}
```

Dynamic Allocation

- ❖ What we want is *dynamically*-allocated memory
 - Your program explicitly requests a new block of memory
 - The language allocates it at runtime, perhaps with help from OS
 - Dynamically-allocated memory persists until either:
 - Your code explicitly deallocated it (*manual memory management*)
 - A garbage collector collects it (*automatic memory management*)

- ❖ C requires you to manually manage memory
 - Gives you more control, but causes headaches

Aside: NULL

- ❖ NULL is a memory location that is **guaranteed to be invalid**
 - In C on Linux, NULL is 0x0 and an attempt to dereference NULL *causes a segmentation fault*
- ❖ Useful as an indicator of an uninitialized (or currently unused) pointer or allocation error
 - It's better to cause a segfault than to allow the corruption of memory!

segfault.c

```
int main(int argc, char** argv) {  
    int* p = NULL;  
    *p = 1; // causes a segmentation fault  
    return 0;  
}
```


malloc()

❖ General usage: `var = (type*) malloc(size in bytes)`

❖ **malloc** allocates a block of memory of the requested size

- Returns a pointer to the first byte of that memory
 - And **returns NULL** if the memory allocation failed!
- You should assume that the memory initially contains garbage
- You'll typically use **sizeof** to calculate the size you need

```
// allocate a 10-float array
float* arr = (float*) malloc(10*sizeof(float));
if (arr == NULL) {
    return errcode;
}
... // do stuff with arr
```

calloc()

❖ General usage:

```
var = (type*) calloc(num, bytes per element)
```

❖ Like **malloc**, but also zeros out the block of memory

- Helpful for shaking out bugs
- Slightly slower; but useful for non-performance-critical code
- **malloc** and **calloc** are found in `stdlib.h`

```
// allocate a 10-double array
double* arr = (double*) calloc(10, sizeof(double));
if (arr == NULL) {
    return errcode;
}
... // do stuff with arr
```

free ()


- ❖ Usage: `free (pointer) ;`

- ❖ Deallocates the memory pointed-to by the pointer
 - Pointer *must* point to the first byte of heap-allocated memory (*i.e.* something previously returned by `malloc` or `calloc`)
 - Freed memory becomes eligible for future allocation
 - Pointer is unaffected by call to free
 - Defensive programming: can set pointer to `NULL` after freeing it

```
float* arr = (float*) malloc(10*sizeof(float));  
if (arr == NULL)  
    return errcode;  
...           // do stuff with arr  
free(arr);  
arr = NULL;   // OPTIONAL
```

The Heap

- ❖ The Heap is a large pool of unused memory that is used for dynamically-allocated data
 - **malloc** allocates chunks of data in the Heap; **free** deallocates those chunks
 - **malloc** maintains bookkeeping data in the Heap to track allocated blocks
 - Lab 5 from 351!



Heap and Stack Example

Note: Arrow points to next instruction.

arraycopy.c

```
#include <stdlib.h>


int* copy(int a[], int size) {
    int i, *a2;

    a2 = malloc(size*sizeof(int));
    if (a2 == NULL)
        return NULL;

    for (i = 0; i < size; i++)
        a2[i] = a[i];

    return a2;
}

int main(int argc, char** argv) {
    int nums[4] = {1, 2, 3, 4};
    int* ncopy = copy(nums, 4);
    // .. do stuff with the array ..
    free(ncopy);
    return 0;
}
```



Heap and Stack Example

arraycopy.c

```
#include <stdlib.h>


int* copy(int a[], int size) {
    int i, *a2;

    a2 = malloc(size*sizeof(int));
    if (a2 == NULL)
        return NULL;

    for (i = 0; i < size; i++)
        a2[i] = a[i];

    return a2;
}

int main(int argc, char** argv) {
    int nums[4] = {1, 2, 3, 4};
    int* ncopy = copy(nums, 4);
    // .. do stuff with the array ..
    free(ncopy);
    return 0;
}
```



Heap and Stack Example

arraycopy.c

```
#include <stdlib.h>


int* copy(int a[], int size) {
    int i, *a2;

    a2 = malloc(size*sizeof(int));
    if (a2 == NULL)
        return NULL;

    for (i = 0; i < size; i++)
        a2[i] = a[i];

    return a2;
}

int main(int argc, char** argv) {
    int nums[4] = {1, 2, 3, 4};
    int* ncopy = copy(nums, 4);
    // .. do stuff with the array ..
    free(ncopy);
    return 0;
}
```



Heap and Stack Example

arraycopy.c

```
#include <stdlib.h>


int* copy(int a[], int size) {
    int i, *a2;

    a2 = malloc(size*sizeof(int));
    if (a2 == NULL)
        return NULL;

    for (i = 0; i < size; i++)
        a2[i] = a[i];

    return a2;
}

int main(int argc, char** argv) {
    int nums[4] = {1, 2, 3, 4};
    int* ncopy = copy(nums, 4);
    // .. do stuff with the array ..
    free(ncopy);
    return 0;
}
```



Heap and Stack Example

arraycopy.c

```
#include <stdlib.h>


int* copy(int a[], int size) {
    int i, *a2;

    a2 = malloc(size*sizeof(int));
    if (a2 == NULL)
        return NULL;

    for (i = 0; i < size; i++)
        a2[i] = a[i];

    return a2;
}

int main(int argc, char** argv) {
    int nums[4] = {1, 2, 3, 4};
    int* ncopy = copy(nums, 4);
    // .. do stuff with the array ..
    free(ncopy);
    return 0;
}
```



Heap and Stack Example

arraycopy.c

```
#include <stdlib.h>


int* copy(int a[], int size) {
    int i, *a2;

    a2 = malloc(size*sizeof(int));
    if (a2 == NULL)
        return NULL;

    for (i = 0; i < size; i++)
        a2[i] = a[i];

    return a2;
}

int main(int argc, char** argv) {
    int nums[4] = {1, 2, 3, 4};
    int* ncopy = copy(nums, 4);
    // .. do stuff with the array ..
    free(ncopy);
    return 0;
}
```



Heap and Stack Example

arraycopy.c

```
#include <stdlib.h>


int* copy(int a[], int size) {
    int i, *a2;

    a2 = malloc(size*sizeof(int));
    if (a2 == NULL)
        return NULL;

    for (i = 0; i < size; i++)
        a2[i] = a[i];

    return a2;
}

int main(int argc, char** argv) {
    int nums[4] = {1, 2, 3, 4};
    int* ncopy = copy(nums, 4);
    // .. do stuff with the array ..
    free(ncopy);
    return 0;
}
```



Heap and Stack Example

arraycopy.c

```
#include <stdlib.h>


int* copy(int a[], int size) {
    int i, *a2;

    a2 = malloc(size*sizeof(int));
    if (a2 == NULL)
        return NULL;

    for (i = 0; i < size; i++)
        a2[i] = a[i];

    return a2;
}

int main(int argc, char** argv) {
    int nums[4] = {1, 2, 3, 4};
    int* ncopy = copy(nums, 4);
    // .. do stuff with the array ..
    free(ncopy);
    return 0;
}
```



Heap and Stack Example

arraycopy.c

```
#include <stdlib.h>


int* copy(int a[], int size) {
    int i, *a2;

    a2 = malloc(size*sizeof(int));
    if (a2 == NULL)
        return NULL;

    for (i = 0; i < size; i++)
        a2[i] = a[i];

    return a2;
}

int main(int argc, char** argv) {
    int nums[4] = {1, 2, 3, 4};
    int* ncopy = copy(nums, 4);
    // .. do stuff with the array ..
    free(ncopy);
    return 0;
}
```



Heap and Stack Example

arraycopy.c

```
#include <stdlib.h>


int* copy(int a[], int size) {
    int i, *a2;

    a2 = malloc(size*sizeof(int));
    if (a2 == NULL)
        return NULL;

    for (i = 0; i < size; i++)
        a2[i] = a[i];

    return a2;
}

int main(int argc, char** argv) {
    int nums[4] = {1, 2, 3, 4};
    int* ncopy = copy(nums, 4);
    // .. do stuff with the array ..
    free(ncopy);
    return 0;
}
```



Heap and Stack Example

arraycopy.c

```
#include <stdlib.h>


int* copy(int a[], int size) {
    int i, *a2;

    a2 = malloc(size*sizeof(int));
    if (a2 == NULL)
        return NULL;

    for (i = 0; i < size; i++)
        a2[i] = a[i];

    return a2;
}

int main(int argc, char** argv) {
    int nums[4] = {1, 2, 3, 4};
    int* ncopy = copy(nums, 4);
    // .. do stuff with the array ..
    free(ncopy);
    return 0;
}
```



Exercise

❖ Which line below is first *guaranteed* to cause an error?

A. Line 1

B. Line 4

C. Line 6

D. Line 7

E. Something else

What else is wrong here?

```
#include <stdio.h>
#include <stdlib.h>

int main(int argc, char** argv) {
    int a[2];
    int* b = malloc(2*sizeof(int));
    int* c;

1   a[2] = 5;
2   b[0] += 2;
3   c = b+3;
4   free(&(a[0]));
5   free(b);
6   free(b);
7   b[0] = 5;

    return 0;
}
```


Memory Corruption

- ❖ There are all sorts of ways to corrupt memory in C

```
#include <stdio.h>
#include <stdlib.h>

int main(int argc, char** argv) {
    int a[2];
    int* b = malloc(2*sizeof(int));
    int* c;

    a[2] = 5;    // assign past the end of an array
    b[0] += 2;   // assume malloc zeros out memory
    c = b+3;     // mess up your pointer arithmetic
    free(&(a[0])); // free something not malloc'ed
    free(b);
    free(b);     // double-free the same block
    b[0] = 5;    // use a freed pointer

    // any many more!
    return 0;
}
```

memcorrupt.c

Memory Leak

- ❖ A **memory leak** occurs when code fails to deallocate dynamically-allocated memory that is no longer used
 - *e.g.* forget to **free** malloc-ed block, lose/change pointer to malloc-ed block

- ❖ Implication: program's VM footprint will keep growing
 - This might be OK for *short-lived* program, since all memory is deallocated when program ends
 - Usually has bad repercussions for *long-lived* programs
 - Might slow down over time (*e.g.* lead to VM thrashing)
 - Might exhaust all available memory and crash
 - Other programs might get starved of memory

Lecture Outline

- ❖ Heap-allocated Memory
 - `malloc()` and `free()`
 - Memory leaks
- ❖ **structs and typedef**

Structured Data

- ❖ A `struct` is a C datatype that contains a set of fields
 - Similar to a Java class, but with no methods or constructors
 - Useful for defining new structured types of data
 - Act similarly to primitive variables

- ❖ Generic declaration:

```
struct tagname {  
    type1 name1;  
    ...  
    typeN nameN;  
};
```

```
// the following defines a new  
// structured datatype called  
// a "struct Point"  
struct Point {  
    float x, y;  
};  
  
// declare and initialize a  
// struct Point variable  
struct Point origin = {0.0, 0.0};
```

Using structs

- ❖ Use “.” to refer to a field in a struct
- ❖ Use “->” to refer to a field from a struct pointer
 - Dereferences pointer first, then accesses field

```
struct Point {  
    float x, y;  
};  
  
int main(int argc, char** argv) {  
    struct Point p1 = {0.0, 0.0}; // p1 is stack allocated  
    struct Point* p1_ptr = &p1;  
  
    p1.x = 1.0;  
    p1_ptr->y = 2.0; // equivalent to (*p1_ptr).y = 2.0;  
    return 0;  
}
```

simplestruct.c

Copy by Assignment

- ❖ You can assign the value of a struct from a struct of the same type – *this copies the entire contents!*

```
#include <stdio.h>

struct Point {
    float x, y;
};

int main(int argc, char** argv) {
    struct Point p1 = {0.0, 2.0};
    struct Point p2 = {4.0, 6.0};

    printf("p1: {%f,%f} p2: {%f,%f}\n", p1.x, p1.y, p2.x, p2.y);
    p2 = p1;
    printf("p1: {%f,%f} p2: {%f,%f}\n", p1.x, p1.y, p2.x, p2.y);
    return 0;
}
```

structassign.c

typedef

- ❖ Generic format: `typedef type name;`
- ❖ Allows you to define new data type *names/synonyms*
 - Both `type` and `name` are usable and refer to the same type
 - Be careful with pointers – `*` before `name` is part of `type`!

```
// make "superlong" a synonym for "unsigned long long"
typedef unsigned long long superlong;

// make "str" a synonym for "char*"
typedef char *str;

// make "Point" a synonym for "struct point_st { ... }"
// make "PointPtr" a synonym for "struct point_st*"
typedef struct point_st {
    superlong x;
    superlong y;
} Point, *PointPtr; // similar syntax to "int n, *p;"

Point origin = {0, 0};
```

Dynamically-allocated Structs

- ❖ You can **malloc** and **free** structs, just like other data type
 - **sizeof** is particularly helpful here

```
// a complex number is a + bi
typedef struct complex_st {
    double real;    // real component
    double imag;   // imaginary component
} Complex, *ComplexPtr;

// note that ComplexPtr is equivalent to Complex*
ComplexPtr AllocComplex(double real, double imag) {
    Complex* retval = (Complex*) malloc(sizeof(Complex));
    if (retval != NULL) {
        retval->real = real;
        retval->imag = imag;
    }
    return retval;
}
```

complexstruct.c

Structs as Arguments

- ❖ Structs are passed by value, like everything else in C
 - Entire struct is copied – where?
 - To manipulate a struct argument, pass a pointer instead

```
typedef struct point_st {
    int x, y;
} Point, *PointPtr;

void DoubleXBroken(Point p)    { p.x *= 2; }

void DoubleXWorks(PointPtr p) { p->x *= 2; }

int main(int argc, char** argv) {
    Point a = {1,1};
    DoubleXBroken(a);
    printf("( %d, %d) \n", a.x, a.y);    // prints: ( 1, 1 )
    DoubleXWorks(&a);
    printf("( %d, %d) \n", a.x, a.y);    // prints: ( 2, 1 )
    return 0;
}
```

Returning Structs

- ❖ Exact method of return depends on calling conventions
 - Often in `%rax` and `%rdx` for small structs
 - Often returned in memory for larger structs

```
// a complex number is a + bi
typedef struct complex_st {
    double real;    // real component
    double imag;   // imaginary component
} Complex, *ComplexPtr;

Complex MultiplyComplex(Complex x, Complex y) {
    Complex retval;

    retval.real = (x.real * y.real) - (x.imag * y.imag);
    retval.imag = (x.imag * y.real) - (x.real * y.imag);
    return retval; // returns a copy of retval
}
```

`complexstruct.c`

Pass Copy of Struct or Pointer?

- ❖ Value passed: passing a pointer is cheaper and takes less space unless struct is small
- ❖ Field access: indirect accesses through pointers are a bit more expensive and can be harder for compiler to optimize
- ❖ For small structs (like `struct complex_st`), passing a copy of the struct can be faster and often preferred; for large structs use pointers

Extra Exercise #1

- ❖ Write a program that defines:
 - A new structured type Point
 - Represent it with `floats` for the x and y coordinates
 - A new structured type Rectangle
 - Assume its sides are parallel to the x-axis and y-axis
 - Represent it with the bottom-left and top-right Points
 - A function that computes and returns the area of a Rectangle
 - A function that tests whether a Point is inside of a Rectangle

Extra Exercise #2

- ❖ Implement `AllocSet()` and `FreeSet()`
 - `AllocSet()` needs to use `malloc` twice: once to allocate a new `ComplexSet` and once to allocate the “points” field inside it
 - `FreeSet()` needs to use `free` twice

```
typedef struct complex_st {
    double real;      // real component
    double imag;     // imaginary component
} Complex;

typedef struct complex_set_st {
    double    num_points_in_set;
    Complex* points; // an array of Complex
} ComplexSet;

ComplexSet* AllocSet(Complex c_arr[], int size);
void FreeSet(ComplexSet* set);
```