

C++ Standard Template Library

CSE 333 Autumn 2019

Instructor: Hannah C. Tang

Teaching Assistants:

Dao Yi

Farrell Fileas

Lukas Joswiak

Nathan Lipiarski

Renshu Gu

Travis McGaha

Yibo Cao

Yifan Bai

Yifan Xu



pollev.com/cse333

About how long did Homework 2 take?

- A. 0-6 Hours
- B. 6-12 Hours
- C. 12-18 Hours
- D. 18-24 Hours
- E. 24+ Hours
- F. I haven't finished yet / I prefer not to say

Administrivia

- ❖ Midterm in 1 week. Fri, Nov 1 – right here!
 - You can bring ONE double-sided notes sheet; we'll provide a reference sheet too
 - Covers up to Wednesday (templates). So you can 😴 today!
 - Old exams on course website
 - Review in section next week
- ❖ HW3 released on Monday, due Thu Nov **14**
 - Yes, that's an entire 🍷 extra 7 days! 🍷

Lecture Outline

- ❖ **Intro to Standard Template Library (STL)**
- ❖ STL vector
- ❖ STL: Iterators
- ❖ STL: Algorithms

C++'s Standard Library

- ❖ C++'s Standard Library consists of four major pieces:
 - 1) The entire C standard library
 - 2) C++'s input/output stream library
 - `std::cin`, `std::cout`, `stringstreams`, `fstreams`, etc.
 - 3) C++'s standard template library (STL) 
 - Containers, iterators, algorithms (sort, find, etc.), numerics
 - 4) C++'s miscellaneous library
 - Strings, exceptions, memory allocation, localization

STL Containers 😊

- ❖ A **container** is an object that stores (in memory) a collection of other objects (“elements”)
 - Implemented as class templates, so hugely flexible
 - More info in *C++ Primer* §9.1-2 (sequential), 11.1-2 (associative)
- ❖ Several different classes of container
 - Sequence containers (`vector`, `deque`, `list`, ...)
 - Associative containers (`set`, `map`, `multiset`, `multimap`, `bitset`, ...)
 - Differ in algorithmic cost and supported operations
 - STL containers are defined in terms of their requirements, not by their implementation.

STL Containers ☹️

- ❖ STL containers store by *value*, not by *reference*
 - When you insert an object, the container makes a *copy*
 - If the container needs to rearrange objects, it makes copies
 - e.g. if you sort a `vector`, it will make many, many copies
 - e.g. if you insert into a `map`, that may trigger several copies
- ❖ What if you don't want this?
 - eg, copying is expensive (Rule of 3!)
 - eg, you've disabled copies (Avoiding the Insanity!)
 - You can insert a wrapper object with a pointer to the “real” object
 - We'll learn about these “smart pointers” soon

Our Tracer Class

- ❖ Contains a unique `int id_` (increasing from 0) and history of all its copies/assignments
- ❖ Definitions can be found in `Tracer.h` and `Tracer.cc`
 - Default ctor, cctor, dtor, `op=`, `op<` defined
 - `friend` function `operator<<` defined
 - Prints itself as `"(id_, {previous ids})"`
 - Last id in the list is its "original id"
- ❖ Useful for tracing behaviors of containers
 - All methods print identifying messages
 - Unique `id_` allows you to follow individual instances

Lecture Outline

- ❖ Intro to Standard Template Library (STL)
- ❖ **STL vector**
- ❖ STL: Iterators
- ❖ STL: Algorithms

STL *vector*

- ❖ *Requirement*: Random access is $\mathcal{O}(1)$ time
 - Also: adding/removing from the end is cheap (amortized constant time)

- ❖ *Therefore*: A generic, dynamically resizable array
 - <http://www.cplusplus.com/reference/stl/vector/vector/>
 - Corollaries:
 - Elements are stored in *contiguous* memory locations
 - Elements can be accessed using pointer arithmetic if you'd like
 - But it's better style to use iterators
 - Inserting/deleting from the middle or start is expensive (linear time)

vector/Tracer Example

vectorfun.cc

```

#include <iostream>
#include <vector> ← include
#include "Tracer.h"

using namespace std;

int main(int argc, char** argv) {
    Tracer a, b, c;
    i) vector<Tracer> vec;

    cout << "vec.push_back: " << a << endl;
    ii) vec.push_back(a); ← inserts COPIES
    cout << "vec.push_back: " << b << endl;
    iii) vec.push_back(b);
    cout << "vec.push_back: " << c << endl;
    iv) vec.push_back(c);

    cout << "vec[0]: " << vec[0] << endl;
    cout << "vec[2]: " << vec[2] << endl;

    return EXIT_SUCCESS;
}

```

a (0, 23)


b (1, 23)

c (2, 23)

vec	a copy	b copy	c copy
-----	-----------	-----------	-----------

subscripting

Why All the Copying?



• Total of 9 traces created as a result of all the resizing

vector impl. detail: default constructor for contained type is NOT required. This vector has capacity for one more instance, but has NOT called default constructor

Lecture Outline

- ❖ Intro to Standard Template Library (STL)
- ❖ STL vector
- ❖ **STL: Iterators**
- ❖ STL: Algorithms

STL iterator (1 of 2)

- ❖ Each container class has an associated **iterator** class (e.g. `vector<int>::iterator`) used to iterate through elements of the container *and also a `const_iterator`*
 - <http://www.cplusplus.com/reference/std/iterator/>
 - All can be incremented (`++`), copied, copy-constructed, and compared (`==`, `!=`)
- ❖ **Iterator range** is from `begin` up to `end`
 - i.e., `[begin, end)`. `end` is one past the last container element!

STL iterator (2 of 2)

- ❖ Some iterators support more operations than others
 - Some can be dereferenced on RHS (e.g. `x = *it;`)
 - Some can be dereferenced on LHS (e.g. `*it = x;`)
 - Some can be decremented (`--`)
 - Some support random access (`[], +, -, +=, -=, <, >` operators)
 - ❖ Iterator functionality depends on the underlying container!
- const_iterator does not define this operator*

iterator Example

vectoriterator.cc

```
#include <vector>

#include "Tracer.h"

using namespace std;

int main(int argc, char** argv) {
    Tracer a, b, c;
    vector<Tracer> vec;

    vec.push_back(a);
    vec.push_back(b);
    vec.push_back(c);

    cout << "Iterating:" << endl;
    for (vector<Tracer>::iterator it = vec.begin();
         it < vec.end(); it++) {
        cout << *it << endl;
    }
    cout << "Done iterating!" << endl;
    return EXIT_SUCCESS;
}
```

end() is PAST the end, so we need < instead of <=

Iterators that don't define < can use "it != container.end()"

Type Inference (C++11)

- ❖ The `auto` keyword can be used to infer types
 - Simplifies your life if, for example, using complicated types
 - The expression using `auto` **must** be explicitly initialized so the compiler can make inference

```
// Calculate and return a vector  
// containing all factors of n  
std::vector<int> Factors(int n);  
  
void foo(void) {  
    // Manually identified type  
    std::vector<int> facts1 =  
        Factors(324234);  
  
    // Inferred type  
    auto facts2 = Factors(12321);  
  
    // Compiler error here  
    auto facts3;  
}
```

auto and Iterators

- ❖ Life becomes much simpler!

```
for (vector<Tracer>::iterator it = vec.begin(); it < vec.end(); it++) {  
    cout << *it << endl;  
}
```



```
for (auto it = vec.begin(); it < vec.end(); it++) {  
    cout << *it << endl;  
}
```

Range-for Statement (C++11)

- ❖ Syntactic sugar similar to Java's `foreach`

```
for ( declaration : expression ) {  
    statements  
}
```

- *declaration* defines loop variable
- *expression* is an object representing a sequence
 - Strings, initializer lists, arrays with an explicit length defined, STL containers that support iterators

```
// Prints out a string, one  
// character per line  
std::string str("hello");  
  
for ( auto c : str ) {  
    std::cout << c << std::endl;  
}
```

Updated iterator Example

vectoriterator_2011.cc

```
#include <vector>

#include "Tracer.h"

using namespace std;

int main(int argc, char** argv) {
    Tracer a, b, c;
    vector<Tracer> vec;

    vec.push_back(a);
    vec.push_back(b);
    vec.push_back(c);

    cout << "Iterating:" << endl;
    // "auto" is a C++11 feature not available on older compilers
    // Could also do for (auto p : vec)
    for (const auto& p : vec) {
        cout << p << endl;
    }
    cout << "Done iterating!" << endl;
    return EXIT_SUCCESS;
}
```

reduces one itr copy (but itr copy is cheap)

hint to the compiler you want const_iterator

Lecture Outline

- ❖ Intro to Standard Template Library (STL)
- ❖ STL vector
- ❖ STL: Iterators
- ❖ **STL: Algorithms**

STL Algorithms

- ❖ A set of functions to be used on ranges of elements
 - **Range**: any sequence that can be accessed through *iterators* or *pointers*, like arrays or most of the containers
 - General form: `algorithm(begin, end, ...);`
- ❖ Algorithms operate directly on range *elements* rather than the containers they live in
 - Make use of elements' copy ctor, =, ==, !=, <
 - Some do not modify elements
 - e.g. **find, count, for_each, min_element, binary_search**
 - Some do modify elements
 - e.g. **sort, transform, copy, swap**

Algorithms Example

vectoralgos.cc

```
#include <vector>
#include <algorithm>
#include "Tracer.h"
using namespace std;

void PrintOut(const Tracer& p) {
    cout << " printout: " << p << endl;
}

int main(int argc, char** argv) {
    Tracer a, b, c;
    vector<Tracer> vec;
    vec.push_back(c);
    vec.push_back(a);
    vec.push_back(b);

    cout << "sort:" << endl;
    sort(vec.begin(), vec.end());
    cout << "done sort!" << endl;

    for_each(vec.begin(), vec.end(), &PrintOut);
    return 0;
}
```


Copying For sort

- destruction
- assignment
- copy constructor

a | (0, {3})

b | (1, {3})

c | (2, {3})



Note: only the first comparison shown here
more comparisons + swaps necessary to sort entire vec

Iterator Question

- ❖ Write a function **OrderNext** () that takes a `vector<Tracer>` iterator and then does the compare-and-possibly-swap operation we saw in **sort** () on that element and the one *after* it
 - Hint: Iterators behave similarly to pointers!
 - Example: **OrderNext** (`vec.begin` ()) should order the first 2 elements of `vec`

Extra Exercise #1

- ❖ Using the `Tracer.h/.cc` files from lecture:
 - Construct a vector of lists of Tracers
 - *i.e.* a `vector` container with each element being a `list` of `Tracers`
 - Observe how many copies happen 😊
 - Use the sort algorithm to sort the vector
 - Use the `list.sort()` method to sort each list