

# CSE 333 Section AB

Const, References & Make! (w/ Yifan & Travis)

# Logistics

Due Friday:

Exercise 8 @ 11 am

Due Monday:

Exercise 9 @ 11 am

Due Thursday 10/24:

Homework 2 @ 9 pm



# References & Const review




# Example

Similar in syntax to the \*  
in pointer declarations

- Consider the following code:

```
int x = 5;  
int &refx = x;  
int *ptrx = &x;
```




## Legend

**Red Thing** = “can’t change  
the box it’s next to”  
**Black** = “writeable/readable”

# Example

- Consider the following code:

```
int x = 5;  
int &refx = x;  
int *ptrx = &x;  
const int &ro_refx = x;  
const int *ro_ptr1 = &x;  
int *const ro_ptr2 = &x;
```



“Const pointer to an int”

“Pointer to a const int”

**Tip:** Read the declaration “right-to-left”

**Legend**


**Red Thing** = “can’t change the box it’s next to”

**Black** = “writeable/readable”

# Example

- Consider the following code:

```
int x = 5;
int &refx = x;
int *ptrx = &x;
const int &ro_refx = x;
const int *ro_ptr1 = &x;
int *const ro_ptr2 = &x;
```



When would you prefer this...

```
void func(int &arg);
```

...to this? Vice-Versa?

```
void func(int *arg);
```


## Legend

**Red Thing** = "can't change  
the box it's next to"  
**Black** = "writeable/readable"

# Example

- Consider the following code:

```
int x = 5;
int &refx = x;
int *ptrx = &x;
const int &ro_refx = x;
const int *ro_ptr1 = &x;
int *const ro_ptr2 = &x;
```



Which results in a compiler error?

```
bar(refx);
bar(ro_refx);
foo(refx);
```


## Legend

**Red Thing** = "can't change the box it's next to"  
**Black** = "writable/readable"

# Example

- Consider the following code:

```
int x = 5;
int &refx = x;
int *ptrx = &x;
const int &ro_refx = x;
const int *ro_ptr1 = &x;
int *const ro_ptr2 = &x;
```



**Which results in a compiler error?**

```
ro_ptr1 = (int*)0xDEADBEEF;
ptrx = &ro_refx;
ro_ptr2 = ro_ptr2 + 2;
*ro_ptr1 = *ro_ptr1 + 1;
```

## Legend

**Red Thing** = "can't change the box it's next to"  
**Black** = "writable/readable"



What about “const” object methods?

```
#ifndef _POINT_H_
#define _POINT_H_

class Point {
public:
    Point(const int x, const int y); // cons
    int get_x() const { return x_; } // incl
    int get_y() const { return y_; } // incl
    double Distance(const Point& p) const;
    void SetLocation(const int x, const int y);

private:
    int x_; // data member
    int y_; // data member
}; // class Point

#endif // _POINT_H_
```

**Cannot** mutate the  
object it's called on!

# Summary

- Pointers vs. References:

Pointers	References
Can move to different data via reassignment/pointer arithmetic	References the same data for its entire lifetime
Can be initialized to NULL	No sensible “default reference”
“datatype *const ptr” is good style for output parameters within functions ( <i>Unchangeable pointers pointing to changeable data</i> )	“const datatype &ref” is good style for passing in input values to a function ( <i>Read-only values without copying memory</i> )

- Const:

- **Tip:** Read the declaration “right-to-left”.
- Prevent yourself (and clients) from changing data that doesn’t make sense to change!

# Worksheet Time

## 2) What does the following program print out? Hint: box-and-arrow diagram!

```
int main(int argc, char** argv) {
    int x = 1;          // assume &x = 0x7ff...94
    int& rx = x;
    int* px = &x;
    int*& rpx = px;

    rx = 2;
    *rpx = 3;
    px += 4;
    cout << " x: " << x << endl;
    cout << " rx: " << rx << endl;
    cout << "*px: " << *px << endl;
    cout << " &x: " << &x << endl;
    cout << "rpx: " << rpx << endl;
    cout << "*rpx: " << *rpx << endl;


    return 0;
}
```

## 2) What does the following program print out? Hint: box-and-arrow diagram!

```
int main(int argc, char** argv) {
    int x = 1;          // assume &x = 0x7ff...94
    int& rx = x;
    int* px = &x;
    int*& rpx = px;

    rx = 2;
    *rpx = 3;
    px += 4;
    cout << " x: " << x << endl;    // x: 3
    cout << " rx: " << rx << endl;   // rx: 3
    cout << "*px: " << *px << endl;  // *px: ??? (garbage)
    cout << " &x: " << &x << endl;  // &x: 0x7ff...94
    cout << "rpx: " << rpx << endl;  // rpx: 0x7ff...a4
    cout << "*rpx: " << *rpx << endl; // *rpx = *px: ??? (garbage)

    return 0;
}
```



```
struct Thing {
    int a;
    bool b;
};

void PrintThing(const Thing& t) {
    cout << boolalpha << "Thing:  " << t.a << ", " << t.b << endl;
}

int main() {
    Thing foo = {5, true};
    cout << "(0) ";
    PrintThing(foo);

    cout << "(1) ";
    ???(foo);    // mystery 1
    PrintThing(foo);

    cout << "(2) ";
    ???(&foo);   // mystery 2
    PrintThing(foo);

    cout << "(3) ";
    ???(foo);   // mystery 3
    PrintThing(foo);

    return 0;
}
```

#### Possible Functions:

```
void f1(Thing t);
void f2(Thing &t);
void f3(Thing *t);
void f4(const Thing &t);
void f5(const Thing t);
```

#### Program Output:

```
(0) Thing:  5, true
(1) Thing:  6, false
(2) Thing:  3, true
(3) Thing:  3, true
```

```

struct Thing {
    int a;
    bool b;
};

void PrintThing(const Thing& t) {
    cout << boolalpha << "Thing: " << t.a << ", " << t.b << endl;
}

int main() {
    Thing foo = {5, true};
    cout << "(0) ";
    PrintThing(foo);

    cout << "(1) ";
    ???(foo); // mystery 1 : f2
    PrintThing(foo);

    cout << "(2) ";
    ???(&foo); // mystery 2 : f3
    PrintThing(foo);

    cout << "(3) ";
    ???(foo); // mystery 3 : f1, f2, f4, or f5
    PrintThing(foo);

    return 0;
}

```

### Possible Functions:

```

void f1(Thing t);
void f2(Thing &t);
void f3(Thing *t);
void f4(const Thing &t);
void f5(const Thing t);

```

### Program Output:

```

(0) Thing: 5, true
(1) Thing: 6, false
(2) Thing: 3, true
(3) Thing: 3, true

```



# Makefiles, how do they work?

MakeFile Format:

```
target:  src1 src2 ... srcN  
        command/commands
```

Can type “make <target>” it will attempt to build the target.

// attempts to build by running the supplied commands

- If the target file doesn't exist, it is rebuilt.
- If a sources are “older” than the target, it will not be rebuilt.
- If a source doesn't exist or has been updated, target is rebuilt.
- Make will recursively check that sources are up to date.

# Makefiles, Phony targets

MakeFile Format:

```
target: src1 src2 ... srcN  
    command/commands
```

Phony Target: If we list a target, but the command provided doesn't make a file with the target's name

all: <List all executables>

// no need to provide a command

clean:

rm <all files we want to delete>

# Makefiles

MakeFile Format:

```
target:  src1 src2 ... srcN  
        command/commands
```

The most important part is drawing the dependencies

- .cc files and .h are sources, should not be targets
- .o files are compiled from .cc files, depend on the source .cc and included .h files
- Executables need intermediate .o files if using multiple source .cc files  
Otherwise, can be compiled directly from sources.

Point.h	<pre>class Point { ... };</pre>
UsePoint.cc	<pre>#include "Point.h" #include "Thing.h" int main( ... ) { ... }</pre>
UseThing.cc	<pre>#include "Thing.h" int main( ... ) { ... }</pre>

Point.cc	<pre>#include "Point.h" // defs of methods</pre>
Thing.h	<pre>struct Thing { ... }; // full struct def here</pre>
Alone.cc	<pre>int main( ... ) { ... }</pre>

