

C++ Inheritance I

CSE 333 Spring 2019

Instructor: Justin Hsia

Teaching Assistants:

Aaron Johnston

Andrew Hu

Daniel Snitkovskiy

Forrest Timour

Kevin Bi

Kory Watson

Pat Kosakanchit

Renshu Gu

Tarkan Al-Kazily

Travis McGaha

Administrivia

- ❖ No exercise released today!
 - Next exercise on inheritance released on Wednesday

- ❖ hw3 is due in two Thursdays (5/23)
 - Get started early!
 - Section this week will also help you get started

- ❖ Midterm grading: scores released
 - Exam and sample solution posted on website
 - Submit regrade requests via Gradescope for *each* subquestion
 - These go to different graders
 - Regrade requests open until end of Thursday (5/16)

Overview of Next Two Lectures

❖ C++ inheritance

- **Review of basic idea** (pretty much the same as in Java)
- What's different in C++ (compared to Java)
 - **Static vs. dynamic dispatch – virtual functions and vtables** (optional)
 - Pure virtual functions, abstract classes, why no Java “interfaces”
 - Assignment slicing, using class hierarchies with STL
- Casts in C++

- ❖ Reference: *C++ Primer*, Chapter 15

Stock Portfolio Example

- ❖ A portfolio represents a person's financial investments
 - Each *asset* has a cost (*i.e.* how much was paid for it) and a market value (*i.e.* how much it is worth)
 - The difference between the cost and market value is the *profit* (or loss)
 - Different assets compute market value in different ways
 - A **stock** that you own has a ticker symbol (*e.g.* "GOOG"), a number of shares, share price paid, and current share price
 - A **dividend stock** is a stock that also has dividend payments
 - **Cash** is an asset that never incurs a profit or loss

(Credit: thanks to Marty Stepp for this example)

Design Without Inheritance

- ❖ One class per asset type:

Stock
symbol_ total_shares_ total_cost_ current_price_
GetMarketValue() GetProfit() GetCost()

DividendStock
symbol_ total_shares_ total_cost_ current_price_ dividends_
GetMarketValue() GetProfit() GetCost()

Cash
amount_
GetMarketValue()

- Redundant!
 - Cannot treat multiple investments together
 - *e.g.* can't have an array or `vector` of different assets
-
- ❖ See sample code in `initial.tar`

Inheritance

- ❖ A parent-child “is-a” relationship between classes
 - A child (**derived class**) extends a parent (**base class**)

- ❖ Terminology:

Java	C++
Superclass	Base Class
Subclass	Derived Class


- Mean the same things. You’ll hear both.

Inheritance

- ❖ A parent-child “is-a” relationship between classes
 - A child (**derived class**) extends a parent (**base class**)

- ❖ Benefits:
 - Code reuse
 - Children can automatically inherit code from parents
 - Polymorphism
 - Ability to redefine existing behavior but preserve the interface
 - Children can override the behavior of the parent
 - Others can make calls on objects without knowing which part of the inheritance tree it is in
 - Extensibility
 - Children can add behavior

Design With Inheritance



Like Java: Access Modifiers

- ❖ `public`: visible to all other classes
- ❖ `protected`: visible to current class and its *derived* classes
- ❖ `private`: visible only to the current class

- ❖ Use `protected` for class members only when
 - Class is designed to be extended by subclasses
 - Subclasses must have access but clients should not be allowed

Class Derivation List

- ❖ Comma-separated list of classes to inherit from:

```
#include "BaseClass.h"

class Name : public BaseClass {
    ...
};
```

- Focus on **single inheritance**, but *multiple inheritance* possible
- ❖ Almost always you will want **public inheritance**
 - Acts like `extends` does in Java
 - Any member that is non-private in the base class is the same in the derived class; both *interface and implementation inheritance*
 - Except that constructors, destructors, copy constructor, and assignment operator are *never* inherited

Back to Stocks

Stock
<code>symbol_</code> <code>total_shares_</code> <code>total_cost_</code> <code>current_price_</code>
<code>GetMarketValue()</code> <code>GetProfit()</code> <code>GetCost()</code>

BASE


DividendStock
<code>symbol_</code> <code>total_shares_</code> <code>total_cost_</code> <code>current_price_</code> <code>dividends_</code>
<code>GetMarketValue()</code> <code>GetProfit()</code> <code>GetCost()</code>

DERIVED

Polymorphism in C++

- ❖ In Java: `PromisedType var = new ActualType ();`
 - `var` is a reference (different term than C++ reference) to an object of `ActualType` on the Heap
 - `ActualType` must be the same class or a subclass of `PromisedType`
- ❖ In C++: `PromisedType *var_p = new ActualType ();`
 - `var_p` is a *pointer* to an object of `ActualType` on the Heap
 - `ActualType` must be the same or a derived class of `PromisedType`
 - (also works with references)
 - `PromisedType` defines the *interface* (i.e. what can be called on `var_p`), but `ActualType` may determine which *version* gets invoked

Back to Stocks



❖ A derived class:

- **Inherits** the behavior and state (specification) of the base class
- **Overrides** some of the base class' member functions (opt.)
- **Extends** the base class with new member functions, variables (opt.)

Dynamic Dispatch (like Java)

- ❖ Usually, when a derived function is available for an object, we want the derived function to be invoked
 - This requires a *run time* decision of what code to invoke
- ❖ A member function invoked on an object should be the *most-derived function* accessible to the object's visible type
 - Can determine what to invoke from the *object* itself
- ❖ Example:
 - `void PrintStock (Stock *s) { s->Print (); }`
 - Calls the appropriate `Print ()` without knowing the actual type of `*s`, other than it is some sort of `Stock`

Requesting Dynamic Dispatch (C++)

- ❖ Prefix the member function declaration with the `virtual` keyword
 - Derived/child functions don't need to repeat `virtual`, but was traditionally good style to do so
 - This is how method calls work in Java (no virtual keyword needed)
 - You almost always want functions to be virtual
- ❖ `override` keyword (C++11)
 - Tells compiler this method should be overriding an inherited virtual function – *always* use if available
 - Prevents overloading vs. overriding bugs
- ❖ Both of these are technically *optional* in derived classes
 - Be consistent and follow local conventions

Dynamic Dispatch Example

- ❖ When a member function is invoked on an object:
 - The *most-derived function* accessible to the object's visible type is invoked (decided at run time based on actual type of the object)

```
double DividendStock::GetMarketValue() const {  
    return get_shares() * get_share_price() + dividends_;  
}  
  
double "DividendStock"::GetProfit() const { // inherited  
    return GetMarketValue() - GetCost();  
}
```

DividendStock.cc

```
double Stock::GetMarketValue() const {  
    return get_shares() * get_share_price();  
}  
  
double Stock::GetProfit() const {  
    return GetMarketValue() - GetCost();  
}
```

Stock.cc

Dynamic Dispatch Example

```
#include "Stock.h"
#include "DividendStock.h"

DividendStock dividend();
DividendStock* ds = &dividend;
Stock* s = &dividend;    // why is this allowed?

// Invokes DividendStock::GetMarketValue()
ds->GetMarketValue();

// Invokes DividendStock::GetMarketValue()
s->GetMarketValue();

// invokes Stock::GetProfit(), since that method is inherited.
// Stock::GetProfit() invokes DividendStock::GetMarketValue(),
// since that is the most-derived accessible function.
s->GetProfit();
```

Most-Derived

```
class A {
public:
    // Foo will use dynamic dispatch
    virtual void Foo();
};

class B : public A {
public:
    // B::Foo overrides A::Foo
    virtual void Foo();
};

class C : public B {
    // C inherits B::Foo()
};
```

```
void Bar() {
    A* a_ptr;
    C c;

    a_ptr = &c;

    // Whose Foo() is called?
    a_ptr->Foo();
}
```

Practice Question

- ❖ Whose **Foo** () is called?
 - Vote at <http://PollEv.com/justinh>

- | | Q1 | Q2 |
|----|---------------|----|
| A. | A | B |
| B. | A | D |
| C. | B | B |
| D. | B | D |
| E. | We're lost... | |

```
void Bar() {
    A* a_ptr;
    C c;
    E e;

    // Q1:
    a_ptr = &c;
    a_ptr->Foo();

    // Q2:
    a_ptr = &e;
    a_ptr->Foo();
}
```

```
class A {
public:
    virtual void Foo();
};

class B : public A {
public:
    virtual void Foo();
};

class C : public B {
};

class D : public C {
public:
    virtual void Foo();
};

class E : public C {
};
```

How Can This Possibly Work?

- ❖ The compiler produces `Stock.o` from *just* `Stock.cc`
 - It doesn't know that `DividendStock` exists during this process
 - So then how does the emitted code know to call `Stock::GetMarketValue()` or `DividendStock::GetMarketValue()` or something else that might not exist yet?
 - **Function pointers!!!**

Stock.h

```
virtual double Stock::GetMarketValue() const;  
virtual double Stock::GetProfit() const;
```


```
double Stock::GetMarketValue() const {  
    return get_shares() * get_share_price();  
}  
  
double Stock::GetProfit() const {  
    return GetMarketValue() - GetCost();  
}
```

Stock.cc

vtables and the vptr

- ❖ If a class contains *any* virtual methods, the compiler emits:
 - A (single) virtual function table (**vtable**) for *the class*
 - Contains a function pointer for each virtual method in the class
 - The pointers in the vtable point to the most-derived function for that class
 - A virtual table pointer (**vptr**) for *each object instance*
 - A pointer to a virtual table as a “hidden” member variable
 - When the object’s constructor is invoked, the vptr is initialized to point to the vtable for the object’s class
 - Thus, the vptr “remembers” what class the object is

351 Throwback: Dynamic Dispatch



Java:

```
Point p = ???;
return p.samePlace(q);
```

C pseudo-translation:

```
// works regardless of what p is
return p->vtable[1](p, q);
```

vtable/vptr Example

```
class Base {
public:
    virtual void f1();
    virtual void f2();
};

class Der1 : public Base {
public:
    virtual void f1();
};

class Der2 : public Base {
public:
    virtual void f2();
};
```

```
Base b;
Der1 d1;
Der2 d2;


Base* b0ptr = &b;
Base* b1ptr = &d1;
Base* b2ptr = &d2;

b0ptr->f1(); //
b0ptr->f2(); //

b1ptr->f1(); //
b1ptr->f2(); //

d2.f1(); //
b2ptr->f1(); //
b2ptr->f2(); //
```

vtable/vptr Example



```

Base b;
Der1 d1;
Der2 d2;

Base* b2ptr = &d2;

d2.f1();
// d2.vptr -->
// Der2.vtable.f1 -->
// Base::f1()

b2ptr->f1();
// b2ptr -->
// d2.vptr -->
// Der2.vtable.f1 -->
// Base::f1()
    
```


Let's Look at Some Actual Code

- ❖ Let's examine the following code using `objdump`
 - `g++ -Wall -g -std=c++11 -o vtable vtable.cc`
 - `objdump -CDS vtable > vtable.d`

`vtable.cc`

```
class Base {
public:
    virtual void f1();
    virtual void f2();
};

class Der1 : public Base {
public:
    virtual void f1();
};

int main(int argc, char** argv) {
    Der1 d1;
    d1.f1();
    Base* bptr = &d1;
    bptr->f1();
}
```

More to Come Next Time!

- ❖ Any lingering questions?