Networking Introduction CSE 333 Spring 2020

Instructor: Hal Perkins

Teaching Assistants:

Ramya Challa Greg Guo Travis McGaha Cosmo Wang Haoran Yu

Mengqui Chen Zachary Keyes Arjun Singh Yifan Xu Velocity Yu John Depaszthory CJ Lin Guramrit Singh Robin Yang

Administrivia

No exercises due for a while!

- First networking exercise out next Thursday, due following Monday
 - DNS and TCP client-side (covered in class/sections next week); somewhat longer than usual exercise, but good warmup for hw4
- hw3 due next Thursday night
 - Usual reminders: don't forget to tag, then be sure to clone elsewhere and recompile / retest
 - Usual latedays apply (*if* you have any left be sure to check)

Administrivia

- Rest of the quarter:
 - Topics: Networking; Concurrency, Processes, and Threads
 - A few more exercises (~3)
 - Networking client side, server side, concurrency
 - hw4: file-search web server
 - Out next week; due Thursday, June 4 (last week of classes)
 - Demo in class next week


Lecture Outline

- ***** Introduction to Networks
 - Layers upon layers upon layers...




more awesome pictures at THEMETAPICTURE.COM

Networks From 10,000 ft



The Physical Layer


- Individual bits are modulated onto a wire or transmitted over radio
 - Physical layer specifies how bits are encoded at a signal level
 - Many choices, e.g., encode "1" as +1v, "0" as -0v; or "0"=+1v, "1"=-1v, ...






The Data Link Layer

- Multiple computers on a LAN contend for the network medium
 - Media access control (MAC) specifies how computers cooperate
 - Link layer also specifies how bits are "packetized" and network interface controllers (NICs) are addressed




The Network Layer (IP)

- Internet Protocol (IP) routes packets across multiple networks
 - Every computer has a unique IP address
 - Individual networks are connected by routers that span networks




The Network Layer (IP)

- There are protocols to:
 - Let a host map an IP to MAC address on the same network
 - Let a router learn about other routers to get IP packets one step closer to their destination




The Network Layer (IP)

- Packet encapsulation:
 - An IP packet is encapsulated as the payload of an Ethernet frame
 - As IP packets traverse networks, routers pull out the IP packet from an Ethernet frame and plunk it into a new one on the next network




The Transport Layer (TCP)

- Transmission Control Protocol (TCP):
 - Provides applications with reliable, ordered, congestion-controlled byte streams
 - Sends stream data as multiple IP packets (differentiated by sequence numbers) and retransmits them as necessary
 - When receiving, puts packets back in order and detects missing packets
 - A single host (IP address) can have up to 2¹⁶ = 65,535 "ports"
 - Kind of like an apartment number at a postal address (your applications are the residents who get mail sent to an apt. #)




The Transport Layer (TCP)

Packet encapsulation – one more nested layer!




The Transport Layer (TCP)

- Applications use OS services to establish TCP streams:
 - The "Berkeley sockets" API
 - A set of OS system calls
 - Clients connect() to a server IP address + application port number
 - Servers listen() for and accept() client connections
 - Clients and servers read() and write() data to each other




The Transport Layer (UDP)

- User Datagram Protocol (UDP):
 - Provides applications with *unreliable* packet delivery
 - UDP is a really thin, simple layer on top of IP
 - Datagrams still are fragmented into multiple IP packets




The (Mostly Missing) Layers 5 & 6


- Layer 5: Session Layer
 - Supposedly handles establishing and terminating application sessions
 - Remote Procedure Call (RPC) kind of fits in here
- Layer 6: Presentation Layer
 - Supposedly maps application-specific data units into a more networkneutral representation
 - Encryption (SSL) kind of fits in here



- Application protocols
 - The format and meaning of messages between application entities
 - <u>Example</u>: HTTP is an application-level protocol that dictates how web browsers and web servers communicate
 - HTTP is implemented *on top of* TCP streams



Packet encapsulation:



Packet encapsulation:

ethernet	TCP	HTTP	HTTP payload
header IP header	header	header	(<i>e.g.</i> chunk of HTML page)

- Popular application-level protocols:
 - DNS: translates a domain name (*e.g.* <u>www.google.com</u>) into one or more IP addresses (*e.g.* 74.125.197.106)
 - <u>D</u>omain <u>N</u>ame <u>System</u>
 - An hierarchy of DNS servers cooperate to do this
 - **HTTP:** web protocols
 - <u>Hypertext Transfer Protocol</u>
 - SMTP, IMAP, POP: mail delivery and access protocols
 - <u>Secure Mail Transfer Protocol, Internet Message Access Protocol, Post Office</u>
 <u>Protocol</u>
 - SSH: secure remote login protocol
 - <u>Secure Shell</u>
 - bittorrent: peer-to-peer, swarming file sharing protocol

netcat demo (if time)

- netcat (nc) is "a computer networking utility for reading from and writing to network connections using TCP or UDP"
 - https://en.wikipedia.org/wiki/Netcat
 - Listen on port: nc -l <port>
 - Connect: nc <IPaddr> <port>
 - Local host: 127.0.0.1

The Future of Networking?

