

C++ Inheritance

Exercise:

1) Inheritance & Virtual Function

Consider the following program, which does compile and execute with no errors, except that it leaks memory (which doesn't matter for this question).

```
#include <iostream>
using namespace std;


class A {
public:
    virtual void f1() { f2(); cout << "A::f1" << endl;
    } void f2() { cout << "A::f2" << endl; }
};

class B: public A {
public:
    virtual void f3() { f1(); cout << "B::f3" << endl;
    } virtual void f2() { cout << "B::f2" << endl; }
};

class C: public B {
public:
    void f1() { f2(); cout << "C::f1" << endl; }
};

int main() {
    A* aa = new A();
    B* bb = new B();
    A* ab = bb;
    A* ac = new C();
    aa->f1();
    cout << "----" << endl;
    bb->f1();
    cout << "----" << endl;
    bb->f2();
    cout << "----" << endl;
    ab->f2();
    cout << "----" << endl;
    bb->f3();
    cout << "----" << endl;
    ac->f1();
    return EXIT_SUCCESS;
}
```

(a) Complete the diagram below by adding the remaining objects and all of the additional pointers needed to link variables, objects, virtual function tables, and function bodies. Be sure that the order of pointers in the virtual function tables is clear (i.e., which one is first, then next, etc.). One of the objects and a couple of the pointers are already included to help you get started.



Notes: The vtable for B could reverse the order of the f2 and f3 pointers – that is arbitrary. But the same order must then be used in C’s vtable. The f1 pointer must appear first in all three vtables. No vtable contains a pointer to A : : f2 since that function is not virtual.

(b) Write the output produced when this program is executed. If the output doesn’t fit in one column in the space provided, write multiple vertical columns showing the output going from top to bottom, then successive columns to the right.

```

A : : f2
A : : f1
----
A : : f2
A : : f1
----
B : : f2
----
A : : f2
----
A : : f2
A : : f1
B : : f3
----
B : : f2
C : : f1

```

Ex2.Virtual holidays! Consider the following C++ program, which does compile and execute successfully.

```

#include <iostream>
using namespace std;

class One {
public:
    void m1() { cout << "H"; }
    virtual void m2() { cout << "l"; }
    virtual void m3() { cout << "p"; }
};

class Two: public One {
public:
    virtual void m1() { cout << "a"; }
    void m2() { cout << "d"; } virtual
    void m3() { cout << "y"; } virtual
        void m4() { cout << "p"; }
};

class Three: public Two
{ public:
    void m1() { cout << "o"; }
    void m2() { cout << "i"; }
    void m3() { cout << "s"; }
    void m4() { cout << "!"; }
};

int main() {
    Two t;
    Three th;
    One *op = &t;
    Two *tp = &th;
    Three *thp = &th;

    op->m1();
    tp->m1();
    op->m3();
    op->m3();
    tp->m3();

    op->m1();
    thp->m1();
    op->m2();
    thp->m2();
    tp->m2();
    tp->m1();
    tp->m3();
    thp->m3();
    tp->m4();
    cout << endl;
}

```

(a) (8 points) On the next page, complete the diagram showing all of the variables, objects, virtual method tables (vtables) and functions in this program. Parts of the diagram are supplied for you. **Do not remove** this page from the exam.


(b) (6 points) What does this program print when it executes?

HoyysHodiioss

(c) (6 points) Modify the above program by removing and/or adding the `virtual` keyword in appropriate place(s) so that the modified program prints `HappyHolidays!` (including the `!` at the end). Draw a line through the `virtual` keyword where it should be deleted and write in `virtual` where it needs to be added. Do not make any other changes to the program. Any correct solution will receive full credit.

(Changes shown above in bold green)

Ex2. (cont.) Draw your answer to part (a) here. Complete the vtable diagram below. Draw arrows to show pointers from variables to objects, from objects to vtables, and from vtable slots to functions. Note that there may be more slots provided in the blank vtables than you actually need. Leave any unused slots blank.



Notes: The pointers in **One's** vtable can be in either order – the first slot could point to **m3** and the second one to **m2**. **BUT:** once that choice is made, the first two vtable slots in **Two's** and **Three's** vtables must point to the appropriate versions of the same two functions in the same order as **One's** vtable. **Two's** vtable pointer to **m1** must follow those slots, and **Three's** vtable slots must have exactly the same order.

Functions that are not virtual do not have pointers to them in vtables.

Objects contain only a single pointer to the correct vtable, not multiple pointers to multiple functions or other extra data.

C++ Templates

Exercise:

3) Templates & Things

This C++ code defines a class that implements a linked list of integers and a small main program that uses it. Convert the `List` class below into a template that can store lists of any values, not just `ints` (*i.e.* use the template parameter `T` instead of `int`). Mark the necessary changes directly on the code (including in `main`).

```
#include <iostream>
using namespace std;

template <class T>
class List {
public:
    // construct empty list
    List() : head_(nullptr) { }

    // add new node with value n to the front of the
list virtual void add(int T n) {
        Link *p = new Link(n,
            head_); head_ = p;
    }

private:
    struct Link { // nodes for the linked list
        int T val;

        Link * next;
        Link(int T n, Link* nxt): val(n), next(nxt) { }
    };
    // List instance variable
    Link * head_; // head of list or nullptr if list is empty
}; // end of List class

int main() {
    Listint <int> nums;
    nums.add(1);
    nums.add(2);
    return EXIT_SUCCESS;
}
```

C++'s Standard Library

Exercises:

4) Standard Template Library

Complete the function `ChangeWords` below. This function has as inputs a vector of strings, and a map of `<string, string>` key-value pairs. The function should return a new `vector<string>` value (not a pointer) that is a copy of the original vector except that every string in the original vector that is found as a key in the map should be replaced by the corresponding value from that key-value pair.

Example: if vector `words` is `{"the", "secret", "number", "is", "xlii"}` and map `subs` is `{{"secret", "magic"}, {"xlii", "42"}}`, then `ChangeWords(words, subs)` should return a new vector `{"the", "magic", "number", "is", "42"}`.

Hint: Remember that if `m` is a map, then referencing `m[k]` will insert a new key-value pair into the map if `k` is not already a key in the map. You need to be sure your code doesn't alter the map by adding any new key-value pairs. (Technical nit: `subs` is not a const parameter because you might want to use its `operator[]` in your solution, and `[]` is not a const function. It's fine to use `[]` as long as you don't actually change the contents of the map `subs`.)

Write your code below. Assume that all necessary headers have already been written for you.

```
using namespace std;

vector<string> ChangeWords(const vector<string> &words,
                          map<string, string> &subs) {

    vector<string> result;
    for (auto &word : words) {
        if (subs.find(word) != subs.end()) {
            result.push_back(subs[word]);
        } else {
            result.push_back(word);
        }
    }
    return result;
}
```

5) STL Debugging

Here is a little program that has a small class `Thing` and main function (assume that necessary `#includes` and `using namespace std;` are included).

```
class Thing {
public:
    Thing(int n): n_(n) { }
    int getThing() const { return n_; }
    void setThing(int n) { n_ = n; }
private:
    int n_;
};

int main() {
    Thing t(17);
    vector<Thing> v;
    v.push_back(t);
}
```

This code compiled and worked as expected, but then we added the following two lines of code (plus the appropriate `#include <set>`):

```
set<Thing> s;
s.insert(t);
```

The second line (`s.insert(t)`) failed to compile and produced dozens of spectacular compiler error messages, all of which looked more-or-less like this (edited to save space):

```
In file included from string:48:0, from bits/locale_classes.h:40, from
bits/ios_base.h:41, from ios:42, from ostream:38, from /iostream:39, from
thing.cc:3: bits/stl_function.h: In instantiation of 'bool
std::less<_Tp>::operator()(const _Tp&, const _Tp&) const [with _Tp =
Thing]': <<many similar lines omitted>> thing.cc:37:13: required from here
bits/stl_function.h:
387: 20: error: no match for 'operator<' (operand types are 'const Thing'
and 'const Thing') { return __x < __y; }
```

What on earth is wrong? Somehow class `Thing` doesn't work with `set<Thing>` even though `insert` is the correct function to use here. (a) What is the most likely reason, and (b) what would be needed to fix the problem? (Be brief but precise – you don't need to write code in your answer, but you can if that helps make your explanation clear.)

STL has to compare them using `operator<`. Add an appropriate `operator<` as either a member function in `Thing`, or as a free-standing function that compares two `Thing&` parameters.