

CSE 333 Reference Sheet (Midterm)

C Library Header – stdio.h

```
FILE          // type of object containing info to control a stream

FILE* fopen (const char* filename, const char* mode);
int   fclose (FILE* stream);
int   fprintf (FILE* stream, const char* format, ...);
char* fgets (char* str, int num, FILE* stream);
size_t fread (void* ptr, size_t size, size_t count, FILE* stream);
size_t fwrite (const void* ptr, size_t size, size_t count, FILE* stream);
void  perror (const char* str);
int   perror (FILE* stream);           // returns non-zero if error on stream
```

C Library Header – stdlib.h

```
EXIT_SUCCESS // success termination code
EXIT_FAILURE // failure termination code

void* malloc (size_t size);
void* calloc (size_t num, size_t size); // zero-initialized block
void* realloc (void* ptr, size_t size); // change size of mem block *ptr
void  free (void* ptr);                // does nothing when ptr = NULL
void  exit (int status);              // terminate calling process
```

C Library Header – string.h

```
size_t strlen (const char* str);           // # of chars, not including '\0'

char* strcpy (char* dst, const char* src);    // copy chars
char* strcat (char* dst, const char* src);    // append chars
int   strcmp (const char* str1, const char* str2); // compare strings

• Versions that take a third parameter size_t num: strncpy(), strncat(), strncmp()
```

C Library Header – math.h

```
INFINITY      // Infinity
NAN           // Not-A-Number

float abs (float x);                      // absolute value
float pow (float base, float exp);        // base raised to the power exp
float sqrt (float x);                     // square root
float ceil (float x);                     // round up (towards +∞)
float floor (float x);                    // round down (towards -∞)

• All of these functions are overloaded to work with double, too
```

POSIX Library Headers – fcntl.h, unistd.h, dirent.h

```
O_RDONLY      // read-only flag
O_WRONLY      // write-only flag
O_RDWR        // read-write flag
O_APPEND      // append (add to end) flag
DIR           // type representing a directory stream

int          open (char* pathname, int flags, ...);           // open a file
int          close (int fd);                                // close a file
ssize_t      read (int fd, void* buf, size_t count);       // read from file
ssize_t      write (int fd, const void* buf, size_t count); // write to file

DIR*         opendir (const char* dirname);                // open a directory
int          closedir (DIR* dirp);                          // close a directory
struct dirent* readdir (DIR* dirp);                        // read a directory
```

Error Library – errno.h

```
errno         // # of the last error, usually checked against defined consts

EACCES        // permission denied
EBADF         // bad file/directory descriptor
EFAULT        // bad address supplied
EINTR         // interrupted function
EISDIR        // is a directory
ENOTDIR       // is not a directory
```

C++ Memory Allocation

```
new           // allocate space for type, return pointer
new[]         // allocate space for array of type, return pointer
delete        // deallocate space indicated by pointer
delete[]      // deallocate space of array indicated by pointer
```

Format Specifiers

Specifier	Type
d / i	signed decimal integer
u	unsigned decimal int
x	unsigned hexadecimal integer
f	decimal floating point
c	character
s	string of characters
p	pointer address

Streams

<stdio.h>	POSIX	<iostream>
stdin	0	std::cin
stdout	1	std::cout
stderr	2	std::cerr