

# C++ References, Const, Classes

CSE 333 Fall 2022

**Instructor:** Hal Perkins

**Teaching Assistants:**

Nour Ayad

Frank Chen

Nick Durand

Dylan Hartono

Humza Lala

Kenzie Mihardja

Benedict Soesanto

Chanh Truong

Justin Tysdal

Tanay Vakharia

Timmy Yang

# Administrivia

- ❖ No new exercise today – get ahead on hw2; longer exercise coming Friday, due Monday morning
- ❖ Sections this week: makefiles, then C++ classes, references, const
- ❖ Homework 2 due next Thursday (10/27)
  - Note: `libhw1.a` (yours or ours) needs to be in correct directory (`hw1/`) for hw2 to build
  - Use Ctrl-D on a line by itself to exit `searchshell`; must free all allocated memory
  - Test on directory of small self-made files
  - Valgrind takes a *long* time on the full `test_tree`. Try using `enron docs only` or other small test data directory

# Lecture Outline

- ❖ **C++ References**
- ❖ `const` in C++
- ❖ C++ Classes Intro

# Pointers Reminder

Note: Arrow points to *next* instruction.

- ❖ A **pointer** is a variable containing an address
  - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
  - These work the same in C and C++

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int* z = &x;  
  
    *z += 1;  
    x += 1;  
  
    z = &y;  
    *z += 1;  
  
    return EXIT_SUCCESS;  
}
```




pointer.cc

# Pointers Reminder

Note: Arrow points to *next* instruction.

- ❖ A **pointer** is a variable containing an address
  - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
  - These work the same in C and C++

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int* z = &x;  
  
    *z += 1;  
    x += 1;  
  
    z = &y;  
    *z += 1;  
  
    return EXIT_SUCCESS;  
}
```




pointer.cc

# Pointers Reminder

Note: Arrow points to *next* instruction.

- ❖ A **pointer** is a variable containing an address
  - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
  - These work the same in C and C++

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int* z = &x;  
  
    *z += 1; // sets x to 6  
    x += 1;  
  
    z = &y;  
    *z += 1;  
  
    return EXIT_SUCCESS;  
}
```




pointer.cc

# Pointers Reminder

Note: Arrow points to *next* instruction.

- ❖ A **pointer** is a variable containing an address
  - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
  - These work the same in C and C++

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int* z = &x;  
  
    *z += 1; // sets x to 6  
    x += 1; // sets x (and *z) to 7  
  
    z = &y;  
    *z += 1;  
  
    return EXIT_SUCCESS;  
}
```



pointer.cc

# Pointers Reminder

Note: Arrow points to *next* instruction.


- ❖ A **pointer** is a variable containing an address
  - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
  - These work the same in C and C++

```
int main(int argc, char** argv) {
    int x = 5, y = 10;
    int* z = &x;

    *z += 1; // sets x to 6
    x += 1; // sets x (and *z) to 7

    z = &y; // sets z to the address of y
    *z += 1;

    return EXIT_SUCCESS;
}
```



pointer.cc



# Pointers Reminder

Note: Arrow points to *next* instruction.


- ❖ A **pointer** is a variable containing an address
  - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
  - These work the same in C and C++

```
int main(int argc, char** argv) {
    int x = 5, y = 10;
    int* z = &x;

    *z += 1; // sets x to 6
    x += 1; // sets x (and *z) to 7

    z = &y; // sets z to the address of y
    *z += 1; // sets y (and *z) to 11

    return EXIT_SUCCESS;
}
```



pointer.cc

# References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
  - *Alias*: another name that is bound to the aliased variable
    - Mutating a reference *is* mutating the aliased variable
  - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int& z = x;  
  
    z += 1;  
    x += 1;  
  
    z = y;  
    z += 1;  
  
    return EXIT_SUCCESS;  
}
```

<b>x</b>	5
----------	---

<b>y</b>	10
----------	----

reference.cc

# References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
  - *Alias*: another name that is bound to the aliased variable
    - Mutating a reference *is* mutating the aliased variable
  - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int& z = x; // binds the name "z" to x  
    z += 1;  
    x += 1;  
  
    z = y;  
    z += 1;  
  
    return EXIT_SUCCESS;  
}
```

<b>x, z</b>	5
-------------	---

<b>y</b>	10
----------	----

reference.cc

# References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
  - *Alias*: another name that is bound to the aliased variable
    - Mutating a reference *is* mutating the aliased variable
  - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {
    int x = 5, y = 10;
    int& z = x; // binds the name "z" to x

    z += 1; // sets z (and x) to 6
    x += 1;

    z = y;
    z += 1;

    return EXIT_SUCCESS;
}
```

<b>x, z</b>	6
-------------	---

<b>y</b>	10
----------	----

reference.cc

# References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
  - *Alias*: another name that is bound to the aliased variable
    - Mutating a reference *is* mutating the aliased variable
  - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int& z = x; // binds the name "z" to x  
  
    z += 1; // sets z (and x) to 6  
    x += 1; // sets x (and z) to 7  
  
    z = y;  
    z += 1;  
  
    return EXIT_SUCCESS;  
}
```

<b>x, z</b>	7
-------------	---

<b>y</b>	10
----------	----

reference.cc

# References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
  - *Alias*: another name that is bound to the aliased variable
    - Mutating a reference *is* mutating the aliased variable
  - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int& z = x; // binds the name "z" to x  
  
    z += 1; // sets z (and x) to 6  
    x += 1; // sets x (and z) to 7  
  
    z = y; // sets z (and x) to the value of y  
    z += 1;  
  
    return EXIT_SUCCESS;  
}
```

<b>x, z</b>	10
-------------	----

<b>y</b>	10
----------	----

reference.cc

# References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
  - *Alias*: another name that is bound to the aliased variable
    - Mutating a reference *is* mutating the aliased variable
  - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {
    int x = 5, y = 10;
    int& z = x; // binds the name "z" to x

    z += 1; // sets z (and x) to 6
    x += 1; // sets x (and z) to 7

    z = y; // sets z (and x) to the value of y
    z += 1; // sets z (and x) to 11

    return EXIT_SUCCESS;
}
```

<b>x, z</b>	<b>11</b>
-------------	-----------

<b>y</b>	10
----------	----

reference.cc

# Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real *pass-by-reference*
  - Client passes in an argument with normal syntax
    - Function uses reference parameters with normal syntax
    - Modifying a reference parameter modifies the caller's argument!

```
void swap(int& x, int& y) {  
    int tmp = x;  
    x = y;  
    y = tmp;  
}  
  
int main(int argc, char** argv) {  
    int a = 5, b = 10;  
    swap(a, b);  
    cout << "a: " << a << "; b: " << b << endl;  
    return EXIT_SUCCESS;  
}
```

(main) <b>a</b>	5
-----------------	---

(main) <b>b</b>	10
-----------------	----



# Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real *pass-by-reference*
  - Client passes in an argument with normal syntax
    - Function uses reference parameters with normal syntax
    - Modifying a reference parameter modifies the caller's argument!

```
void swap(int& x, int& y) {  
→ int tmp = x;  
  x = y;  
  y = tmp;  
}  
  
int main(int argc, char** argv) {  
  int a = 5, b = 10;  
  
  swap(a, b);  
  cout << "a: " << a << "; b: " << b << endl;  
  return EXIT_SUCCESS;  
}
```

(main) <b>a</b>	5
(swap) <b>x</b>	

(main) <b>b</b>	10
(swap) <b>y</b>	

(swap) <b>tmp</b>	
-------------------	--

# Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real *pass-by-reference*
  - Client passes in an argument with normal syntax
    - Function uses reference parameters with normal syntax
    - Modifying a reference parameter modifies the caller's argument!

```
void swap(int& x, int& y) {  
    int tmp = x;  
    x = y;  
    y = tmp;  
}  
  
int main(int argc, char** argv) {  
    int a = 5, b = 10;  
  
    swap(a, b);  
    cout << "a: " << a << "; b: " << b << endl;  
    return EXIT_SUCCESS;  
}
```

(main) <b>a</b>	5
(swap) <b>x</b>	

(main) <b>b</b>	10
(swap) <b>y</b>	

(swap) <b>tmp</b>	<b>5</b>
-------------------	----------

# Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real *pass-by-reference*
  - Client passes in an argument with normal syntax
    - Function uses reference parameters with normal syntax
    - Modifying a reference parameter modifies the caller's argument!

```
void swap(int& x, int& y) {  
    int tmp = x;  
    x = y;  
    y = tmp;  
}  
  
int main(int argc, char** argv) {  
    int a = 5, b = 10;  
  
    swap(a, b);  
    cout << "a: " << a << "; b: " << b << endl;  
    return EXIT_SUCCESS;  
}
```

(main) <b>a</b>	10
(swap) <b>x</b>	

(main) <b>b</b>	10
(swap) <b>y</b>	

(swap) <b>tmp</b>	5
-------------------	---

# Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real *pass-by-reference*
  - Client passes in an argument with normal syntax
    - Function uses reference parameters with normal syntax
    - Modifying a reference parameter modifies the caller's argument!

```
void swap(int& x, int& y) {  
    int tmp = x;  
    x = y;  
    y = tmp;  
}  
  
int main(int argc, char** argv) {  
    int a = 5, b = 10;  
  
    swap(a, b);  
    cout << "a: " << a << "; b: " << b << endl;  
    return EXIT_SUCCESS;  
}
```

(main) <b>a</b>	10
(swap) <b>x</b>	

(main) <b>b</b>	<b>5</b>
(swap) <b>y</b>	

(swap) <b>tmp</b>	5
-------------------	---

# Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real *pass-by-reference*
  - Client passes in an argument with normal syntax
    - Function uses reference parameters with normal syntax
    - Modifying a reference parameter modifies the caller's argument!

```
void swap(int& x, int& y) {
    int tmp = x;
    x = y;
    y = tmp;
}

int main(int argc, char** argv) {
    int a = 5, b = 10;

    swap(a, b);
    cout << "a: " << a << "; b: " << b << endl;
    return EXIT_SUCCESS;
}
```

(main) <b>a</b>	10
-----------------	----

(main) <b>b</b>	5
-----------------	---

# Lecture Outline

- ❖ C++ References
- ❖ **const in C++**
- ❖ C++ Classes Intro

# const

- ❖ `const`: this cannot be changed/mutated
  - Used *much* more in C++ than in C
  - Signal of intent to compiler; meaningless at hardware level
    - Results in compile-time errors

```
void BrokenPrintSquare(const int& i) {  
    i = i*i; // compiler error here!  
    std::cout << i << std::endl;  
}  
  
int main(int argc, char** argv) {  
    int j = 2;  
    BrokenPrintSquare(j);  
    return EXIT_SUCCESS;  
}
```

brokenpassbyrefconst.cc

# const and Pointers

- ❖ Pointers can change data in two different contexts:
  - 1) You can change the value of the pointer (what it points to)
  - 2) You can change the thing the pointer points to (via dereference)
  
- ❖ `const` can be used to prevent either/both of these behaviors!
  - `const` next to pointer name means you can't change the value of the pointer
  - `const` next to data type pointed to means you can't use this pointer to change the thing being pointed to
  - Tip: read variable declaration from *right-to-left*



# const and Pointers

❖ The syntax with pointers is confusing:

```
int main(int argc, char** argv) {
    int x = 5;           // int
    const int y = 6;    // (const int)
    y++;                // compiler error

    const int *z = &y;  // pointer to a (const int)
    *z += 1;           // compiler error
    z++;               // ok

    int *const w = &x;  // (const pointer) to a (variable int)
    *w += 1;           // ok
    w++;               // compiler error

    const int *const v = &x; // (const pointer) to a (const int)
    *v += 1;           // compiler error
    v++;               // compiler error

    return EXIT_SUCCESS;
}
```

# const Parameters

- ❖ A const parameter *cannot* be mutated inside the function
  - Therefore it does not matter if the argument can be mutated or not
- ❖ A non-const parameter *could* be mutated inside the function
  - It would be BAD if you could pass it a const var
  - Illegal regardless of whether *or not* the function actually tries to change the var

```
void foo(const int* y) {
    std::cout << *y << std::endl;
}

void bar(int* y) {
    std::cout << *y << std::endl;
}

int main(int argc, char** argv) {
    const int a = 10;
    int b = 20;

    foo(&a);    // OK
    foo(&b);    // OK
    bar(&a);    // not OK - error
    bar(&b);    // OK

    return EXIT_SUCCESS;
}
```

# Google Style Guide Convention

- ❖ Use `const` references or call-by-value for input values
  - Particularly for large values, use references (no copying)
- ❖ Use pointers for output parameters
- ❖ List input parameters first, then output parameters last

```
void CalcArea(const int& width, const int& height,  
              int* const area) {  
    *area = width * height;  
}  
  
int main(int argc, char** argv) {  
    int w = 10, h = 20, a;  
    CalcArea(w, h, &a);  
    return EXIT_SUCCESS;  
}
```

ordinary int (not int&)  
probably better here,  
but shows how const  
ref can be used

styleguide.cc

# When to Use References?

- ❖ A stylistic choice, not mandated by the C++ language
- ❖ Google C++ style guide suggests:
  - Input parameters:
    - Either use values (for primitive types like `int` or small structs/objects)
    - Or use `const` references (for complex struct/object instances)
  - Output parameters:
    - Use `const` pointers
      - Unchangeable pointers referencing changeable data

# Lecture Outline

- ❖ C++ References
- ❖ `const` in C++
- ❖ **C++ Classes Intro**

# Classes

## ❖ Class definition syntax (in a .h file):

```
class Name {  
    public:  
        // public member declarations & definitions go here  
  
    private:  
        // private member delarations & definitions go here  
}; // class Name
```

- Members can be functions (methods) or data (variables)

## ❖ Class member function definition syntax (in a .cc file):

```
retType Name::MethodName(type1 param1, ..., typeN paramN) {  
    // body statements  
}
```

- (1) *define* within the class definition or (2) *declare* within the class definition and then *define* elsewhere

# Class Organization

- ❖ It's a little more complex than in C when modularizing with `struct` definition:
  - Class definition is part of interface and should go in `.h` file
    - Private members still must be included in definition (!)
  - Usually put member function definitions into companion `.cc` file with implementation details
    - Common exception: setter and getter methods
  - These files can also include **non-member functions** that use the class (more about this later)
- ❖ Unlike Java, you can name files anything you want
  - But normally `Name.cc` and `Name.h` for `class Name`

# Class Definition (.h file)

Point.h

```
#ifndef _POINT_H_
#define _POINT_H_

class Point {
public:
    Point(const int x, const int y);    // constructor
    int get_x() const { return x_; }    // inline member function
    int get_y() const { return y_; }    // inline member function
    double Distance(const Point& p) const;    // member function
    void SetLocation(const int x, const int y); // member function

private:
    int x_; // data member
    int y_; // data member
}; // class Point

#endif // _POINT_H_
```



# Class Member Definitions (.cc file)

Point.cc

```
#include <cmath>
#include "Point.h"

Point::Point(const int x, const int y) {
    x_ = x;
    this->y_ = y; // "this->" is optional unless name conflicts
}

double Point::Distance(const Point& p) const {
    // We can access p's x_ and y_ variables either through the
    // get_x(), get_y() accessor functions or the x_, y_ private
    // member variables directly, since we're in a member
    // function of the same class.
    double distance = (x_ - p.get_x()) * (x_ - p.get_x());
    distance += (y_ - p.y_) * (y_ - p.y_);
    return sqrt(distance);
}

void Point::SetLocation(const int x, const int y) {
    x_ = x;
    y_ = y;
}
```

# Class Usage (.cc file)

usepoint.cc

```
#include <iostream>
#include "Point.h"

using namespace std;

int main(int argc, char** argv) {
    Point p1(1, 2); // allocate a new Point on the Stack
    Point p2(4, 6); // allocate a new Point on the Stack

    cout << "p1 is: (" << p1.get_x() << ", ";
    cout << p1.get_y() << ")" << endl;

    cout << "p2 is: (" << p2.get_x() << ", ";
    cout << p2.get_y() << ")" << endl;

    cout << "dist : " << p1.Distance(p2) << endl;
    return 0;
}
```

# Reading Assignment

- ❖ Before next time, you **must read** the sections in *C++ Primer* covering class constructors, copy constructors, assignment (`operator=`), and destructors
  - Ignore “move semantics” for now
  - The table of contents and index are your friends...
  - Should we start class with a “quiz” next time?
    - Topic: if we write `C x = y;` or `C x(y);` or `x=y;` or `C x;` , which is called:  
(i) constructor, (ii) copy constructor, (iii) assignment operator, ...
  - Seriously – the next lecture will make a **lot** more sense if you’ve done some background reading ahead of time
    - Don’t worry whether it all makes sense the first time you read it – it won’t! The goal is to be aware of what the main issues are....

# Extra Exercise #1

- ❖ Write a C++ program that:
  - Has a class representing a 3-dimensional point
  - Has the following methods:
    - Return the inner product of two 3D points
    - Return the distance between two 3D points
    - Accessors and mutators for the  $x$ ,  $y$ , and  $z$  coordinates

## Extra Exercise #2

- ❖ Write a C++ program that:
  - Has a class representing a 3-dimensional box
    - Use your Extra Exercise #1 class to store the coordinates of the vertices that define the box
    - Assume the box has right-angles only and its faces are parallel to the axes, so you only need 2 vertices to define it
  - Has the following methods:
    - Test if one box is inside another box
    - Return the volume of a box
    - Handles `<<`, `=`, and a copy constructor
    - Uses `const` in all the right places