Networking Introduction CSE 333 Spring 2022

Instructor: Hal Perkins

Teaching Assistants:

Esau Abraham	Nour Ayad	Ramya Challa
Cleo Chen	Sanjana Chintalapati	Dylan Hartono
Kenzie Mihardja	Brenden Page	Aakash bin Srazali
Justin Tysdal	Julia Wang	Timmy Yang

Administrivia

- No exercises due for a while!
 - First networking exercise out next Thursday, due the following Monday
 - DNS and TCP client-side (covered in class/sections next week); somewhat longer than usual exercise, but needed warmup for hw4
- hw3 due next Thursday, 11 pm
 - Usual reminders: don't forget to tag, then be sure to clone elsewhere and recompile / retest
 - Usual latedays apply (*if* you have any left don't run over)

Administrivia

- Rest of the quarter:
 - Topics: Networking; Concurrency, Processes, and Threads
 - A few more exercises (~3)
 - Networking client side, server side, concurrency
 - hw4: file-search web server
 - Out next week; due Thursday, June 2 (last week of classes)
 - Demo in class next Friday


Lecture Outline

- *** Introduction to Networks**
 - Layers upon layers upon layers...





Networks From 10,000 ft




clients

servers


The Physical Layer

- Individual bits are modulated onto a wire or transmitted over radio
 - Physical layer specifies how bits are encoded at a signal level
 - Many choices, e.g., encode "1" as +1v, "0" as -0v; or "0"=+1v, "1"=-1v, ...



The Data Link Layer


- Multiple computers on a LAN contend for the network medium
 - Media access control (MAC) specifies how computers cooperate
 - Link layer also specifies how bits are "packetized" and network interface controllers (NICs) are addressed



address

ethernet header


address



ethernet payload


The Network Layer (IP)

- Internet Protocol (IP) routes packets across multiple networks
 - Every computer has a unique IP address
 - Individual networks are connected by routers that span networks




The Network Layer (IP)

- There are protocols to:
 - Let a host map an IP to MAC address on the same network
 - Let a router learn about other routers to get IP packets one step closer to their destination




- Packet encapsulation:
 - An IP packet is encapsulated as the payload of an Ethernet frame
 - As IP packets traverse networks, routers pull out the IP packet from an Ethernet frame and plunk it into a new one on the next network




The Transport Layer (TCP)

- Transmission Control Protocol (TCP):
 - Provides applications with reliable, ordered, congestion-controlled byte streams
 - Sends stream data as multiple IP packets (differentiated by sequence numbers) and retransmits them as necessary
 - When receiving, puts packets back in order and detects missing packets
 - A single host (IP address) can have up to 2¹⁶ = 65,535 "ports"
 - Kind of like an apartment number at a postal address (your applications are the residents who get mail sent to an apt. #)




The Transport Layer (TCP)

Packet encapsulation – one more nested layer!




The Transport Layer (TCP)

- Applications use OS services to establish TCP streams:
 - The "Berkeley sockets" API
 - A set of OS system calls
 - Clients connect() to a server IP address + application port number
 - Servers listen() for and accept() client connections
 - Clients and servers read() and write() data to each other




The Transport Layer (UDP)

- User Datagram Protocol (UDP):
 - Provides applications with unreliable packet delivery
 - UDP is a really thin, simple layer on top of IP
 - Datagrams still are fragmented into multiple IP packets




The (Mostly Missing) Layers 5 & 6


- Layer 5: Session Layer
 - Supposedly handles establishing and terminating application sessions
 - Remote Procedure Call (RPC) kind of fits in here
- Layer 6: Presentation Layer
 - Supposedly maps application-specific data units into a more networkneutral representation
 - Encryption (SSL) kind of fits in here



- Application protocols
 - The format and meaning of messages between application entities
 - <u>Example</u>: HTTP is an application-level protocol that dictates how web browsers and web servers communicate
 - HTTP is implemented *on top of* TCP streams



Packet encapsulation:



Packet encapsulation:

ethernet IP header TCP HTTP HTTP payload header IP header header (<i>e.g.</i> chunk of HTML page)

- Popular application-level protocols:
 - DNS: translates a domain name (*e.g.* <u>www.google.com</u>) into one or more IP addresses (*e.g.* 74.125.197.106)
 - <u>D</u>omain <u>N</u>ame <u>System</u>
 - An hierarchy of DNS servers cooperate to do this
 - **HTTP:** web protocols
 - <u>Hypertext Transfer Protocol</u>
 - **SMTP, IMAP, POP:** mail delivery and access protocols
 - <u>Secure Mail Transfer Protocol</u>, <u>Internet Message Access Protocol</u>, <u>Post Office</u> <u>Protocol</u>
 - SSH: secure remote login protocol
 - <u>Secure Sh</u>ell
 - bittorrent: peer-to-peer, swarming file sharing protocol

- netcat (nc) is "a computer networking utility for reading from and writing to network connections using TCP or UDP"
 - https://en.wikipedia.org/wiki/Netcat
 - Listen on port: nc -l <port>
 - Connect: nc <IPaddr> <port>
 - Local host: 127.0.0.1

The Future of Networking?

