IP Addresses, DNS CSE 333 Spring 2022

Instructor: Hal Perkins

Teaching Assistants:

Esau Abraham Nour Ayad Ramya Challa

Cleo Chen Sanjana Chintalapati Dylan Hartono

Kenzie Mihardja Brenden Page Aakash bin Srazali

Justin Tysdal Julia Wang Timmy Yang

Lecture Outline

- Network Programming
 - Sockets API
 - Network Addresses
 - DNS Lookup

Files and File Descriptors


- * Remember open(), read(), write(), and
 close()?
 - POSIX system calls for interacting with files
 - open () returns a file descriptor
 - An integer that represents an open file
 - This file descriptor is then passed to read(), write(), and close()
 - Inside the OS, the file descriptor is used to index into a table that keeps track of any OS-level state associated with the file, such as the file position

Networks and Sockets

- UNIX likes to make all I/O look like file I/O
 - You use read() and write() to communicate with remove computers over the network!
 - A file descriptor use for network communications is called a socket
 - Just like with files:
 - Your program can have multiple network channels open at once
 - You need to pass a file descriptor to read() and write() to let the
 OS know which network channel to use

File Descriptor Table





OS's File Descriptor Table for the Process

File Descriptor	Туре	Connection
0	pipe	stdin (console)
1	pipe	stdout (console)
2	pipe	stderr (console)
3	TCP socket	local: 128.95.4.33:80 remote: 44.1.19.32:7113
5	file	index.html
8	file	pic.png
9	TCP socket	local: 128.95.4.33:80 remote: 102.12.3.4:5544

Types of Sockets

- Stream sockets
 - For connection-oriented, point-to-point, reliable byte streams
 - Using TCP, SCTP, or other stream transports
- Datagram sockets
 - For connection-less, one-to-many, unreliable packets
 - Using UDP or other packet transports
- Raw sockets
 - For layer-3 communication (raw IP packet manipulation)


Stream Sockets

- Typically used for client-server communications
 - Client: An application that establishes a connection to a server
 - Server: An application that receives connections from clients
 - Can also be used for other forms of communication like peer-topeer

1) Establish connection:



2) Communicate:



3) Close connection:


Datagram Sockets

- Often used as a building block
 - No flow control, ordering, or reliability, so used less frequently
 - e.g. streaming media applications or DNS lookups

1) Create sockets:

host host
host

2) Communicate:



The Sockets API

- Berkeley sockets originated in 4.2BSD Unix (1983)
 - It is the standard API for network programming
 - Available on most OSs
 - Written in C
- POSIX Socket API
 - A slight update of the Berkeley sockets API
 - A few functions were deprecated or replaced
 - Better support for multi-threading was added

Socket API: Client TCP Connection

 We'll start by looking at the API from the point of view of a client connecting to a server over TCP

- There are five steps:
 - 1) Figure out the IP address and port to which to connect
 - 2) Create a socket
 - 3) Connect the socket to the remote server
 - 4) read() and write() data using the socket
 - 5) Close the socket

Step 1: Figure Out IP Address and Port

- Several parts:
 - Network addresses
 - Data structures for address info
 - DNS Doman Name System finding IP addresses

IPv4 Network Addresses

- An IPv4 address is a 4-byte tuple
 - For humans, written in "dotted-decimal notation"
 - *e.g.* **128.95.4.1** (80:5f:04:01 in hex)
- IPv4 address exhaustion
 - There are 2³² ≈ 4.3 billion IPv4 addresses
 - There are ≈ 7.6 billion people in the world (March 2018)
 - Last unassigned IPv4 addresses allocated during 2011 to 2019 in various parts of the world

IPv6 Network Addresses

- An IPv6 address is a 16-byte tuple
 - Typically written in "hextets" (groups of 4 hex digits)
 - Can omit leading zeros in hextets
 - Double-colon replaces consecutive sections of zeros
 - e.q. 2d01:0db8:f188:0000:0000:0000:0000:1f33
 - Shorthand: 2d01:db8:f188::1f33
 - Transition is still ongoing
 - IPv4-mapped IPv6 addresses
 - 128.95.4.1 mapped to ::ffff:128.95.4.1 or ::ffff:805f:401
 - This unfortunately makes network programming more of a headache

Linux Socket Addresses


- Structures, constants, and helper functions available in #include <arpa/inet.h>
- Addresses stored in network byte order (big endian)
- Converting between host and network byte orders:

```
uint32_t htonl(uint32_t hostlong);
```

- uint32 t ntohl(uint32 t netlong);
 - 'h' for host byte order and 'n' for network byte order
 - Also versions with 's' for short (uint16 t instead)
- How to handle both IPv4 and IPv6?
 - Use C structs for each, but make them somewhat similar
 - Use defined constants to differentiate when to use each: AF_INET for IPv4 and AF INET6 for IPv6


IPv4 Address Structures

struct sockaddr in:



IPv6 Address Structures

struct sockaddr in6:



Generic Address Structures

```
// A mostly-protocol-independent address structure.
// Pointer to this is parameter type for socket system calls.
struct sockaddr {
  sa family t sa family;  // Address family (AF * constants)
  char sa data[14]; // Socket address (size varies
                           // according to socket domain)
};
// A structure big enough to hold either IPv4 or IPv6 structs
struct sockaddr storage {
  sa family t ss family; // Address family
  // padding and alignment; don't worry about the details
  char ss pad1[ SS PAD1SIZE];
  int64 t ss align;
  char ss pad2[ SS PAD2SIZE];
};
```

 Commonly create struct sockaddr_storage, then pass pointer cast as struct sockaddr* to connect()

Address Conversion

```
* (int inet_pton(int af, const char* src, void* dst);
```

- Converts human-readable string representation ("presentation")
 to network byte ordered address
- Returns 1 (success), 0 (bad src), or -1 (error)

Address Conversion


Converts network addr in src into buffer dst of size size

```
#include <stdlib.h>
                                                         genstring.cc
#include <arpa/inet.h>
int main(int argc, char **argv) {
  struct sockaddr in6 sa6; // IPv6
  char astring[INET6 ADDRSTRLEN]; // IPv6
  // IPv6 string to sockaddr in6.
  inet pton(AF INET6, "2001:0db8:63b3:1::3490", &(sa6.sin6 addr));
  // sockaddr in6 to IPv6 string.
  inet ntop(AF INET6, &(sa6.sin6 addr), astring, INET6 ADDRSTRLEN);
  std::cout << astring << std::endl;</pre>
  return EXIT SUCCESS;
```

Domain Name System

- People tend to use DNS names, not IP addresses
 - The Sockets API lets you convert between the two
 - It's a complicated process, though:
 - A given DNS name can have many IP addresses
 - Many different IP addresses can map to the same DNS name
 - An IP address will reverse map into at most one DNS name
 - A DNS lookup may require interacting with many DNS servers
- ❖ You can use the Linux program "dig" to explore DNS
 - dig @server name type (+short)
 - server: specific name server to query
 - type: A (IPv4), AAAA (IPv6), ANY (includes all types)

DNS Hierarchy



Resolving DNS Names

- The POSIX way is to use getaddrinfo()
 - A complicated system call found in #include <netdb.h>

- Tell getaddrinfo() which host and port you want resolved
 - String representation for host: DNS name or IP address
- Set up a "hints" structure with constraints you want respected
- **getaddrinfo**() gives you a list of results packed into an "addrinfo" structure/linked list
 - Returns 0 on success; returns negative number on failure
- Free the struct addrinfo later using freeaddrinfo()

getaddrinfo

- getaddrinfo() arguments:
 - hostname domain name or IP address string

See dnsresolve.cc