

C++ References, Const, Classes

CSE 333 Fall 2023

Instructor: Chris Thachuk

Teaching Assistants:

Ann Baturytski

Humza Lala

Yuquan Deng

Alan Li

Noa Ferman

Leanna Mi Nguyen

James Froelich

Chanh Truong

Hannah Jiang

Jennifer Xu

Yegor Kuznetsov

Relevant Course Information (1/2)

- ❖ Exercise 4 due Wednesday by 10pm
 - Hardest exercise (Rating: 5)
- ❖ Exercise 5 due Thursday by 10 pm
 - “Lighter” exercise in C++ (Rating: 1)
- ❖ Homework 2 due October 30 by 10pm
 - File system crawler, indexer, and search engine
 - Note: libhw1.a (yours or ours) and the .h files from hw1 need to be in right directory (~yourgit/hw1/)
 - Note: use Ctrl-D to exit searchshell, test on directory of small self-made files

Relevant Course Information (2/2)

- ❖ Midterm information via Ed post tomorrow
 - Covers scope, format, sample midterms (if applicable)
 - Poll for interest on brief review session
 - If sufficient interest session will be held Monday, October 23rd @ 8pm on Zoom.

Lecture Outline

- ❖ C++ References
- ❖ const in C++
- ❖ C++ Classes Intro

Pointers Reminder

Note: Arrow points to *next* instruction.

- ❖ A **pointer** is a variable containing an address
 - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
 - These work the same in C and C++

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int* z = &x;  
  
    *z += 1;  
    x += 1;  
  
    z = &y;  
    *z += 1;  
  
    return EXIT_SUCCESS;  
}
```




Pointers Reminder

Note: Arrow points to *next* instruction.

- ❖ A **pointer** is a variable containing an address
 - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
 - These work the same in C and C++

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int* z = &x;  
  
    *z += 1;  
    x += 1;  
  
    z = &y;  
    *z += 1;  
  
    return EXIT_SUCCESS;  
}
```




Pointers Reminder

Note: Arrow points to *next* instruction.

- ❖ A **pointer** is a variable containing an address
 - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
 - These work the same in C and C++

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int* z = &x;  
  
    *z += 1; // sets x to 6  
    x += 1;  
  
    z = &y;  
    *z += 1;  
  
    return EXIT_SUCCESS;  
}
```




Pointers Reminder

Note: Arrow points to *next* instruction.

- ❖ A **pointer** is a variable containing an address
 - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
 - These work the same in C and C++

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int* z = &x;  
  
    *z += 1;    // sets x to 6  
    x += 1;    // sets x (and *z) to 7  
  
    z = &y;  
    *z += 1;  
  
    return EXIT_SUCCESS;  
}
```




Pointers Reminder

Note: Arrow points to *next* instruction.

- ❖ A **pointer** is a variable containing an address
 - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
 - These work the same in C and C++

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int* z = &x;  
  
    *z += 1; // sets x to 6  
    x += 1; // sets x (and *z) to 7  
  
    z = &y; // sets z to the address of y  
    *z += 1;  
  
    return EXIT_SUCCESS;  
}
```




Pointers Reminder

Note: Arrow points to *next* instruction.

- ❖ A **pointer** is a variable containing an address
 - Modifying the pointer *doesn't* modify what it points to, but you can access/modify what it points to by *dereferencing*
 - These work the same in C and C++

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int* z = &x;  
  
    *z += 1; // sets x to 6  
    x += 1; // sets x (and *z) to 7  
  
    z = &y; // sets z to the address of y  
    *z += 1; // sets y (and *z) to 11  
  
    return EXIT_SUCCESS;  
}
```



References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
 - *Alias*: another name that is bound to the aliased variable
 - Mutating a reference *is* mutating the aliased variable
 - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int& z = x;  
  
    z += 1;  
    x += 1;  
  
    z = y;  
    z += 1;  
  
    return EXIT_SUCCESS;  
}
```



x	5
---	---

y	10
---	----

References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
 - *Alias*: another name that is bound to the aliased variable
 - Mutating a reference *is* mutating the aliased variable
 - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int& z = x; // binds the name "z" to x  
  
    z += 1;  
    x += 1;  
  
    z = y;  
    z += 1;  
  
    return EXIT_SUCCESS;  
}
```



x, z	5
------	---

y	10
---	----

References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
 - *Alias*: another name that is bound to the aliased variable
 - Mutating a reference *is* mutating the aliased variable
 - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int& z = x; // binds the name "z" to x  
  
    z += 1; // sets z (and x) to 6  
    x += 1;  
  
    z = y;  
    z += 1;  
  
    return EXIT_SUCCESS;  
}
```



x, z	6
------	---


y	10
---	----

References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
 - *Alias*: another name that is bound to the aliased variable
 - Mutating a reference *is* mutating the aliased variable
 - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int& z = x; // binds the name "z" to x  
  
    z += 1; // sets z (and x) to 6  
    x += 1; // sets x (and z) to 7  
  
    z = y; //normal assignment!  
    z += 1;  
  
    return EXIT_SUCCESS;  
}
```



References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
 - *Alias*: another name that is bound to the aliased variable
 - Mutating a reference *is* mutating the aliased variable
 - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int& z = x; // binds the name "z" to x  
  
    z += 1; // sets z (and x) to 6  
    x += 1; // sets x (and z) to 7  
  
    z = y; // sets z (and x) to the value of y  
    z += 1;  
  
    return EXIT_SUCCESS;  
}
```



x, z	10
------	----

y	10
---	----

References

Note: Arrow points to *next* instruction.

- ❖ A **reference** is an alias for another variable
 - *Alias*: another name that is bound to the aliased variable
 - Mutating a reference *is* mutating the aliased variable
 - Introduced in C++ as part of the language

```
int main(int argc, char** argv) {  
    int x = 5, y = 10;  
    int& z = x; // binds the name "z" to x  
  
    z += 1; // sets z (and x) to 6  
    x += 1; // sets x (and z) to 7  
  
    z = y; // sets z (and x) to the value of y  
    z += 1; // sets z (and x) to 11  
  
    return EXIT_SUCCESS;  
}
```

x, z	11
------	----

y	10
---	----

Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real **pass-by-reference**
 - Client passes in an argument with normal syntax
 - Function uses reference parameters with normal syntax
 - Modifying a reference parameter modifies the caller's argument!

```
void Swap(int& x, int& y) {  
    int tmp = x;  
    x = y;  
    y = tmp;  
}  
  
int main(int argc, char** argv) {  
    int a = 5, b = 10;  
    Swap(a, b);  
    cout << "a: " << a << "; b: " << b << endl;  
    return EXIT_SUCCESS;  
}
```

(main) a 5


(main) b 10

Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real **pass-by-reference**
 - Client passes in an argument with normal syntax
 - Function uses reference parameters with normal syntax
 - Modifying a reference parameter modifies the caller's argument!

```
void Swap(int& x, int& y) {  
    int tmp = x;  
    x = y;  
    y = tmp;  
}  
  
int main(int argc, char** argv) {  
    int a = 5, b = 10;  
  
    Swap(a, b);  
    cout << "a: " << a << "; b: " << b << endl;  
    return EXIT_SUCCESS;  
}
```




Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real **pass-by-reference**
 - Client passes in an argument with normal syntax
 - Function uses reference parameters with normal syntax
 - Modifying a reference parameter modifies the caller's argument!

```
void Swap(int& x, int& y) {  
    int tmp = x;  
    x = y;  
    y = tmp;  
}  
  
int main(int argc, char** argv) {  
    int a = 5, b = 10;  
  
    Swap(a, b);  
    cout << "a: " << a << "; b: " << b << endl;  
    return EXIT_SUCCESS;  
}
```




Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real **pass-by-reference**
 - Client passes in an argument with normal syntax
 - Function uses reference parameters with normal syntax
 - Modifying a reference parameter modifies the caller's argument!

```
void Swap(int& x, int& y) {  
    int tmp = x;  
    x = y;  
    y = tmp;  
}  
  
int main(int argc, char** argv) {  
    int a = 5, b = 10;  
  
    Swap(a, b);  
    cout << "a: " << a << "; b: " << b << endl;  
    return EXIT_SUCCESS;  
}
```



Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real **pass-by-reference**
 - Client passes in an argument with normal syntax
 - Function uses reference parameters with normal syntax
 - Modifying a reference parameter modifies the caller's argument!

```
void Swap(int& x, int& y) {  
    int tmp = x;  
    x = y;  
    y = tmp;  
  
}  
  
int main(int argc, char** argv) {  
    int a = 5, b = 10;  
  
    Swap(a, b);  
    cout << "a: " << a << "; b: " << b << endl;  
    return EXIT_SUCCESS;  
}
```



(main) a	10
(Swap) x	

(main) b	5
(Swap) y	5

(Swap) tmp	5
------------	---

Pass-By-Reference

Note: Arrow points to *next* instruction.

- ❖ C++ allows you to use real **pass-by-reference**
 - Client passes in an argument with normal syntax
 - Function uses reference parameters with normal syntax
 - Modifying a reference parameter modifies the caller's argument!

```
void Swap(int& x, int& y) {  
    int tmp = x;  
    x = y;  
    y = tmp;  
}  
  
int main(int argc, char** argv) {  
    int a = 5, b = 10;  
  
    Swap(a, b);  
    cout << "a: " << a << "; b: " << b << endl;  
    return EXIT_SUCCESS;  
}
```

(main) a 10

(main) b 5





Poll Everywhere


pollev.com/cse333

What will happen when we try to compile and run this code?

- A. Output "(1,2,3)"
- B. Output "(3,2,3)"
- C. Compiler error about arguments to Foo (in main)
- D. Compiler error about body of Foo
- E. We're lost...

poll1.cc

```
void Foo(int& x, int* y, int z) {  
    z = *y;  
    x += 2;  
    y = &x;  
}  
  
int main(int argc, char** argv) {  
    int a = 1;  
    int b = 2;  
    int& c = a;  
  
    Foo(a, &b, c);  
    std::cout << "(" << a << ", " << b  
        << ", " << c << ")" << std::endl;  
  
    return EXIT_SUCCESS;  
}
```



Lecture Outline

- ❖ C++ References
- ❖ **const** in C++
- ❖ C++ Classes Intro


const

- ❖ `const`: this cannot be changed/mutated
 - Used *much* more in C++ than in C
 - ★ Signal of intent to compiler; meaningless at hardware level
 - Results in compile-time errors

```
void BrokenPrintSquare(const int& i) {  
    i = i*i; // compiler error here!  
    std::cout << i << std::endl;  
}  
  
int main(int argc, char** argv) {  
    int j = 2;  
    BrokenPrintSquare(j);  
    return EXIT_SUCCESS;  
}
```

brokenpassbyrefconst.cc

const and Pointers

- ❖ Pointers can change data in two different contexts:
 - 1) You can change the value of the pointer $\text{int } x;$ $\text{int } *p = \&x;$ 
 - 2) You can change the thing the pointer points to (via dereference)
- ❖ const can be used to prevent either/both of these behaviors!
 - const next to pointer name means you can't change the value of the pointer $\text{int } * \text{const } p;$  X ✓
 - const next to data type pointed to means you can't use this pointer to change the thing being pointed to $\text{const } \text{int } *p;$  ✓ X
 - Tip: read variable declaration from *right-to-left*

const and Pointers

- ❖ The syntax with pointers is confusing:

```
int main(int argc, char** argv) {
    int x = 5;           // int
    const int y = 6;     // (const int)
    y++;

    const int* z = &y;   // pointer to a (const int)
    *z += 1;
    z++;

    int* const w = &x;   // (const pointer) to a (variable int)
    *w += 1;
    w++;

    const int* const v = &x; // (const pointer) to a (const int)
    *v += 1;
    v++;

    return EXIT_SUCCESS;
}
```

The diagram shows three red arrows originating from the `const` keyword in each declaration and pointing to the corresponding pointer declaration. The first arrow points from `const int y = 6;` to `const int* z = &y;`. The second arrow points from `int* const w = &x;` to `int* const w = &x;`. The third arrow points from `const int* const v = &x;` to `const int* const v = &x;`.

const and Pointers

- ❖ The syntax with pointers is confusing:

```
int main(int argc, char** argv) {
    int x = 5;                                // int
    const int y = 6;                            // (const int)
    ✗ y++;                                    // compiler error

    const int* z = &y;                         // pointer to a (const int)
    ✗ *z += 1;                                 // compiler error
    ✓ z++;                                    // ok

    ✓ int* const w = &x;                      // (const pointer) to a (variable int)
    ✗ *w += 1;                                 // ok
    ✗ w++;                                    // compiler error

    const int* const v = &x; // (const pointer) to a (const int)
    ✗ *v += 1;                                 // compiler error
    ✗ v++;                                    // compiler error

    return EXIT_SUCCESS;
}
```

const Parameters



- ❖ A **const parameter**
cannot be mutated inside
the function
 - Therefore it does not
matter if the argument can
be mutated or not

- ❖ A **non-const parameter**
may be mutated inside
the function
 - Compiler won't let you
pass in const parameters

Make parameters **const** when you can!

```
void Foo(const int* y) {  
    std::cout << *y << std::endl;  
}  
  
void Bar(int* y) {  
    std::cout << *y << std::endl;  
}  
  
int main(int argc, char** argv) {  
    const int a = 10;  
    int b = 20;  
  
    {  
        Foo(&a); // OK  
        Foo(&b); // OK  
        Bar(&a); // not OK - error  
        Bar(&b); // OK  
  
        return EXIT_SUCCESS;  
    }  
}
```

*doesn't actually modify
value of y!*



Poll Everywhere

pollev.com/cse333

What will happen when we try to compile and run this code?

- A. Output "(2,4,0)"
- B. Output "(2,4,3)"
- C. Compiler error about arguments to Foo (in main)
- D. Compiler error about body of Foo
- E. We're lost...

```
void Foo(int* const x,  
        int ref ↗ int& y, int z) {  
    *x += 1; // allowed  
    y *= 2; // allowed  
    z -= 3; // allowed, but has no lasting effect  
}  
  
int main(int argc, char** argv) {  
    const int a = 1;  
    int b = 2, c = 3;  
    Foo(&a, b, c);  
    std::cout << "(" << a << "," << b  
        << "," << c << ")" " << std::endl;  
  
    return EXIT_SUCCESS;  
}
```

can't change x, but can change the thing it points to poll2.cc

local copy of int



When to Use References?

- ❖ A stylistic choice, not mandated by the C++ language
- ❖ Google C++ style guide suggests:
 - Input parameters:
 - Either use values (for primitive types like `int` or small structs/objects)
→ avoid making copy of argument
 - Or use `const` references (for complex struct/object instances)
→ don't change in function body; allows both `const` & non-`const` arguments
 - Output parameters:
 - Use `const` pointers
 - Unchangeable pointers referencing changeable data
 - Ordering:
 - List input parameters first, then output parameters last

```
void CalcArea(const int& width, const int& height,  
              int* const area) {  
    *area = width * height;  
}
```

*output parameter
unnecessary for this
example, but used
for illustration*

Lecture Outline

- ❖ C++ References
- ❖ const in C++
- ❖ **C++ Classes Intro**

Classes

- ❖ Class definition syntax (in a .h file):

```
class Name {  
public:  
    // public member definitions & declarations go here  
  
private:  
    // private member definitions & declarations go here  
}; // class Name
```

don't forget!

- Members can be functions (methods) or data (variables)
- ❖ Class member function definition syntax (in a .cc file):

```
retType Name::MethodName(type1 param1, ..., typeN paramN) {  
    // body statements  
}
```

- (1) *define* within the class definition or (2) *declare* within the class definition and then *define* elsewhere

Class Organization

- ❖ It's a little more complex than in C when modularizing with struct definition:
 - Class definition is part of interface and should go in .h file
 - Private members still must be included in definition (!)
 - Usually put member function definitions into companion .cc file with implementation details
 - Common exception: setter and getter methods
 - These files can also include non-member functions that use the class
- ❖ Unlike Java, you can name files anything you want
 - Typically Name.cc and Name.h for class Name

Const & Classes

- ❖ Like other data types, **objects** can be declared as `const`:
 - Once a `const` object has been constructed, its member variables can't be changed
 - Can only invoke member functions that are labeled `const`
- ❖ You can declare a member **function** of a class as `const`
 - This means that it cannot modify the object it was called on
 - The compiler will treat member variables as `const` inside the function at compile time
 - If a member function doesn't modify the object, mark it `const!`

Class Definition (.h file)



Point.h

```
#ifndef POINT_H_
#define POINT_H_

class Point {
public:
    Point(const int x, const int y); // constructor
    int get_x() const { return x_; } // inline member function
    int get_y() const { return y_; } // inline member function
    double Distance(const Point& p) const; // member function
    void SetLocation(const int x, const int y); // member function

private:
    int x_; // data member
    int y_; // data member
}; // class Point
#endif // POINT_H_
```

this const means that this function is not allowed to change the object on which it is called (the implicit "this" pointer)

declarations

*naming convention for class data members
(Google C++ style guide)*

function definitions

Compiler may choose to expand inline (like a macro) instead on an actual function call

Class Member Definitions (.cc file)

Point.cc

```
#include <cmath>
#include "Point.h"

Point::Point(const int x, const int y) {
    x_ = x;           equivalent to y_ = y;
    this->y_ = y;    // "this->" is optional unless name conflicts
}   "this" is a (Point * const)

double Point::Distance(const Point& p) const {
    // We can access p's x_ and y_ variables either through the
    // get_x(), get_y() accessor functions or the x_, y_ private
    // member variables directly, since we're in a member
    // function of the same class.
    double distance = (x_ - p.get_x()) * (x_ - p.get_x());
    distance += (y_ - p.y_) * (y_ - p.y_);
    return sqrt(distance);
}

void Point::SetLocation(const int x, const int y) {
    x_ = x;
    y_ = y;
}
```

BAD STYLE
used here on purpose

*makes "this" a (const Point * const)*

equivalent to p.x-

can't be const because we are mutating "this"

Class Usage (.cc file)

usepoint.cc

```
#include <iostream>
#include <cstdlib>
#include "Point.h"

using namespace std;

int main(int argc, char** argv) {
    Point p1(1, 2); // allocate a new Point on the Stack
    Point p2(4, 6); // allocate a new Point on the Stack } calls defined constructor

    cout << "p1 is: (" << p1.get_x() << ", ";
    cout << p1.get_y() << ")" << endl;

    cout << "p2 is: (" << p2.get_x() << ", ";
    cout << p2.get_y() << ")" << endl;

    cout << "dist : " << p1.Distance(p2) << endl;
    return EXIT_SUCCESS;
}
```

"dot notation" used for member functions

Reading Assignment

- ❖ Before next time, **read** the sections in *C++ Primer* covering class constructors, copy constructors, assignment (operator=), and destructors
 - Ignore “move semantics” for now
 - The table of contents and index are your friends...