



pollev.com/cse333

About how long did Exercise 5 take you?

- A. [0, 2) hours
- B. [2, 4) hours
- C. [4, 6) hours
- D. [6, 8) hours
- E. 8+ Hours
- F. I didn't submit / I prefer not to say

C++ Constructor Insanity

CSE 333 Summer 2023

Instructor: Timmy Yang

Teaching Assistants:

Jennifer Xu

Leanna Nguyen

Pedro Amarante

Sara Deutscher

Tanmay Shah

Relevant Course Information

- ❖ Exercise 6 released today, next Monday (7/17)
 - Write a substantive class in C++ (uses a lot of what we will talk about in lecture today)
- ❖ Homework 2 due next Thursday (7/20)
 - File system crawler, indexer, and search engine
 - Note: `libhw1.a` (yours or ours) and the `.h` files from hw1 need to be in right directory (`~yourgit/hw1/`)
 - Note: use Ctrl-D to exit `searchshell`
 - Tip: test on directory of small self-made files
- ❖ Quiz 1 closes at 11:59 pm tonight (7/12)



struct vs. class

- ❖ In C, a `struct` can only contain data fields
 - No methods and all fields are always accessible
- ❖ In C++, `struct` and `class` are (nearly) the same!
 - Both can have methods and member visibility (public/private/protected)
 - Minor difference: members are default *public* in a `struct` and default *private* in a `class`

- ❖ Common style convention:

- Use `struct` for simple bundles of data
- Use `class` for abstractions with data + functions

Data members
don't end w/ underscore


↳ Data members do end
w/ underscore

Memory Diagrams for Objects

- ❖ An **object** is an instance of a class that maintains its *state* independent from other objects
 - This state is the collection of its data members
 - Conceptually, an object acts like a collection of data fields (plus class metadata)
 - Layout is not specified or guaranteed, unlike structs in C

- ❖ Drawn out as variables within variables:

```
class Point {  
    ...  
  
    private:  
        int x_; // data member  
        int y_; // data member  
}; // class Point
```



Lecture Outline

- ❖ **Constructors**
- ❖ Copy Constructors
- ❖ Assignment
- ❖ Destructors
- ❖ Extra Details

Constructors

- ❖ A **constructor (ctor)** initializes a newly-instantiated object
 - A class can have multiple constructors that differ in parameters
 - A constructor *must* be invoked when creating a new instance of an object – which one depends on *how* the object is instantiated

- ❖ Written with the class name as the method name:

```
Point(const int x, const int y);
```

- C++ will automatically create a synthesized default constructor if you have *no* user-defined constructors
 - Takes no arguments and calls the default ctor on all non-“plain old data” (non-POD) member variables
 - Synthesized default ctor will fail if you have non-initialized const or reference data members

provided for you *zero-args*

→ e.g. primitive types

Synthesized Default Constructor Example

```
class SimplePoint {
public:
    // no constructors declared!
    int get_x() const { return x_; } // inline member function
    int get_y() const { return y_; } // inline member function
    double Distance(const SimplePoint& p) const;
    void SetLocation(int x, int y);

private:
    int x_; // data member
    int y_; // data member
}; // class SimplePoint
```

SimplePoint.h

```
#include "SimplePoint.h" // SimplePoint.cc

... // definitions for Distance() and SetLocation()

int main(int argc, char** argv) {
    SimplePoint x; // invokes synthesized default constructor
    return EXIT_SUCCESS;
}
```

x | x-[?] y-[?]

Synthesized Default Constructor

- ❖ If you define *any* constructors, C++ assumes you have defined all the ones you intend to be available and will *not* add any others

```
#include "SimplePoint.h"

// defining a constructor with two arguments
SimplePoint::SimplePoint(const int x, const int y) {
    x_ = x;
    y_ = y;
}

void Foo() {
    SimplePoint x;           // compiler error: if you define any
                             // ctors, C++ will NOT synthesize a
                             // default constructor for you.

    SimplePoint y(1, 2);   // works: invokes the 2-int-arguments
                             // constructor
}
```

Multiple Constructors (overloading)

```
#include "SimplePoint.h"

// default constructor
SimplePoint::SimplePoint() {
    x_ = 0;
    y_ = 0;
}

// constructor with two arguments
SimplePoint::SimplePoint(const int x, const int y) {
    x_ = x;
    y_ = y;
}

void Foo() {
    SimplePoint x;           // invokes the default constructor
    SimplePoint y(1, 2); // invokes the 2-int-arguments ctor
    SimplePoint a[3];       // invokes the default ctor 3 times
}
```

int[] a [?] [?] [?]

SimplePoint[] a [x=0 y=0] [x=0 y=0] [x=0 y=0]

Initialization Lists

- ❖ C++ lets you *optionally* declare an **initialization list** as part of a constructor definition
 - Initializes fields according to parameters in the list
 - The following two are (nearly) identical:

```
Point::Point(const int x, const int y) {  
    x_ = x;  
    y_ = y;  
    std::cout << "Point constructed: (" << x_ << ", ";  
    std::cout << y_ << ")" << std::endl;  
}
```

```
// constructor with an initialization list  
Point::Point(const int x, const int y) : x_(x), y_(y) {  
    std::cout << "Point constructed: (" << x_ << ", ";  
    std::cout << y_ << ")" << std::endl;  
}
```

can be blank

expressions work here



Initialization vs. Construction

```
class Point3D {
public:
    // constructor with 3 int arguments
    Point3D(const int x, const int y, const int z) {
        z_ = z;
    }
private:
    int x_, y_, z_; // data members
}; // class Point3D
```

First, initialization list is applied.

② y-ctor ① x-ctor

③ z-alloc

④ z-set to param

Next, constructor body is executed.

- Data members in initializer list are initialized in the order they are defined in the class, not by the initialization list ordering (!)
 - Data members that don't appear in the initialization list are *default initialized/constructed* before body is executed
- Initialization preferred to assignment to avoid extra steps
 - Real code should never mix the two styles

Lecture Outline

- ❖ Constructors
- ❖ **Copy Constructors**
- ❖ Assignment
- ❖ Destructors
- ❖ Extra Details



Copy Constructors

- ❖ C++ has the notion of a **copy constructor (cctor)**
 - Used to create a new object as a copy of an existing object

```
Point::Point(const int x, const int y) : x_(x), y_(y) { }
```

```
// copy constructor
```

```
Point::Point(const Point& copyme) {
```

```
    x_ = copyme.x_;
```

```
    y_ = copyme.y_;
```

```
}                     
```


```
void Foo() {
```

```
    Point x(1, 2); // invokes the 2-int-arguments constructor
```

```
    Point y(x); // invokes the copy constructor
```


```
                // could also be written as "Point y = x;"
```

```
}
```



- Initializer lists can also be used in copy constructors (preferred)

Synthesized Copy Constructor



- ❖ If you don't define your own copy constructor, C++ will synthesize one for you
 - It will do a *shallow* copy of all of the fields (*i.e.*, member variables) of your class
 - Sometimes the right thing; sometimes the wrong thing

```
#include "SimplePoint.h"

... // definitions for Distance() and SetLocation()

int main(int argc, char** argv) {
    SimplePoint x;
    SimplePoint y(x); // invokes synthesized copy constructor
    ...
    return EXIT_SUCCESS;
}
```

When Do Copies Happen?

❖ The copy constructor is invoked if:

- You *initialize* an object from another object of the same type:

```
Point x;           // default ctor
Point y(x);       // copy ctor
Point z = y;      // copy ctor
```

- You pass a non-reference object as a value parameter to a function:

```
void Foo(Point x) { ... }
Point y;           // default ctor
Foo(y);           // copy ctor
```


- You return a non-reference object value from a function:

```
Point Foo() {
    Point y;           // default ctor
    return y;         // copy ctor
}
```


Compiler Optimization

- ❖ The compiler sometimes uses a “return by value optimization” or “move semantics” to eliminate unnecessary copies
 - Sometimes you might not see a constructor get invoked when you might expect it



↑ read on own



```

Point Foo() {
    Point y;           // default ctor
    return y;         // copy ctor? optimized?
}

int main(int argc, char** argv) {
    Point x(1, 2);    // two-ints-argument ctor
    Point y = x;      // copy ctor
    Point z = Foo(); // copy ctor? optimized?
}
    
```




Lecture Outline

- ❖ Constructors
- ❖ Copy Constructors
- ❖ **Assignment**
- ❖ Destructors
- ❖ Extra Details

Assignment != Construction

- ❖ “=” is the **assignment operator**
 - Assigns values to an *existing, already constructed* object

```
Point w;           // default ctor
Point x(1, 2);    // two-ints-argument ctor
Point y(x);       // copy ctor
Point z = w;      // copy ctor
y = x;           // assignment operator
```





Overloading the “=” Operator

- ❖ You can choose to define the “=” operator
 - But there are some rules you should follow:

```
Point& Point::operator=(const Point& rhs) {  
    if (this != &rhs) { // (1) always check against this  
        x_ = rhs.x_;  
        y_ = rhs.y_;  
    }  
    return *this; // (2) always return *this from op=  
}  
  
Point a; // default constructor  
a = (b = c); // works because = return *this  
a = (b = c); // equiv. to above (= is right-associative)  
(a = b) = c; // "works." because = returns a non-const
```

Synthesized Assignment Operator

- ❖ If you don't define the assignment operator, C++ will synthesize one for you
 - It will do a *shallow* copy of all of the fields (*i.e.*, member variables) of your class
 - Sometimes the right thing; sometimes the wrong thing

```
#include "SimplePoint.h"

... // definitions for Distance() and SetLocation()

int main(int argc, char** argv) {
    SimplePoint x;
    SimplePoint y(x);
    y = x;           // invokes synthesized assignment operator
    return EXIT_SUCCESS;
}
```

Lecture Outline

- ❖ Constructors
- ❖ Copy Constructors
- ❖ Assignment
- ❖ **Destructors**
- ❖ Extra Details

Destructors

- ❖ C++ has the notion of a **destructor (dtor)**
 - Invoked automatically when a class instance is deleted, goes out of scope, etc. (even via exceptions or other causes!)
 - Place to put your cleanup code – free any dynamic storage or other resources owned by the object
 - Standard C++ idiom for managing dynamic resources
 - Slogan: “Resource Acquisition Is Initialization” (RAII)

no params

```
Point: ~Point() { // destructor  
    // do any cleanup needed when a Point object goes away  
    // (nothing to do here since we have no dynamic resources)  
}
```

Destructor Example

```
class FileDescriptor {
public:
    FileDescriptor(char* file) {           // Constructor
        fd_ = open(file, O_RDONLY);
        // Error checking omitted
    }
    ~FileDescriptor() { close(fd_); }     // Destructor
    int get_fd() const { return fd_; }    // inline member function
private:
    int fd_; // data member
}; // class FileDescriptor
```

FileDescriptor.h

```
#include "FileDescriptor.h"

int main(int argc, char** argv) {
    FileDescriptor fd("foo.txt");
    return EXIT_SUCCESS; ← dtor runs after return
}
```


Lecture Outline

- ❖ Constructors
- ❖ Copy Constructors
- ❖ Assignment
- ❖ Destructors
- ❖ **Extra Details**

Rule of Three

- ❖ If you define any of:
 - 1) Destructor
 - 2) Copy Constructor
 - 3) Assignment (`operator=`)
- ❖ Then you should normally define all three
 - Can explicitly ask for default synthesized versions (C++11):

```
class Point {  
public:  
    Point() = default; // the default ctor  
    ~Point() = default; // the default dtor  
    Point(const Point& copyme) = default; // the default cctor  
    Point& operator=(const Point& rhs) = default; // the default "="  
    ...  
};
```

Dealing with the Insanity (C++11)

❖ C++ style guide tip:

- **Disabling** the copy constructor and assignment operator can avoid confusion from implicit invocation and excessive copying

Point_2011.h

```
class Point {
public:
    Point(const int x, const int y) : x_(x), y_(y) { } // ctor
    ...
    Point(const Point& copyme) = delete; // declare cctor and "=" as
    Point& operator=(const Point& rhs) = delete; // as deleted (C++11)
private:
    ...
}; // class Point

Point w; // compiler error (no default constructor)
Point x(1, 2); // OK!
Point y = w; // compiler error (no copy constructor)
y = x; // compiler error (no assignment operator)
```

Access Control

- ❖ **Access modifiers** for members:
 - `public`: accessible to *all* parts of the program
 - `private`: accessible to the member functions of the class
 - Private to *class*, not object instances
 - `protected`: accessible to member functions of the class and any *derived* classes (subclasses – more to come, later)

- ❖ **Reminders:**
 - Access modifiers apply to *all* members that follow until another access modifier is reached
 - If no access modifier is specified, `struct` members default to `public` and `class` members default to `private`

Nonmember Functions

- ❖ “**Nonmember functions**” are just normal functions that happen to use some class
 - Called like a regular function instead of as a member of a class object instance
 - This gets a little weird when we talk about operators...
 - These do *not* have access to the class’ private members
- ❖ Useful nonmember functions often included as part of interface to a class
 - Declaration goes in header file, but *outside* of class definition

named
function
{
operator
overload
}

Member
 double Point::Distance(Point& p);
 pl.Distance(p2);
 float Vector::operator*(Vector& v);
 vec1 * vec2;

Non-Member
 double Distance(Point& p1, Point& p2);
 Distance(p1, p2);
 float operator*(Vector& v1, Vector& v2);
 vec1 * vec2;

friend Nonmember Functions

- ❖ A class can give a nonmember function (or class) access to its non-`public` members by declaring it as a `friend` within its definition
 - Not a class member, but has access privileges as if it were
 - `friend` functions are usually unnecessary if your class includes appropriate “getter” public functions

Complex.h

```
class Complex {  
    ...  
    friend std::istream& operator>>(std::istream& in, Complex& a);  
    ...  
}; // class Complex
```

```
std::istream& operator>>(std::istream& in, Complex& a) {  
    ...  
}
```

Complex.cc 33

When to use Nonmember and `friend`



There is more to C++ object design that we don't have time to get to; these are good rules of thumb, but be sure to think about your class carefully!

❖ Member functions:

- Operators that modify the object being called on
 - Assignment operator (`operator=`)
- “Core” non-operator functionality that is part of the class interface

❖ Nonmember functions:

- Used for commutative operators
 - *e.g.*, so `v1 + v2` is invoked as `operator+(v1, v2)` instead of `v1.operator+(v2)`
- If operating on two types and the class is on the right-hand side
 - *e.g.*, `cin >> complex;`
- Returning a “new” object, not modifying an existing one
- Only grant `friend` permission if you NEED to

Namespaces

- ❖ Each namespace is a separate scope
 - Useful for avoiding symbol collisions!

ll::Iterator
ht::Iterator

Same name, but
different
namespace

- ❖ Namespace definition:

```
namespace name {  
    // declarations go here  
} // namespace name
```

lowercase

Namespace doesn't add
indentation to contents

Comment to remind that this
is end of namespace

- Doesn't end with a semi-colon and doesn't add to the indentation of its contents
- Creates a new namespace name if it did not exist, otherwise *adds to the existing namespace (!)*
 - This means that components (e.g., classes, functions) of a namespace can be defined in multiple source files

NO
semi-colon!

Classes vs. Namespaces

- ❖ They seems somewhat similar, but classes are *not* namespaces:
 - There are no instances/objects of a namespace; a namespace is just a group of logically-related things (classes, functions, etc.)
 - To access a member of a namespace, you must use the fully qualified name (*i.e.*, `nsp_name::member`)
 - Unless you are `using` that namespace → *e.g. using std;*
 - You only used the fully qualified name of a class member when you are defining it outside of the scope of the class definition
↳ *in the .cc file*

Complex Example Walkthrough

See:

`Complex.h`

`Complex.cc`

`testcomplex.cc`

Extra Exercise #1

- ❖ Write a C++ program that:
 - Has a class representing a 3-dimensional point
 - Has the following methods:
 - Return the inner product of two 3D points
 - Return the distance between two 3D points
 - Accessors and mutators for the x , y , and z coordinates

Extra Exercise #2

- ❖ Write a C++ program that:
 - Has a class representing a 3-dimensional box
 - Use your Extra Exercise #1 class to store the coordinates of the vertices that define the box
 - Assume the box has right-angles only and its faces are parallel to the axes, so you only need 2 vertices to define it
 - Has the following methods:
 - Test if one box is inside another box
 - Return the volume of a box
 - Handles `<<`, `=`, and a copy constructor
 - Uses `const` in all the right places

Extra Exercise #3

- ❖ Modify your Point3D class from Extra Exercise #1
 - Disable the copy constructor and assignment operator
 - Attempt to use copy & assignment in code and see what error the compiler generates
 - Write a `CopyFrom()` member function and try using it instead
 - (See details about `CopyFrom()` in next lecture)

Extra Exercise #4

- ❖ Write a C++ class that:
 - Is given the name of a file as a constructor argument
 - Has a `GetNextWord()` method that returns the next whitespace- or newline-separated word from the file as a copy of a `string` object, or an empty string once you hit EOF
 - Has a destructor that cleans up anything that needs cleaning up