

CSE 341 — Java Discussion Questions

```
1. class MyPoint {  
  
    public int x, y;  
  
    public MyPoint()  
        {this(0,0);}   
  
    public MyPoint(int a)  
        {this(a,a);}   
  
    public MyPoint(int x, int y)  
        {this.x=x; this.y=y;}   
  
    public void moveTo(int x, int y)  
        {this.x = x; this.y = y; }   
  
    public boolean equals (MyPoint p)  
        {return (this.x==p.x && this.y==p.y);}   
  
}
```

What is the value of each boolean expression in the following code?

```
MyPoint p1 = new MyPoint(10);  
MyPoint p2 = p1;  
  
p1 == p2;  
p1.equals(p2);  
  
p2.moveTo(100,200);  
p1 == p2;  
p1.equals(p2);  
  
p2 = new MyPoint(10);  
p1 == p2;  
p1.equals(p2);
```

2. Consider the following Java class definitions. (These compile correctly.)

```
abstract class Plant {  
  
    // return true if this plant has chlorophyll  
    abstract public boolean hasChlorophyll();  
  
    public String description() {  
        return "a plant.";  
    }  
}
```

```

class Tree extends Plant {
    // height of this tree in feet
    private int height;

    public Tree (int height) {
        this.height = height;
    }

    public String description() {
        return "a tree " + height + " feet tall. also " + super.description();
    }

    public boolean hasChlorophyll() {
        return true;
    }

    static public String hardness() {
        return "unknown";
    }
}

class Oak extends Tree {

    public Oak (int height) {
        super(height);
    }

    public String description() {
        return "an oak. also " + super.description();
    }

    static public String hardness() {
        return "very hard";
    }
}

class Cedar extends Tree {

    public Cedar (int height) {
        super(height);
    }

    public String description() {
        return "a cedar. also " + super.description();
    }

    static public String hardness() {
        return "soft";
    }
}

```

```

class Mushroom extends Plant {

    public String description() {
        return "a mushroom. possibly poisonous, so watch out. also "
            + super.description();
    }

    public boolean hasChlorophyll() {
        return false;
    }

}

```

Now suppose we also have a class `PlantTest` with a `main` method. What is the result of compiling and executing the Java program for each of the following versions of `PlantTest` and `main`? The result might be that the program runs correctly, or it might have a compile time error, or a runtime error. If the program compiles correctly and can be run, give the output. Otherwise explain what the error is.

(a)

```

public class PlantTest {
    public static void main (String [ ] args) {
        Plant p = new Plant();
        System.out.println(p.hasChlorophyll());
        System.out.println(p.description());
    }
}

```

(b)

```

public class PlantTest {
    public static void main (String [ ] args) {
        Plant p = new Mushroom();
        System.out.println(p.hasChlorophyll());
        System.out.println(p.description());
    }
}

```

(c)

```

public class PlantTest {
    public static void main (String [ ] args) {
        Oak o = new Oak(150);
        Tree t = o;
        System.out.println(o.description());
    }
}

```

```
        System.out.println(t.description());

        System.out.println(o.hardness());
        System.out.println(t.hardness());
    }
}
```

(d)

```
public class PlantTest {
    public static void main (String [ ] args) {
        Oak o = new Oak(150);
        Tree t = (Tree) o;
        System.out.println(t.description());
    }
}
```

(e)

```
public class PlantTest {
    public static void main (String [ ] args) {
        Tree t = new Oak(150);
        Oak o = (Oak) t;
        System.out.println(o.description());
    }
}
```

(f)

```
public class PlantTest {
    public static void main (String [ ] args) {
        Tree t = new Cedar(200);
        Oak o = (Oak) t;
        System.out.println(o.description());
    }
}
```