

# CSE 341: Programming Languages

Larry Ruzzo

<http://www.cs.washington.edu/341>

Spring 2007

Lecture 1 — Course Introduction

# Welcome!

---

Goal 1: learn *different paradigms* and *fundamental concepts* of programming languages.

Goal 2: makes you a better programmer (in languages we won't use).

Today in class:

- Course mechanics
- Course overview
- Dive into ML (homework 1 soon)

# Credits

---

This version of the course is heavily based versions by Dan Grossman, Hal Perkins, Keunwoo Lee and others. Look at previous webs for a good idea of where we're going.

# Who and What

---

- 3 class meetings (slides, code, and questions)
  - Material on-line (subject to change), but take notes.
- 1 section (Ethan Phelps-Goodman)
  - Essential material on tools, style, examples, language-features,  
...
- Office hours (Jason Kivlighn, Ethan, me)
  - Use them!!!
- Course “dictionary” online
  - To help with terminology; feedback welcome

# Homeworks

---

- Approximately 6 total
- Doing the homework involves:
  1. Understanding the concepts being addressed
  2. Writing code demonstrating understanding of the concepts
  3. Testing your code to ensure you understand
  4. “Playing around” with variations, incorrect answers, etc.

You turn in only (2), but focusing on (2) makes the homework *harder*

Collaboration: The Gilligan’s Island Rule

Extra Credit: Terrible use of your time point-wise, but great otherwise

# Exams

---

- Midterm: Yes, tentatively Friday, 4/27
- Final: 8:30-10:20 a.m. Wednesday, Jun. 6

Same concepts, but very different format from homework.

# Goals Again

---

Meetings, homeworks, and exams... about what?

Programming languages:

- Essential concepts relevant in any language
- Specific examples “in natural setting” using ML, Scheme, and Ruby
- Some focus on “functional languages”; they are simple, powerful, and teach good practices

First half of course uses ML:

- Gives you time to build knowledge before “starting over”
- But you need to get comfortable with the basics and environment *as soon as possible*
- “Let go of Java” for now (we will return to it)

# A strange environment

---

The ML part of the course uses:

- The emacs editor
- A read-eval-print loop for evaluating programs
- Available on Windows and UNIX in the lab, but remotely via UNIX — also can be installed on your own Windows, Linux, or Mac OS X machine

We have prepared “getting started” materials, but leave plenty of time for the *content* of homework 1.

- Read the materials
- Attend section
- Ask questions!

Adjusting to new environments is a “CS life skill”



# Before we dive in

---

We'll return to the course goals and “why learn something other than C/C++/Java/Perl” later.

(There are many good reasons ...)

# ML, from the beginning

---

- Two key concepts: *bindings & environment*
- A program is a sequence of *bindings*
- One kind of binding is a *variable binding*

`val x = e ;`

- A program is evaluated by evaluating the bindings in order
- A *variable binding* is evaluated by:
  - Evaluating the expression in the *environment* created by the previous bindings. This produces a *value*.
  - Extending the (top-level) environment to bind the variable to the value.

Much easier to understand with an example...

## That was a lot at once

---

- Values so far: integers, true, false, ()
- Non-value expressions so far: addition, subtraction, less than, conditionals
- Types: every expression has a type. So far, int, bool, unit
- The read-eval-print loop:
  - Enter a sequence of bindings. For each, it tells you the value and type of the new binding
  - If you just enter `e;`, then that is the same as `val it = e;`
  - `use "foo.sml"` enters the bindings in a file, and then binds it to `()`, which has type `unit`
  - Ignore messages like `"GC #0.0.0.0.1.18: (0 ms)"`
  - Expressions that don't type-check lead to (bad) error messages and no change to the environment

# Parts worth repeating

---

Our very simple program demonstrates many critical language concepts:

- Expressions have a *syntax* (written form)
  - E.g.: A constant integer is written as a digit-sequence
  - E.g.: Addition expression is written  $e1 + e2$
- Expressions *have types* given their context
  - E.g.: In any context, an integer has type `int`
  - E.g.: If  $e1$  and  $e2$  have type `int` in the current context, then  $e1+e2$  has type `int`
- Expressions *evaluate to values* given their environment
  - E.g.: In any environment, an integer evaluates to itself
  - E.g.: If  $e1$  and  $e2$  evaluate to  $c1$  and  $c2$  in the current environment, then  $e1+e2$  evaluates to the sum of  $c1$  and  $c2$



## Lots more to do

---

We have many more types, expression forms, and binding forms to learn before we can write “anything interesting”.

Must develop resilience to mistakes and bad messages. Example gotcha: `x = 7` instead of `val x = 7`.

For homework 1: functions, pairs, lists, options, and local bindings (earlier problems require less)

But there are some things we will *not* add:

- mutation (a.k.a. assignment): changing the value of an environment binding
  - make a new binding instead
- statements: expressions will do just fine, thank you
- loop-constructs: recursive functions are more powerful

# What is a programming language?

Here are separable concepts for defining and evaluating a language:

- syntax: how do you write the various parts of the language?
- semantics: what do programs mean? (One way to answer: what are the evaluation rules?)
- idioms: how do you typically use the language to express computations?
- libraries: does the language provide “standard” facilities such as file-access, hashtables, etc.? How?
- tools: what is available for manipulating programs in the language? (e.g., compiler, debugger, REP-loop)

# Our focus

---

This course: focus on semantics and idioms to make you a better programmer

Reality: Good programmers know semantics, idioms, libraries, and tools

Libraries are crucial, but you can learn them on your own.