

CSE 341: Programming Languages

Spring 2007

Lecture 12 — Type Inference, Parametric Polymorphism, Type
Constructors

Today

- We have learned an interesting subset of the ML expression language
- But we have been really informal about some aspects of the type system:
 - Type inference (what types do bindings implicitly have)
 - Type variables (what do 'a and 'b really mean)
 - Type constructors (why is `int list` a type but not `list`)
- Note: Type inference and parametric polymorphism are separate concepts that end up intertwined in ML. A different language could have one or the other.

Type Inference

Some languages are untyped or dynamically typed.

ML is *statically typed*; every binding has one type, determined during type-checking (compile-time).

ML is *implicitly typed*; programmers rarely need to write the types of bindings.

The type-inference question: Given a program without explicit types, produce types for all bindings such that the program type-checks, or reject (only) if it is impossible.

Whether type inference is easy, hard, or impossible depends on details of the type system: Making it more or less powerful (i.e., more programs typecheck) may make inference easier or harder.

ML Type Inference

- Determine types of bindings in order (earlier first) (except for mutual recursion)
- For each `val` or `fun` binding, analyze the binding to determine necessary facts about its type.
- Afterward, use *type variables* (e.g., 'a) for any unconstrained types in function arguments or results.
- Some extra details for type variables and references we'll mention later.

Amazing fact: For the ML type system, “going in order” this way never causes unnecessary rejection.

Example 1

```
fun f x =  
  let val (y,z) = x in  
    (Real.abs y) + z  
  end
```

Example 2

```
fun sum lst =  
  case lst of  
    [] => 0  
  | hd::tl => hd + (sum tl)
```

Example 3

```
fun compose (f,g,x) = f (g x)
```

Comments on ML type inference

- If we had subtyping, the “equality constraints” we generated would be unnecessarily restrictive.
- If we did not have type variables, we would not be able to give a type to compose until we saw how it was used.
 - But type variables are useful regardless of inference.
- Inference is why the following aren’t really equivalent:
 - `let val x = e1 in e2 end`
 - `(fn x => e2) e1`

E.g., let’s try `e2 = (x 0, x "foo")` and something simple for `e1` like `fn y => y`:

- `let val x = (fn y => y) in (x 0, x "foo") end`
- `(fn x => (x 0, x "foo")) (fn y => y)`

The latter gives a type error ...

Parametric polymorphism

Fancy words for “forall-types”. Late add-on to Java, C#, VB, etc.
Sometimes called generics. A bit like C++ templates

In principle, just two new kinds of types:

`tv ::= 'a | 'b | ...`

`t ::= int | string | bool | t1->t2 | {l1:t1, ..., ln:tn}
| dtname | tv | forall 'tv. t`

Given an expression of type `forall 'tv. t`, we can *instantiate* it at type `t2` to get an expression of type “`t` with `'tv` replaced by `t2`”

Example: We can instantiate

`forall 'a. forall 'b. ('a * 'b) -> ('b * 'a)`

with `string` for `'a` and `int->int` for `'b` to get

`(string * (int->int)) -> ((int->int) * string)`

ML-style polymorphism

The ML type system is actually more restrictive:

- “forall” must appear “all the way on the outside-left”
- So it’s implicit; no way to write the words “for all”

Example: $(\text{'a} * \text{'b}) \rightarrow (\text{'b} * \text{'a})$ means

`forall 'a. forall 'b. ('a * 'b) -> ('b * 'a)`

Non-example: There’s no way to have a type like

`int -> (forall 'a. 'a -> int)`

Versus Subtyping

Compare

```
fun swap (x,y) = (y,x) (* ('a * 'b) -> ('b * 'a) *)
```

with

```
class Pair { Object x; Object y; ... }  
Pair swap(Pair pr) { return new Pair(pr.y, pr.x); }
```

ML wins in two ways (for this example):

- Caller instantiates types, so doesn't need to cast result
- Callee cannot return a pair of any two objects.

Containers

Parametric polymorphism (for all types) are also the right thing for containers (lists, sets, hashtables, etc.) where elements have the same type.

Example: ML lists

```
::      : ('a * ('a list)) -> 'a list (* infix is syntax *)  
map    : (('a -> 'b) * ('a list)) -> 'b list  
sum    : int list -> int  
fold  : ('a * 'b -> 'b) -> 'b -> ('a list) -> 'b
```

list is a type *constructor*, not a type; if t is a type, then t list is a type.

Again, with original Java containers, you just had list of Object & a lot of casts...

User-defined type constructors

Language-design: don't provide a fixed set of a useful thing.

Let programmers declare type constructors.

Examples:

```
datatype 'a non_mt_list = One of 'a
                        | More of 'a * ('a non_mt_list)
```

```
datatype 'a rope = Empty
                | Cons of 'a * ('a rope)
                | Rope of ('a rope) * ('a rope)
```

You can have multiple type-parameters (not shown here).

And now, finally, *everything* about lists is syntactic sugar!