

CSE 341, Spring 2011, Assignment 3

Due: Sunday 24 April, 11:00PM

You will define several SML functions. Many will be very short because they will use other functions that take and/or return functions. The latter part of the assignment relates to implementing pattern-matching (somewhat like in ML). You may use functions in ML's library; the problems point you toward the useful functions. The sample solution is about 120 lines, *including* the provided code. This assignment is probably more difficult than homework 2 even though (or perhaps because) many of the problems have 1-line answers.

Download `hw3provided.sml` from the course website.

1. Write a function `only_capitals` that takes a `string list` and returns a `string list` containing only strings from the argument that start with an uppercase letter. Use library functions `List.filter`, `Char.isUpper`, and `String.sub` to produce a 1- or 2-line solution.
 2. Write a function `longest_string1` that takes a `string list` and returns the longest string in the list. If the list is empty, return `"`. In the case of a tie, return the string closest to the beginning of the list. Use `foldl`, `String.size`, and no (other) recursion.
 3. Write a function `longest_string2` that is exactly like `longest_string1` except in the case of ties it returns the string closest to the end of the list. Your solution should be almost an exact copy of `longest_string1`.
 4. Write functions `longest_string_helper`, `longest_string3`, and `longest_string4` such that:
 - `longest_string3` has the same behavior as `longest_string1` and `longest_string4` has the same behavior as `longest_string2`.
 - `longest_string_helper` has type `(int * int -> bool) -> string list -> string` (notice the currying). This function will look a lot like `longest_string1` and `longest_string2` but is more general because it takes a function as an argument.
 - `longest_string3` and `longest_string4` are defined with `val`-bindings and partial applications of `longest_string_helper`.
 5. Write a function `longest_capitalized` that takes a `string list` and returns the longest string in the list that begins with an uppercase letter (or `"` if there are no such strings). Use a `val`-binding and the ML library's `o` operator for composing functions.
 6. Write a function `rev_string` that takes a string and returns the string that is the same characters in reverse order. Use ML's `o` operator, the library function `rev` for reversing lists, and two library functions in the `String` module. (Browse the module documentation to find the most useful functions.)
-

The next two problems involve writing functions over lists that will be useful in later problems.

7. Write a function `first_answer` of type `('a -> 'b option) -> 'a list -> 'b` (notice the 2 arguments are curried). The first argument should be applied to elements of the second argument until the first time it returns `SOME v` for some `v` and then `v` is the result of the call to `first_answer`. If the first argument returns `NONE` for all list elements, then `first_answer` should raise the exception `NoAnswer`. Hints: Sample solution is 5 lines and does nothing fancy.
8. Write a function `all_answers` of type `('a -> 'b list option) -> 'a list -> 'b list option` (notice the 2 arguments are curried). The first argument should be applied to elements of the second argument. If it returns `NONE` for any element, then the result for `all_answers` is `NONE`. Else the calls to the first argument will have produced `SOME lst1`, `SOME lst2`, ... `SOME lstn` and the result of

`all_answers` is `SOME lst` where `lst` is `lst1, lst2, ..., lstn` appended together (order doesn't matter). Hints: The sample solution is 8 lines. It uses a helper function with an accumulator and uses `@`. Note `all_answers f []` should evaluate to `SOME []`.

The remaining problems use these type definitions, which are similar to ML-style pattern matching:

```
datatype pattern = Wildcard | Variable of string | UnitP | ConstP of int
                  | TupleP of pattern list | ConstructorP of string * pattern
datatype valu = Const of int | Unit | Tuple of valu list | Constructor of string * valu
```

Given `valu v` and `pattern p`, either `p matches v` or not. If it does, the match produces a list of `string * valu` pairs; order in the list does not matter. The rules for matching should be unsurprising:

- `Wildcard` matches everything and produces the empty list.
- `Variable s` matches any value `v` and produces the one-element list holding `(s,v)`.
- `UnitP` matches only `Unit`.
- `ConstP 17` matches only `Const 17` (and similarly for other integers).
- `TupleP ps` matches a value of the form `Tuple vs` if `ps` and `vs` have the same length and for all i , the i^{th} element of `ps` matches the i^{th} element of `vs`. The list produced is all the lists from the nested pattern matches appended together.
- `ConstructorP(s1,p)` matches `Constructor(s2,v)` if `s1` and `s2` are the same string (you can compare them with `=`) and `p` matches `v`. The list produced is the list from the nested pattern match.
- Nothing else matches.

9. (This problem uses the `pattern` datatype but is not really about pattern-matching.)

- A function `g` has been provided to you. In an ML comment, describe in a few English sentences the arguments that `g` takes and what `g` computes (not how `g` computes it, though you will have to understand that to determine what `g` computes). Note you write no code for this subproblem.
- Use `g` to define a function `count_wildcards` that takes a pattern and returns how many `Wildcard` patterns it contains.
- Use `g` to define a function `count_wild_and_variable_lengths` that takes a pattern and returns the sum of the number of `Wildcard` patterns it contains and the string lengths of all the variables in the variable patterns it contains. (Use `String.size`.)
- Use `g` to define a function `count_some_var` that takes a string and a pattern (as a pair) and returns the number of times the string appears as a variable in the pattern.

10. Write a function `check_pat` that takes a pattern and returns true if and only if all the variables appearing in the pattern are distinct from each other (i.e., use different strings). Note the choice of strings for constructors does not matter. Hints: The sample solution uses two helper functions. The first takes a pattern and returns a list of all the strings it uses for variables. Using `foldl` with a function that uses `append` is useful in one case. The second takes a list of strings and decides if it has repeats. `List.exists` may be useful. Sample solution is 15 lines.

11. Write a function `match` that takes a `valu * pattern` and returns a `(string * valu) list option`, namely `NONE` if the pattern does not match and `SOME lst` where `lst` is the list of bindings if it does. Hints: Sample solution has one case expression with 7 branches. The branch for tuples uses `all_answers` and `ListPair.zip`. Sample solution is 13 lines.

12. Write a function `first_match` that takes a value and a list of patterns and returns a `(string * valu) list option`, namely `NONE` if no pattern in the list matches or `SOME lst` where `lst` is the list of bindings for the first pattern in the list that matches. Hints: Sample solution is 3 lines and uses `first_answer` and a `handle`-expression.

13. **(Challenge Problem)** Write a function `typecheck_patterns` that “type-checks” a pattern list. Types for our made-up pattern language are defined by:

```
datatype typ = Anything (* any type of value is okay *)
             | UnitT (* type for Unit *)
             | IntT (* type for integers *)
             | TupleT of typ list (* tuple types *)
             | Datatype of string (* some named datatype *)
```

`typecheck_patterns` should have type `((string * string * typ) list) * (pattern list) -> typ option`.

The first argument contains elements that look like `("foo","bar",IntT)`, which means constructor `foo` makes a value of type `Datatype "bar"` given a value of type `IntT`. You may assume list elements all have different first fields (the constructor name), but there are probably elements with the same second field (the datatype name). Under the assumptions this list provides, you “type-check” the `pattern list` to see if there exists some `typ` (call it `t`) that *all* the patterns in the list can have. If so, return `SOME t`, else return `NONE`.

You must return the “most lenient” type that all the patterns can have. For example, if the patterns are `TupleP[Variable("x"),Variable("y")]` and `TupleP[Wildcard,Wildcard]`, you must return `TupleT[Anything,Anything]` even though they could both have type `TupleT[IntT,IntT]`. As another example, if the only patterns are `TupleP[Wildcard,Wildcard]` and `TupleP[Wildcard,TupleP[Wildcard,Wildcard]]`, you must return `TupleT[Anything,TupleT[Anything,Anything]]`.

Warning: The sample solution does not include the challenge problem.

Type Summary: Evaluating a correct homework solution should generate these bindings, in addition to the bindings for type and exception definitions:

```
val only_capitals = fn : string list -> string list
val longest_string1 = fn : string list -> string
val longest_string2 = fn : string list -> string
val longest_string_helper = fn : (int * int -> bool) -> string list -> string
val longest_string3 = fn : string list -> string
val longest_string4 = fn : string list -> string
val longest_capitalized = fn : string list -> string
val rev_string = fn : string -> string
val g = fn : (unit -> int) -> (string -> int) -> pattern -> int
val count_wildcards = fn : pattern -> int
val count_wild_and_variable_lengths = fn : pattern -> int
val count_some_var = fn : string * pattern -> int
val first_answer = fn : ('a -> 'b option) -> 'a list -> 'b
val all_answers = fn : ('a -> 'b list option) -> 'a list -> 'b list option
val check_pat = fn : pattern -> bool
val match = fn : valu * pattern -> (string * valu) list option
val first_match = fn : valu -> pattern list -> (string * valu) list option
```

Assessment: Your solutions should be correct, in good style (including indentation and line breaks), and using features we have used in class.

Turn-in Instructions

- Put all your solutions in one file, `hw3.sml`.

- The first line of your `.sm1` file should be an ML comment with your name and the phrase `homework 3`.
- Turn in your file using the Catalyst dropbox link on the course website.