



## CSE341: Programming Languages

### Introduction To Ruby; Dynamic OOP; "Duck Typing"

Alan Borning  
Autumn 2012  
(slides borrowed from Dan Grossman)

### The plan

- Lecture materials may not recount every little language feature we use
  - [Thomas book](#) (2<sup>nd</sup> edition, Chapters 1-9) quite readable
    - Can skip/skim regexps and ranges
    - Also see online library documentation [large, searchable]
- Focus in class will be on OOP, dynamic typing, blocks, mixins

Autumn 2012

CSE341: Programming Languages

2

### Logistics

- We will use [Ruby 1.9.3](#)
  - Installed on the Lab machines (Windows and linux)
  - Ruby 1.8.7 is not hugely different – should work as well
  - We'll keep an eye out for any differences that are relevant for this course; in the worst case you may need to upgrade
- Installation instructions, etc. on course web page
  - Can run programs with a REPL called irb
- [Homework 7](#) is a Ruby warmup exercise

Autumn 2012

CSE341: Programming Languages

3

### A Bit of History

- Some notable examples of early object-oriented languages and systems:
  - First object-oriented programming language: Simula I, then Simula 67, created by Ole-Johan Dahl and Kristen Nygaard at the Norwegian Computing Center in Oslo.
  - Smalltalk: developed at Xerox Palo Alto Research Center by the Learning Research Group in the 1970's (Smalltalk-72, Smalltalk-76, Smalltalk-80)
  - Today: mature language paradigm. Some significant examples: C++, Java, C#, Python, Ruby

Autumn 2012

CSE341: Programming Languages

4

### Ruby

- Pure object-oriented*: all values are objects (even numbers)
- Class-based*: Every object has a class that determines behavior
  - Like Java, unlike Javascript
  - Mixins (neither Java interfaces nor C++ multiple inheritance)
- Dynamically typed*
- Convenient *reflection*: Run-time inspection of objects
- Blocks* and libraries encourage lots of closure idioms
- Syntax and scoping rules of a "*scripting language*"
  - Often many ways to say the same thing
  - Variables "spring to life" on use
  - Lots of support for string manipulation [we won't do this]
- Popular for building server-side web applications (Ruby on Rails)

Autumn 2012

CSE341: Programming Languages

5

### Where Ruby fits

	dynamically typed	statically typed
functional	Racket	Haskell
object-oriented	Ruby	Java

Note: Racket also has classes and objects when you want them  
– In Ruby everything uses them (at least implicitly)

Historical note: *Smalltalk* also a dynamically typed, class-based, pure OOP language with blocks and convenient reflection

- Smaller just-as-powerful language
- Contrast Ruby's "why not add that" attitude
  - Ruby less elegant, more widely used

Dynamically typed OO helps identify OO's essence by not having to discuss types

Autumn 2012

CSE341: Programming Languages

6

## Defining a class

[For full code details and various expression constructs, see PosRational.rb]

```

Class PosRational
  # no instance variable (field) decls
  # just assign to @foo to create field foo
  def initialize (num,den=1)
    ...
    @num = num
    @den = den
  end
  def to_s... end
  def add r ... end
  ...
end

```

Autumn 2012

CSE341: Programming Languages

7

## Using a class

- `ClassName.new(args)` creates a new instance of `ClassName` and calls its `initialize` method with `args`
- Every variable holds an object (possibly the `nil` object)
  - Local variables (in a method) `foo`
  - Instance variables (fields) `@foo`
  - Class variables (static fields) `@@foo`
- You use an object with a `method call`
  - Also known as a `message send`
  - Every object has a class, which determines its behavior
- Examples: `x.m 4`   `x.m1.m2(y.m3)`   `-42.abs`
  - `m` and `m(...)` are sugar for `self.m` and `self.m(...)`
  - `e1 + e2` is sugar for `e1.(+e2)` (really!)

Autumn 2012

CSE341: Programming Languages

8

## Method / variable visibility

- **private:** only available to object itself
- **protected:** available only to code in the class or subclasses
- **public:** available to all code

This is different than what the words mean in Java

- All instance variables and class variables are **private**
- Methods are **public** by default
  - There are multiple ways to change a method's visibility

Autumn 2012

CSE341: Programming Languages

9

## Some syntax / scoping gotchas

- You create variables (including instance variables) implicitly by assigning to them
  - So a misspelling just creates a new variable
  - Different instances of a class could have different fields
- Newlines matter
  - Often need more syntax to put something on one line
  - Indentation is only style (not true in some languages)
- Class names must be capitalized
- Message sends with 0 or 1 argument don't need parentheses
- `self` is a special keyword (Java's this)

Autumn 2012

CSE341: Programming Languages

10

## Getters and setters

- If you want outside access to get/set instance variables, must define methods

```

def foo
  @foo
end

```

```

def foo= a
  @foo = a
end

```

- The `foo=` convention allows sugar via extra spaces when using the method

```
x.foo
```

```
x.foo = 42
```

- Shorter syntax for *defining* getters and setters is:

```
attr_reader :foo
```

```
attr_writer :foo
```

- Overall, requiring getters and setters is more uniform and more OO
  - Can change the methods later without changing clients
  - Particular form of change is subclass overriding [next lecture]

Autumn 2012

CSE341: Programming Languages

11

## Top-level

- Expressions at top-level are evaluated in the context of an implicit "main" object with class `Object`
- That is how a standalone program would "get started" rather than requiring an object creation and method call from within `irb`
- Top-level methods are added to `Object`, which makes them available everywhere

Autumn 2012

CSE341: Programming Languages

12

### Class definitions are dynamic

- All definitions in Ruby are dynamic
- Example: Any code can add or remove methods on existing classes
  - Very occasionally useful (or cute) to add your own method to the `Array` class for example, but it is visible to all arrays
- Changing a class affects even already-created instances
- Disastrous example: Changing `Fixnum`'s `+` method
- Overall: A simple language definition where everything can be changed and method lookup uses instance's classes

Autumn 2012

CSE341: Programming Languages

13

### Duck Typing

"If it walks like a duck and quacks like a duck, it's a duck"  
 – Or don't worry that it may not be a duck

When writing a method you might think, "I need a `Foo` argument" but really you need an object with enough methods similar to `Foo`'s methods that your method works

- Embracing duck typing is always making method calls rather than assuming/testing the class of arguments

Plus: More code reuse; very OO approach

- What messages an object receive is all that matters

Minus: Almost nothing is equivalent

- `x+x` versus `x*2` versus `2*x`
- Callers may assume a lot about how callees are implemented

Autumn 2012

CSE341: Programming Languages

14

### Duck Typing Example

```
def mirror_update pt
  pt.x = pt.x * (-1)
end
```

- Natural thought: "Takes a `Point` object (definition not shown here), negates the `x` value"
  - Makes sense, though a `Point` instance method more OO
- Closer: "Takes anything with getter and setter methods for `@x` instance variable and multiplies the `x` field by `-1`"
- Closer: "Takes anything with methods `x=` and `x` and calls `x=` with the result of multiplying result of `x` and `-1`"
- Duck typing: "Takes anything with method `x=` and `x` where result of `x` has a `*` method that can take `-1`. Sends result of calling `x` the `*` message with `-1` and sends that result to `x=`"

Autumn 2012

CSE341: Programming Languages

15