

CSE 341

Section 1 (9/28)

Agenda

- Introduction
- Setup: get everything running
- Emacs Basics
- ML development workflow
- Shadowing
- Debugging
- Comparison Operators
- Boolean Operators
- Testing

Introduction

Xander Lent

- 4th-year undergrad, Computer Engineering
- Interested in Systems, [Computer] Architecture, P.L., etc.
- There are exciting challenges and fascinating ideas where hardware and software meet!
- Personal Journey, answering these questions:
 - How do computers work?
 - Why do they work that way?

Course Resources

We have a ton of course resources. Please use them!

If you get stuck or need help:

- Email the staff list! cse341-staff@cs.washington.edu
- Come to Office Hours (Every Weekday, see website)

We're here for you

Setup

Excellent guide located on the course website:

https://courses.cs.washington.edu/courses/cse341/17au/sml_emacs.pdf

We're going to spend about 5 minutes setting up now (so you can follow along for the rest of section)

You need 3 things installed:

- Emacs
- SML
- SML mode for Emacs

Emacs Basics

Don't be scared!

Commands have particular notation: C-x means hold Ctrl while pressing x

Meta key is Alt (thus M-z means hold Alt, press z)

C-x C-s is Save File

C-x C-f is Open File

C-x C-c is Exit Emacs

C-g is Escape (Abort any partial command you may have entered)

ML Development Workflow

REPL means **R**ead **E**val **P**rint **L**oop

You can type in any ML code you want, it will evaluate it

Useful to put code in .sml file for reuse

Every command must end in a semicolon (;)

Load .sml files into REPL with `use` command

Shadowing

```
val a = 1; a -> int
val b = 2; a -> int b -> 2 int
val a = 3; a -> int b -> 2 int a -> 3 int
```

You can't change a variable, but you can add another with the same name

When looking for a variable definition, most recent is always used

Shadowing is usually considered bad style

Shadowing

This behavior, along with `use` in the REPL can lead to confusing effects

Suppose I have the following program:

```
val x = 8;
val y = 2;
```

I load that into the REPL with `use`. Now, I decide to change my program, and I delete a line, giving this:

```
val x = 8;
```

I load that into the REPL without restarting the REPL. What goes wrong?

(Hint: what is the value of `y`?)

Debugging

DEMO

Errors can occur at 3 stages:

- Syntax: Your program is not "valid SML" in some (usually small and annoyingly nitpicky) way
- Type Check: One of the type checking rules didn't work out
- Runtime: Your program did something while running that it shouldn't

The best way to debug is to read what you wrote carefully, and think about it.

Comparison Operators

You can compare numbers in SML!

Each of these operators has 2 subexpressions of type `int`, and produces a `bool`

<code>=</code> (Equality)	<code><</code> (Less than)	<code><=</code> (Less than or equal)
<code><></code> (Inequality)	<code>></code> (Greater than)	<code>>=</code> (Greater than or equal)

Boolean Operators

You can also perform logical operations over `bool`s!

Operation	Syntax	Type-Checking	Evaluation
<code>andalso</code>	<code>e1 andalso e2</code>	<code>e1</code> and <code>e2</code> have type <code>bool</code>	Same as Java's <code>e1 && e2</code>
<code>orelse</code>	<code>e1 orelse e2</code>	<code>e1</code> and <code>e2</code> have type <code>bool</code>	Same as Java's <code>e1 e2</code>
<code>not</code>	<code>not e1</code>	<code>e1</code> has type <code>bool</code>	Same as Java's <code>!e1</code>

Technical note: `andalso`/`orelse` are SML builtins as they use short-circuit evaluation.

Testing

We don't have a unit testing framework (too heavyweight for 5 weeks)

You should still test your code!

```
val test1 = ((4 div 4) = 1);  
  
(* Neat trick for creating hard-fail tests: *)  
  
val true = ((4 div 4) = 1);
```