

CSE341: Programming Languages
Lecture 5
More Datatypes and Pattern-Matching

Dan Grossman
Spring 2019

Useful examples

Let's fix the fact that our only example datatype so far was silly...

- Enumerations, including carrying other data

```
datatype suit = Club | Diamond | Heart | Spade
datatype card_value = Jack | Queen | King
                  | Ace | Num of int
```

- Alternate ways of identifying real-world things/people

```
datatype id = StudentNum of int
           | Name of string
           * (string option)
           * string
```

Don't do this

Unfortunately, bad training and languages that make one-of types inconvenient lead to common *bad style* where each-of types are used where one-of types are the right tool

```
(* use the studen_num and ignore other
   fields unless the student_num is ~1 *)
{ student_num : int,
  first      : string,
  middle     : string option,
  last       : string }
```

- Approach gives up all the benefits of the language enforcing every value is one variant, you don't forget branches, etc.
- And makes it less clear what you are doing

That said...

But if instead the point is that every "person" in your program has a name and maybe a student number, then each-of is the way to go:

```
{ student_num : int option,
  first      : string,
  middle     : string option,
  last       : string }
```

Expression Trees


A more exciting (?) example of a datatype, using self-reference

```
datatype exp = Constant of int
            | Negate of exp
            | Add of exp * exp
            | Multiply of exp * exp
```

An expression in ML of type `exp`:

```
Add (Constant (10+9), Negate (Constant 4))
```

How to picture the resulting value in your head:



Recursion

Not surprising:

Functions over recursive datatypes are usually recursive

```
fun eval e =
  case e of
    Constant i      => i
  | Negate e2        => ~ (eval e2)
  | Add(e1,e2)       => (eval e1) + (eval e2)
  | Multiply(e1,e2)  => (eval e1) * (eval e2)
```

Putting it together

```
datatype exp = Constant of int
             | Negate   of exp
             | Add     of exp * exp
             | Multiply of exp * exp
```

Let's define `max_constant : exp -> int`

Good example of combining several topics as we program:

- Case expressions
- Local helper functions
- Avoiding repeated recursion
- Simpler solution by using library functions

See the `.sm1` file...

Spring 2019

CSE341: Programming Languages

7

Careful definitions

When a language construct is "new and strange," there is *more* reason to define the evaluation rules precisely...

... so let's review datatype bindings and case expressions "so far"

- *Extensions* to come but won't invalidate the "so far"

Spring 2019

CSE341: Programming Languages

8

Datatype bindings

```
datatype t = C1 of t1 | C2 of t2 | ... | Cn of tn
```

Adds type `t` and constructors `Ci` of type `ti->t`

- `Ci v` is a value, i.e., the result "includes the tag"

Omit "of `t`" for constructors that are just tags, no underlying data

- Such a `Ci` is a value of type `t`

Given an expression of type `t`, use *case expressions* to:

- See which variant (tag) it has
- Extract underlying data once you know which variant

Spring 2019

CSE341: Programming Languages

9

Datatype bindings

```
case e of p1 => e1 | p2 => e2 | ... | pn => en
```

- As usual, can use a case expressions anywhere an expression goes
 - Does not need to be whole function body, but often is
- Evaluate `e` to a value, call it `v`
- If `pi` is the first *pattern* to *match* `v`, then result is evaluation of `ei` in environment "extended by the match"
- Pattern `Ci(x1, ..., xn)` matches value `Ci(v1, ..., vn)` and extends the environment with `x1` to `v1` ... `xn` to `vn`
 - For "no data" constructors, pattern `Ci` matches value `Ci`

Spring 2019

CSE341: Programming Languages

10

Recursive datatypes

Datatype bindings can describe recursive structures

- Have seen arithmetic expressions
- Now, linked lists:

```
datatype my_int_list = Empty
                   | Cons of int * my_int_list

val x = Cons(4, Cons(23, Cons(2008, Empty)))

fun append_my_list (xs, ys) =
  case xs of
    Empty => ys
  | Cons(x, xs') => Cons(x, append_my_list(xs', ys))
```

Spring 2019

CSE341: Programming Languages

11

Options are datatypes

Options are just a predefined datatype binding

- `NONE` and `SOME` are *constructors*, not just functions
- So use pattern-matching not `isSome` and `valOf`

```
fun inc_or_zero intoption =
  case intoption of
    NONE => 0
  | SOME i => i+1
```

Spring 2019

CSE341: Programming Languages

12

Lists are datatypes

Do not use `hd`, `tl`, or `null` either

- `[]` and `::` are constructors too
- (strange syntax, particularly *infix*)

```
fun sum_list xs =
  case xs of
    [] => 0
  | x::xs' => x + sum_list xs'

fun append (xs,ys) =
  case xs of
    [] => ys
  | x::xs' => x :: append (xs',ys)
```

Spring 2019

CSE341: Programming Languages

13

Why pattern-matching

- Pattern-matching is better for options and lists for the same reasons as for all datatypes
 - No missing cases, no exceptions for wrong variant, etc.
- We just learned the other way first for pedagogy
 - Do not use `isSome`, `valOf`, `null`, `hd`, `tl` on Homework 2
- So why are `null`, `tl`, etc. predefined?
 - For passing as arguments to other functions (next week)
 - Because sometimes they are convenient
 - But not a big deal: could define them yourself

Spring 2019

CSE341: Programming Languages

14

Excitement ahead...

Learn some deep truths about "what is really going on"

- Using much more syntactic sugar than we realized
- Every `val`-binding and function-binding uses pattern-matching
- Every function in ML takes exactly one argument

First need to extend our definition of pattern-matching...

Spring 2019

CSE341: Programming Languages

15

Each-of types

So far have used pattern-matching for one of types because we needed a way to access the values

Pattern matching also works for records and tuples:

- The pattern `(x1,...,xn)` matches the tuple value `(v1,...,vn)`
- The pattern `{f1=x1, ..., fn=xn}` matches the record value `{f1=v1, ..., fn=vn}` (and fields can be reordered)

Spring 2019

CSE341: Programming Languages

16

Example

This is poor style, but based on what I told you so far, the only way to use patterns

- Works but poor style to have one-branch cases

```
fun sum_triple triple =
  case triple of
    (x, y, z) => x + y + z

fun full_name r =
  case r of
    {first=x, middle=y, last=z} =>
      x ^ " " ^ y ^ " " ^ z
```

Spring 2019

CSE341: Programming Languages

17

Val-binding patterns

- New feature: A `val`-binding can use a pattern, not just a variable
 - (Turns out variables are just one kind of pattern, so we just told you a half-truth in Lecture 1)

```
val p = e
```

- Great for getting (all) pieces out of an each-of type
 - Can also get only parts out (not shown here)
- Usually poor style to put a constructor pattern in a `val`-binding
 - Tests for the one variant and raises an exception if a different one is there (like `hd`, `tl`, and `valOf`)

Spring 2019

CSE341: Programming Languages

18

Better example

This is okay style

- Though we will improve it again next
- Semantically identical to one-branch case expressions

```
fun sum_triple triple =
  let val (x, y, z) = triple
  in
    x + y + z
  end

fun full_name r =
  let val {first=x, middle=y, last=z} = r
  in
    x ^ " " ^ y ^ " " ^ z
  end
```

Spring 2019

CSE341: Programming Languages

19

Function-argument patterns

A function argument can also be a pattern

- Match against the argument in a function call

```
fun f p = e
```

Examples (great style!):

```
fun sum_triple (x, y, z) =
  x + y + z

fun full_name {first=x, middle=y, last=z} =
  x ^ " " ^ y ^ " " ^ z
```

Spring 2019

CSE341: Programming Languages

20

A new way to go

- For Homework 2:
 - Do not use the # character
 - Do not need to write down any explicit types

Spring 2019

CSE341: Programming Languages

21

Hmm

A function that takes one triple of type `int*int*int` and returns an `int` that is their sum:

```
fun sum_triple (x, y, z) =
  x + y + z
```

A function that takes three `int` arguments and returns an `int` that is their sum

```
fun sum_triple (x, y, z) =
  x + y + z
```

See the difference? (Me neither.) ☺

Spring 2019

CSE341: Programming Languages

22

The truth about functions

- In ML, every function takes exactly one argument (*)
- What we call multi-argument functions are just functions taking one tuple argument, implemented with a tuple pattern in the function binding
 - Elegant and flexible language design
- Enables cute and useful things you cannot do in Java, e.g.,

```
fun rotate_left (x, y, z) = (y, z, x)
fun rotate_right t = rotate_left (rotate_left t)
```

* "Zero arguments" is the unit pattern `()` matching the unit value `()`

Spring 2019

CSE341: Programming Languages

23