


**PAUL G. ALLEN SCHOOL
OF COMPUTER SCIENCE & ENGINEERING**

CSE341: Programming Languages

Lecture 3
Local Bindings;
Options;
Benefits of No Mutation

Brett Wortzman
Summer 2019

Slides originally created by Dan Grossman

1

Review

Huge progress already on the core pieces of ML:

- Types: `int bool unit t1*...*tn t list t1*...*tn->t`
 - Types "nest" (each `t` above can be itself a compound type)
- Variables, environments, and basic expressions
- Functions
 - Build: `fun x0 (x1:t1, ..., xn:tn) = e`
 - Use: `e0 (e1, ..., en)`
- Tuples
 - Build: `(e1, ..., en)`
 - Use: `#1 e, #2 e, ...`
- Lists
 - Build: `[] e1::e2`
 - Use: `null e hd e tl e`

Spring 2019 CSE341: Programming Languages 2

2

Today

- The big thing we need: **local bindings**
 - For style and convenience
 - A big but natural idea: nested function bindings
 - For efficiency (*not* "just a little faster")
- One last feature for Problem 11 of Homework 1: **options**
- Why **not having mutation** (assignment statements) is a valuable language feature
 - No need for you to keep track of sharing/aliasing, which Java programmers must obsess about

Spring 2019 CSE341: Programming Languages 3

3

Let-expressions

3 questions:

- Syntax: `let b1 b2 ... bn in e end`
 - Each `bi` is any *binding* and `e` is any *expression*
- Type-checking: Type-check each `bi` and `e` in a static environment that includes the previous bindings. Type of whole let-expression is the type of `e`.
- Evaluation: Evaluate each `bi` and `e` in a dynamic environment that includes the previous bindings. Result of whole let-expression is result of evaluating `e`.

Spring 2019 CSE341: Programming Languages 4

4

It is an expression

A let-expression is **just an expression**, so we can use it **anywhere** an expression can go

Spring 2019 CSE341: Programming Languages 5

5

Silly examples

```

fun silly1 (z : int) =
  let val x = if z > 0 then z else 34
      val y = x+z+9
      in
        if x > y then x*2 else y*y
      end
fun silly2 () =
  let val x = 1
      in
        (let val x = 2 in x+1 end) +
        (let val y = x+2 in y+1 end)
      end

```

`silly2` is poor style but shows let-expressions are expressions

- Can also use them in function-call arguments, if branches, etc.
- Also notice shadowing

Spring 2019 CSE341: Programming Languages 6

6

What's new

- What's new is **scope**: where a binding is in the environment
 - In later bindings and body of the let-expression
 - (Unless a later or nested binding shadows it)
 - Only in later bindings and body of the let-expression
- *Nothing else is new*:
 - Can put any binding we want, even function bindings
 - Type-check and evaluate just like at "top-level"

Spring 2019

CSE341: Programming Languages

7

7

Any binding

According to our rules for let-expressions, we can define functions inside any let-expression

```
let b1 b2 ... bn in e end
```

This is a natural idea, and often good style

Spring 2019

CSE341: Programming Languages

8

8

(Inferior) Example

```
fun countup_from1 (x : int) =
  let fun count (from : int, to : int) =
        if from = to
        then to :: []
        else from :: count(from+1, to)
      in
        count (1, x)
      end
```

- This shows how to use a local function binding, but:
 - Better version on next slide
 - `count` might be useful elsewhere

Spring 2019

CSE341: Programming Languages

9

9

Better:

```
fun countup_from1_better (x : int) =
  let fun count (from : int) =
        if from = x
        then x :: []
        else from :: count(from+1)
      in
        count 1
      end
```

- Functions can use bindings in the environment where they are defined:
 - Bindings from "outer" environments
 - Such as parameters to the outer function
 - Earlier bindings in the let-expression
- Unnecessary parameters are usually bad style
 - Like `to` in previous example

Spring 2019

CSE341: Programming Languages

10

10

Nested functions: style

- Good style to define helper functions inside the functions they help if they are:
 - Unlikely to be useful elsewhere
 - Likely to be misused if available elsewhere
 - Likely to be changed or removed later
- A fundamental trade-off in code design: reusing code saves effort and avoids bugs, but makes the reused code harder to change later

Spring 2019

CSE341: Programming Languages

11

11

Avoid repeated recursion

Consider this code and the recursive calls it makes

- Don't worry about calls to `null`, `hd`, and `tl` because they do a small constant amount of work

```
fun bad_max (xs : int list) =
  if null xs
  then 0 (* horrible style; fix later *)
  else if null (tl xs)
  then hd xs
  else if hd xs > bad_max (tl xs)
  then hd xs
  else bad_max (tl xs)

let x = bad_max [50, 49, ..., 1]
let y = bad_max [1, 2, ..., 50]
```

Spring 2019

CSE341: Programming Languages

12

12

Fast vs. unusable

```

if hd xs > bad_max (tl xs)
then hd xs
else bad_max (tl xs)
    
```

Spring 2019 CSE341: Programming Languages 13

13

Math never lies

Suppose one `bad_max` call's if-then-else logic and calls to `hd`, `null`, `tl` take 10^{-7} seconds

- Then `bad_max [50,49,...,1]` takes 50×10^{-7} seconds
- And `bad_max [1,2,...,50]` takes 1.12×10^8 seconds
 - (over 3.5 years)
 - `bad_max [1,2,...,55]` takes over 1 century
 - Buying a faster computer won't help much ☹

The key is not to do repeated work that might do repeated work that might do...

- Saving recursive results in local bindings is essential...

Spring 2019 CSE341: Programming Languages 14

14

Efficient max

```

fun good_max (xs : int list) =
  if null xs
  then 0 (* horrible style; fix later *)
  else if null (tl xs)
  then hd xs
  else
    let val tl_ans = good_max (tl xs)
    in
      if hd xs > tl_ans
      then hd xs
      else tl_ans
    end
    
```

Spring 2019 CSE341: Programming Languages 15

15

Fast vs. fast

```

let val tl_ans = good_max (tl xs)
in
  if hd xs > tl_ans
  then hd xs
  else tl_ans
end
    
```

Spring 2019 CSE341: Programming Languages 16

16

Options

- `t option` is a type for any type `t`
 - (much like `t list`, but a different type, not a list)

Building:

- `NONE` has type `'a option` (much like `[]` has type `'a list`)
- `SOME e` has type `t option` if `e` has type `t` (much like `e::[]`)

Accessing:

- `isSome` has type `'a option -> bool`
- `valOf` has type `'a option -> 'a` (exception if given `NONE`)

Spring 2019 CSE341: Programming Languages 17

17

Example

```

fun better_max (xs : int list) =
  if null xs
  then NONE
  else
    let val tl_ans = better_max (tl xs)
    in
      if isSome tl_ans
      andalso valOf tl_ans > hd xs
      then tl_ans
      else SOME (hd xs)
    end
    
```

`val better_max = fn : int list -> int option`

- Nothing wrong with this, but as a matter of style might prefer not to do so much useless "valOf" in the recursion

Spring 2019 CSE341: Programming Languages 18

18

Example variation

```

fun better_max2 (xs : int list) =
  if null xs
  then NONE
  else let (* ok to assume xs nonempty b/c local *)
        fun max_nonempty (xs : int list) =
            if null (tl xs)
            then hd xs
            else
              let val tl_ans = max_nonempty (tl xs)
                in
                  if hd xs > tl_ans
                  then hd xs
                  else tl_ans
                end
              in
                SOME (max_nonempty xs)
              end
        in
          max_nonempty xs
        end
  
```

Spring 2019 CSE341: Programming Languages 19

19

Cannot tell if you copy

```

fun sort_pair (pr : int * int) =
  if #1 pr < #2 pr
  then pr
  else (#2 pr, #1 pr)

fun sort_pair (pr : int * int) =
  if #1 pr < #2 pr
  then (#1 pr, #2 pr)
  else (#2 pr, #1 pr)
  
```

In ML, these two implementations of `sort_pair` are indistinguishable

- But only because tuples are immutable
- The first is better style: simpler and avoids making a new pair in the then-branch
- In languages with mutable compound data, these are different!

Spring 2019 CSE341: Programming Languages 20

20

Suppose we had mutation...

```

val x = (3,4)
val y = sort_pair x
somehow mutate #1 x to hold 5
val z = #1 y
  
```

- What is z?
 - Would depend on how we implemented `sort_pair`
 - Would have to decide carefully and document `sort_pair`
 - But without mutation, we can implement "either way"
 - No code can ever distinguish aliasing vs. identical copies
 - No need to think about aliasing: focus on other things
 - Can use aliasing, which saves space, without danger

Spring 2019 CSE341: Programming Languages 21

21

An even better example

```

fun append (xs : int list, ys : int list) =
  if null xs
  then ys
  else hd (xs) :: append (tl(xs), ys)

val x = [2,4]
val y = [5,3,0]
val z = append(x,y)
  
```

(can't tell, but it's the first one)

Spring 2019 CSE341: Programming Languages 22

22

ML vs. Imperative Languages

- In ML, we create aliases all the time without thinking about it because it is impossible to tell where there is aliasing
 - Example: `tl` is constant time; does not copy rest of the list
 - So don't worry and focus on your algorithm
- In languages with mutable data (e.g., Java), programmers are obsessed with aliasing and object identity
 - They have to be (!) so that subsequent assignments affect the right parts of the program
 - Often crucial to make copies in just the right places
 - Consider a Java example...

Spring 2019 CSE341: Programming Languages 23

23

Java security nightmare (bad code)

```

class ProtectedResource {
  private Resource theResource = ...;
  private String[] allowedUsers = ...;
  public String[] getAllowedUsers() {
    return allowedUsers;
  }
  public String currentUser() { ... }
  public void useTheResource() {
    for(int i=0; i < allowedUsers.length; i++) {
      if(currentUser().equals(allowedUsers[i])) {
        ... // access allowed: use it
        return;
      }
    }
    throw new IllegalAccessException();
  }
}
  
```

Spring 2019 CSE341: Programming Languages 24

24

Have to make copies

The problem:

```
p.getAllowedUsers()[0] = p.currentUser();  
p.useTheResource();
```

The fix:

```
public String[] getAllowedUsers() {  
    ... return a copy of allowedUsers ...  
}
```

Reference (alias) vs. copy doesn't matter if code is immutable!