

CSE 341, Spring 2020, Assignment 1

Due: Thursday, April 16, 11:59PM

Overview

You will write 12 SML functions (and tests for them) related to calendar dates. In all problems, a “date” is an SML value of type `int*int*int`, where:

- the first part is the day,
- the second part is the month, and
- the third part is the year.

Notice that this is different than the usual way of writing dates in the US. A “reasonable” date has a positive year, a month between 1 and 12, and a day no greater than 31 (or less depending on the month). Your solutions need to work correctly only for reasonable dates, but need not check for reasonable dates (that is a challenge problem) and many of your functions will naturally work correctly for some/all non-reasonable dates as well. A “day of year” is a number from 1 to 365 where, for example, 33 represents February 2. (We ignore leap years except in one challenge problem.)

You will turn in two files: `hw1.sml` will contain your solutions, and `hw1_test.sml` will contain your tests.

Problems

1. Write a function `is_older` that takes two dates and evaluates to true or false. It evaluates to true if the first argument is a date that comes before the second argument. (If the two dates are the same, the result is false.)
2. Write a function `number_in_month` that takes a list of dates and a month (i.e., an `int`) and returns how many dates in the list are in the given month.
3. Write a function `number_in_months` that takes a list of dates and a list of months (i.e., an `int list`) and returns the number of dates in the list of dates that are in any of the months in the list of months. *Assume the list of months has no number repeated.* Hint: Use your answer to the previous problem.
4. Write a function `dates_in_month` that takes a list of dates and a month (i.e., an `int`) and returns a list holding the dates from the argument list of dates that are in the month. The returned list should contain dates in the order they were originally given.
5. Write a function `dates_in_months` that takes a list of dates and a list of months (i.e., an `int list`) and returns a list holding the dates from the argument list of dates that are in any of the months in the list of months. *Assume the list of months has no number repeated.* Hint: Use your answer to the previous problem and SML’s list-append operator (`@`).
6. Write a function `get_nth` that takes a list of strings and a positive `int` n and returns the n^{th} element of the list where the head of the list is 1^{st} . Do not worry about the case where the list has too few elements: your function may apply `hd` or `tl` to the empty list in this case, which is okay.
7. Write a function `date_to_string` that takes a date and returns a `string` of the form `September-10-2015` (for example). Use the operator `^` for concatenating strings and the library function `Int.toString` for converting an `int` to a `string`. For producing the month part, do *not* use a bunch of conditionals. Instead, use a list holding 12 strings and your answer to the previous problem. For consistency, use hyphens exactly as in the example and use English month names: January, February, March, April, May, June, July, August, September, October, November, December.
8. Write a function `number_before_reaching_sum` that takes an `int` called `sum`, which you can assume is positive, and an `int list`, which you can assume contains all positive numbers, and returns an `int`. You should return an `int` n such that the first n elements of the list add to less than `sum`, but the first $n + 1$ elements of the list add to `sum` or more. Assume the entire list sums to more than the passed in value; it is okay for an exception to occur if this is not the case.

9. Write a function `what_month` that takes a day of year (i.e., an `int` between 1 and 365) and returns what month that day is in (1 for January, 2 for February, etc.). Use a list holding 12 integers and your answer to the previous problem.
10. Write a function `month_range` that takes two days of the year `day1` and `day2` and returns an `int list` `[m1,m2,...,mn]` where `m1` is the month of `day1`, `m2` is the month of `day1+1`, ..., and `mn` is the month of day `day2`. Note the result will have length `day2 - day1 + 1` or length 0 if `day1 > day2`.
11. Write a function `oldest` that takes a list of dates and evaluates to an `(int*int*int)` `option`. It evaluates to `NONE` if the list has no dates else `SOME d` where the date `d` is the oldest date in the list.
12. Write a function `cumulative_sum` that takes a list of numbers and returns a list of the partial sums of these numbers. For example, `cumulative_sum [12,27,13] = [12,39,52]`. Hint: Use a helper function that takes two arguments.
13. **Challenge Problem:** Write functions `number_in_months_challenge` and `dates_in_months_challenge` that are like your solutions to problems 3 and 5 except having a month in the second argument multiple times has no more effect than having it once. (Hint: Remove duplicates, then use previous work.)
14. **Challenge Problem:** Write a function `reasonable_date` that takes a date and determines if it describes a real date in the common era. A “real date” has a positive year (year 0 did not exist), a month between 1 and 12, and a day appropriate for the month. Solutions should properly handle leap years. Leap years are years that are either divisible by 400 or divisible by 4 but not divisible by 100. (Do not worry about days possibly lost in the conversion to the Gregorian calendar in the Late 1500s.)

Remember the [course policy](#) on challenge problems. We do not recommend attempting these until you have completed the rest of the assignment.

Summary

Evaluating a correct homework solution should generate these bindings:

```
val is_older = fn : (int * int * int) * (int * int * int) -> bool
val number_in_month = fn : (int * int * int) list * int -> int
val number_in_months = fn : (int * int * int) list * int list -> int
val dates_in_month = fn : (int * int * int) list * int -> (int * int * int) list
val dates_in_months = fn : (int * int * int) list * int list -> (int * int * int) list
val get_nth = fn : string list * int -> string
val date_to_string = fn : int * int * int -> string
val number_before_reaching_sum = fn : int * int list -> int
val what_month = fn : int -> int
val month_range = fn : int * int -> int list
val oldest = fn : (int * int * int) list -> (int * int * int) option
val cumulative_sum = fn : int list -> int list
```

Of course, generating these bindings does not guarantee that your solutions are correct.

For reference, the sample solution contains *roughly* 90–100 lines of code, not including challenge problems. You should use this line count as a guide only; you do not need to match it to receive full credit.

Testing

In addition to implementing the functions described above, you must write a suite of tests to verify that your functions work correctly. Tests should be written using the approach shown in section, and should be comprehensive enough to fully verify that your functions work as indicated. Be sure to consider edge cases and unusual (but valid) inputs. Truly exceptional test suites may receive a small amount of extra credit.

Syntax Hints

Small syntax errors can lead to strange error messages. Here are 3 examples for function definitions:

1. `int * int * int list` means `int * int * (int list)`, not `(int * int * int) list`.

2. `fun f x : t` means the *result type* of `f` is `t`, whereas `fun f (x:t)` means the *argument type* of `f` is `t`. There is no need to write result types (and in later assignments, no need to write argument types).
3. `fun (x t)`, `fun (t x)`, or `fun (t : x)` are all wrong, but the error message suggests you are trying to do something much more advanced than you actually are (which is trying to write `fun (x : t)`).

Assessment

To receive full credit, your solutions should be:

- Functionally correct
- Written in good style according to the style guide, including indentation and line breaks
- Written using only features discussed in class through Lecture 3. In particular, you must *not* use SML's mutable references or arrays. (Why would you?) You must also *not* use pattern-matching—that is the focus of the next assignment.

Turn-in Instructions

- Put all your solutions in one file, `hw1.sml`.
- Put all your tests in another file, `hw1_test.sml`.
- Follow the link on the [course website](#) to submit your files to Gradescope.
- The Gradescope autograder will confirm that you have submitted the correct files and that your code compiles. **Submissions that do not compile will receive a 15% penalty!**